

# GLOBAL WEBCAST AUCTION

## ASSETS FORMERLY OF GEORGIA-PACIFIC'S 100,000 SQ.FT. GYPSUM CORE DOOR PLANT

**Online Only Webcast | No On-Site Bidding**

Core Department • Firestop Department • Saws/CNC • Banding/Laminating • Sealant Line  
General Plant Support Equipment • Forklifts/Rolling Stock • Air Compressors



HOLZMA HPP33 Panel Saw Cell



HOLZMA HFV33 Panel Saw Cell

**THURSDAY,  
DECEMBER 10<sup>TH</sup>  
@ 10:00AM CST**

**PREVIEW & INSPECTION:**  
Tuesday & Wednesday, December 8th & 9th,  
9:00am to 4:00pm or By Appointment

**PREVIEW LOCATION:**  
715 S. Franklin Street, Cuba, MO 65453

**THE FACILITY IS AVAILABLE IN ITS ENTIRETY (REAL ESTATE + EQUIPMENT)**

For inquiries please call Mario Mazzuca at 517.204.0033 or email [mario@maynards.com](mailto:mario@maynards.com)

SALE CONDUCTED BY  
**Maynards**  
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180,  
Southfield, MI 48075

**248.569.9781 | [www.maynards.com](http://www.maynards.com)**

Place your  
bid now! **BidSpotter.com**  
REGISTER AT



# CORE DEPARTMENT

- Rail Car Unloading System, Raw Ore Silo, Incon Perlite Expander (Natural Gas), PVA System, Gypsum/Cement Bins and Blender, Core Mixer, Globe Core Press (4' x 8' Cap.), Unitherm 13-Zone Dryer, (2) Timesaver Mdl. 452-1FA 52" Belt Sanders, Stacker
  - Produces 60-90 Minute White Core at 35-45 Per Hour
  - Produces Perlite Fines which are used for Light Density Firestop (LDF)



GLOBE Core Press (4' x 8' Cap.)



INCON PERLITE Expander (Natural Gas)



**8 Total Available**

TIMESAVER Mdl. 452-1FA 52" Belt Sander



UNITHERM 13-Zone Dryer

## FIRESTOP DEPARTMENT

- Densite Silo, Pulper / Pulp Hold Bin, Mixer, Beckwood Hydraulic Compaction Press, AKI 13-Zone Dryer, (2) Timesaver Mdl. 452-1FA 52" Belt Sanders, Stacker
- Produces 60-90 Minute Light Density Firestop (LDF) and High Density Firestop (HDF)
- Thicknesses from 0.75" up to 1.9" Thick
- Lengths from 7' up to 10'
- Rates Vary from 15 Pieces Per Hour Depending on Size



View of Pulp Tanks



**8 Total Available**

**TIMESAVER** Mdl. 452-1FA 52" Belt Sander

## SEALANT LINE

- Sealant Line w/Infeed & Outfeed Stacker, Dryer
- The Sealant Line Can Seal ~100 Pieces Per Hour of Banded or Raw Mineral Core at Customer Request on Each Side of the Door
- Has Kerf Saws to Apply ~1/8" Kerfs to Each Side of the Door at Customer Request
- Also Used to Glue Intumescent onto Firestop Using 2" W Sheets of Intumescent for Positive Pressure Door Applications



**AKI** 13-Zone Dryer



**BECKWOOD** Hydraulic Compaction Press



Sealant Line w/Infeed & Outfeed Stacker, Dryer

## SAWS / CNC

- **Holzma HFV33/33/16 Panel Saw Cell (Core Saw),**  
5' x 10' Cap., Bargstedt Vacuum Loader,  
(2) Outfeed Stackers
  - Can Cut 3' x 7' Mineral Core in Books of 4 up to 200 Per Hour
  - Can Cut and Stack Core into Strips and Top Pieces for Oversize Banding
  - Can Rip and Stack 4' Wide MDF into 2' Wide Pieces for MDF Stiles
  - Can Cut Universal LDF Stock Size Glued Core into Customer Requested Sizes
- **Holzma HPP33 Panel Saw Cell (Firestop Saw),**  
(2) Bargstedt Profiline Conveyors, Gantry Vacuum System, Material Handling System, Flip Table
  - Can Cut Over 50 Slabs Per Hour of Various Lengths and Thicknesses
  - (2) Mereen Johnson 424-DK Gang Rip Saws Can Strip the Slabs and MDF Pieces into Strips of Widths from Less Than 1" up to Over 20"
- **2001 Northwood Multi-Head CNC Router, Mdl. 259,**  
GE Fanuc Control
- **Ligmatech ZPS 50 Gantry Type Vacuum Loader**  
– Used as a Positioner and a Panel Stacker
- **Whirlwind Upcut Saw w/TigerStop**  
– Was Being Used to Cut Small Quantity of Firestop or Core Pieces



**HOLZMA HFV33/33/16 Panel Saw Cell (Core Saw)**



**BARGSTEDT Vacuum Loader**



**HOLZMA HFV33/33/16 Panel Saw Cell (Core Saw)**



**HOLZMA HPP33 Panel Saw Cell (Firestop Saw)**



**HOLZMA HPP33 Panel Saw Cell (Firestop Saw)**

## SAWS / CNC (Continued)



MEREEN JOHNSON 424-DK Gang Rip Saw



WHIRLWIND Upcut Saw w/TigerStop

## BANDING / LAMINATING

### • Regular Banding

- Can Band 60 Pieces Per Hour of Mineral Core Glued to Stiles/Rails
- Regular Banding Can Band up to 3' W x 7' L
- Uses Hot Melt Glue that is Melted in a Glue Pot and Applied to Individual Rails or Stiles
- Department is also Used to Sand Pieces of Firestop 2 (Glued Firestop to Wood) for Customers

### • Oversize Banding


- Can Band 25 Pieces Per Hour of Mineral Core Glued to Stiles/Rails
- Oversize Banding Can Band up to 4' W x 10' L
- Uses Hot Melt Glue that is Melted in a Glue Pot and Applied to Individual Rails or Stiles
- Department is also Used to Sand Pieces of Firestop 2 (Glued Firestop to Wood) for Customers

### • Laminator 1 w/Saws

- Can Laminate (Glue) Firestop to Wood Utilizing Pressure to Keep the Stiles Together
- Can Laminate Firestop that is 3/4" or 1" Thick, Sure Tack Hot Melt Glue System
- Saws are Programmed to Auto. Cut to the Correct Length after Laminating
- Allen-Bradley PanelView Plus 1250 Operator Interface

### • Laminator 2 w/Saws

- Can Laminate (Glue) Firestop to Wood Utilizing Pressure to Keep the Stiles Together
- Can Laminate Firestop that is 1" to 5" Thick, Sure Tack Hot Melt Glue System
- Saws are Programmed to Auto. Cut to the Correct Length after Laminating
- Allen-Bradley PanelView Plus 1250 Operator Interface



NORTHWOOD Multi-Head CNC Router



Laminator 1 w/Saws



Laminator 2 w/Saws

# GENERAL PLANT SUPPORT EQUIPMENT

- **Maintenance Room to Include:** Ridgid Pipe Threader, Pedestal Bench Grinder, Jet Vertical Band Saw, Promax Vertical Mill, Miller Welders, Dake Press, 2-Ton Jib Crane, Smith B2-259 Gear Head Gap Bed Lathe, Dake Arbor Press, Ladders, 2-Door Cabinets w/Contents, Knaack & Kennedy Tool Boxes, Hand Tools and More
- **Parts Crib Room to Include:** Large Quantity of Motors, Lista & Vidmar Cabinets, Shelving w/ Misc. Spare Parts and Components
- **Smoot Blower System for Pneumatic Transfer/Conveying**
- **2018 Oberlin OPF-12 Pressure Filtration System**
- **(2) Oberlin OPF-07 Pressure Filtration Systems**
- **Dekker Vacuum System**
- **Various Lift Assist Stations**
- **Large Quantity of Square D MCC**
- **Door & Jamb Machine**
- **(20) Roura Metal Hoppers**
- **Milwaukee Vertical Panel Saw**
- **Spiral Grip Stretch Wrapper**
- **Cantilever Racking**
- **Shipping Container**
- **Safety Storage Cabinets**
- **Humboldt Sieve Shaker**
- **Thermolyne 48000 Furnace**
- **Grieve Laboratory Oven**



View of Maintenance Room



2-Ton Jib Crane



View of Parts Crib Room



View of Motors



Smoot Blower System for Pneumatic Transfer/Conveying



OBERLIN Pressure Filtration System



DEKKER Vacuum System

# GENERAL PLANT SUPPORT EQUIPMENT (Continued)



Lift Assist Station



Square D MCC



View of Cantilever Racking

## FORKLIFTS / ROLLING STOCK

- Hyster 6,650 Lb. Cap. Propane Forklift
- Hyster 5,500 Lb. Cap. Propane Forklift
- (2) Hyster 5,000 Lb. Cap. Propane Forklifts
- (2) Toyota 5,600 Lb. Cap. Propane Forklifts
- Skyjack SJKB-40C Articulating Boom Lift
- Genie GR-20 Vertical Mast Lift
- JLG LiftPod Personal Portable Lift
- Tennant 355 Riding Floor Scrubber
- Tennant 7200 Riding Floor Scrubber
- Tennant 5100 Walk-Behind Floor Scrubber
- (2) Industrial Flatbed Electric Utility Carts

## AIR COMPRESSORS

- 2015 Kaeser 150 HP Air Compressor, Mdl. DSD 150
- 2005 Kaeser 150 HP Air Compressor, Mdl. DSD 150
- Kaeser 100 HP Air Compressor, Mdl. DS141
- Sullair 75 HP Air Compressor, Mdl. 16BS-75H ACAC
- Kaeser 20 HP Vacuum System
- (2) Kaeser KAD-590 Air Dryers



HYSTER 5,000 Lb. Cap. Propane Forklift



SKYJACK SJKB-40C Articulating Boom Lift



TOYOTA 5,600 Lb. Cap. Propane Forklift



KAESER 150 HP Air Compressor

# GLOBAL WEBCAST AUCTION

## ASSETS FORMERLY OF GEORGIA-PACIFIC'S 100,000 SQ.FT. GYPSUM CORE DOOR PLANT

**Online Only Webcast | No On-Site Bidding**

**THURSDAY,  
DECEMBER 10<sup>TH</sup>  
@ 10:00AM CST**

**PREVIEW & INSPECTION:**

Tuesday & Wednesday,  
December 8th & 9th,  
9am to 4pm or By Appointment

**PREVIEW LOCATION:**

715 S. Franklin Street,  
Cuba, MO

**Maynards**  
SINCE 1902

21700 Northwestern Hwy.  
Suite 1180  
Southfield, MI 48075



HOLZMA HPP33 Panel Saw Cell



HOLZMA HFV33 Panel Saw Cell

**TERMS & CONDITIONS | PAYMENT:** Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check, or Wire Transfer. No other forms of payments will be accepted. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is". All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of, or Defects in Any Lot and will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview and Inspection Period. **Sale Subject to Additions, Deletions and Prior Sales. Please Check Availability of Equipment.**

**A Buyer's Premium of 18% will be Charged on All Successful Bids.**



### DRIVING DIRECTIONS

**FROM: Lambert-St. Louis  
International Airport (STL)**

**TO: SALE SITE**

**Approx. 87.4 Miles, 1 Hour 20 Mins.**

Head southeast on Air Flight Drive. Merge onto I-70 W. Exit 232 to merge onto I-270 S. Exit 5B for I-44 W. Exit 208 for MO-19. Destination will be on the left.

**Maynards**  
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180,  
Southfield, MI 48075

**248.569.9781 | www.maynards.com**

Place your  
bid now! **BidSpotter.com**  
REGISTER AT