

LIVE WEBCAST ONLINE ONLY AUCTION



TELSMITH
an Astec Industries Co.

MAJOR CRUSHER MANUFACTURER-HEAVY MACHINING & FABRICATION FACILITY CLOSURE



SALE DATE
Tuesday,
December 1
at 9:00 AM CT

SALE LOCATION
10910 Industrial
Drive, Mequon,
Wisconsin 53092

INSPECTION
Monday,
November 30
from 8:00 AM
to 4:00 PM CT
or by Appointment

**Pre-Auction
Offers Invited
on Major
Assets**

GIDDINGS & LEWIS MAG
VTC-2500 CNC VERTICAL
TURNING/MILLING CENTER



KINETIC K5000DA CNC PLASMA/DRILL PLATE PROCESSING CENTER

FEATURING: 2007 G & L MAG VTC-2500 98"/106" & 2009 G & L MAG VTC-1600 63"/78" Vert. Turning/Milling Centers, 2011 DMG Deckel Maho DMC125 FD 5-Axis Universal Machining/Turning/Grinding Center, 2011 Okuma Spaceturn LB4000-EX-BBMY Turning Center, 108" G & L & 144" Gray CNC VBM'S, 2007 Cincinnati MAG FTV1050/2500 VMC, 6" G & L H600TX Traveling Column & 6" G & L G60TX CNC HBM'S, Large Cap. CNC Lathes, Mitts & Merrill 9B & 2-HFRD Hyd. Keyseaters, Cincinnati 18" x 144" OD Grinder, **FABRICATION:** 2008 1,000-Ton Accurpress & 1,000-Ton Chicago Press Brakes, 2008 Kinetic K5000 DA CNC Plasma/Drill Plate Processing Center, 2007 Messer TMC 4516 Plasma/Oxy Cutting System, Bertsch Plate Roll, Dake 150-Ton Straightening Press, Parts Washer, Welding Positioners Up to 120,000-Lb. Cap., Large Selection of Welders, JLG Scissor Lifts & Boom Lifts, Rolling Stock, Tool Room, Material Handling, Plate & Bar Stock, Huge Selection of Stores, Maintenance & More

COMPLETE CATALOG & INFORMATION: <https://perfection.global/telsmith>



**PERFECTION
Industrial Sales**

ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com
Perfection Global, LLC WI Firm License #497-53,
Joseph Lundvick WI Auctioneer License #2955-52

Sale is Being Held in Conjunction With:



ph +1-631-249-5566
www.prestigeequipment.com

Webcast Bidding Available Through

BidSpotter.com

5-AXIS MACHINING/TURNING/GRINDING CENTER, CNC BORING MILLS,



DMG DECKEL MAHO DMC 125 FD DUOBLOCK CNC 5-AXIS UNIVERSAL MACHINING/TURNING/GRINDING CENTER

5-AXIS UNIVERSAL MACHINING/TURNING/GRINDING CENTER

2011 DMG DECKEL MAHO DMC 125 FD DUOBLOCK CNC 5-AXIS UNIVERSAL MACHINING/TURNING/GRINDING CENTER, s/n 1196-000030-3, w/Siemens 840D CNC, Travels: X-49.37", Y-49.37", Z-39.37", (2) 43.3" Dia. Pallets w/49" Sub Plates, 4,400-Lb. Pallet Weight Cap., 0.001" Pallet Indexing, 20 RPM Pallet Speeds, -30°/+180° Spindle Head Swivel, HSK 100A Spindle Taper, 12,000 RPM Spindle Speeds, 37.5 HP, Motor, 120 ATC, Full B-Axis Contouring Tables, Full A/C-Axis Swivel Spindle Head, 2-Station High Speed Pallet Changer, Coolant Thru Spindle, Paper Filtration System, Chip Conveyor

CNC VERTICAL TURNING CENTERS & BORING MILLS

2007 GIDDINGS & LEWIS MAG VTC-2500 CNC VERTICAL TURNING/MILLING CENTER, s/n 525-0025, w/Siemens 840D Control, 106.29" Max. Turning Dia., 98.42" Dia. Table, 1-200 Table RPM, 112 HP Table, C-Axis .001 Deg., Up to 4,000 RPM Milling, 50 HP Spindle, 25-Station ATC, 12-Station Horizontal ATC, 787 IPM Rapid Traverse, Right Angle Milling Head, Renishaw RMP 60 Part Probe, Tool Probe, High Pressure Through Spindle Coolant, Paper Filtration, Chip Conveyor, Hand Held Pendant

2009 GIDDINGS & LEWIS MAG VTC-1600 CNC VERTICAL TURNING/MILLING CENTER, s/n 524-0093, w/Siemens 840D Control, 78.74" Max. Turning Dia., 62.99" Dia. Table, 88.26" Height Under Ram, 68.89" Vertical Ram Travel, 3-Station Pallet Changer, 1-400 Table RPM, 100 HP Table, C-Axis .001 Deg., Up to 4,000 RPM Milling, 50 HP Spindle, 60-Station ATC, Right Angle Milling Head, Tool Probe, Through Spindle Coolant, Chip Blaster, Chip Conveyor

GRAY 144" CNC VERTICAL BORING MILL, s/n 9927, w/G & L 8000 CNC Control, 151" Max. Swing, 144" Dia. Table, 120" Under Rail, (2) Vertical Rams on Cross Rail w/96" Vertical Travel, 75 HP Table, 0.8-50 Table RPM

GIDDINGS & LEWIS 108-VTC 108" CNC VERTICAL BORING MILL, s/n 57-0007-94, w/G & L 8000 CNC Control, 12-Station ATC, 120" Max. Swing, 108" Dia. Table w/Comb. 4-Jaw Chuck, 96" Under Rail, 62" Vertical Ram Travel, 75 HP Table, 2.5-150 Table RPM, Hardened Ways, Coolant Thru Ram, Chip Conveyor, 1994

CNC HORIZONTAL BORING MILLS

6" GIDDINGS & LEWIS H600-FX CNC FLOOR TYPE HORIZONTAL BORING MILL, s/n 465-13-91, w/G & L 8000M CNC Control, Travels: X-360", Y-168", Z-48", 12-2,200 RPM Spindle Speeds, 50 HP, 40 ATC, Thru Spindle Coolant, #50 ANSI Spindle Taper, 60" x 84" G & L Air Lift Rotary Table on Infending Slide, 96" x 144" G & L Air Lift Rotary Table on Infending Slides (Rotary Tables May be Sold Separately), 1991

6" GIDDINGS & LEWIS G60TX CNC TABLE TYPE HORIZONTAL BORING MILL, s/n 450-78-80, w/G & L 800M CNC Control, Travels: X-168", Y-120", W-60", Z-36" (Spindle Travel Beyond Perm Mounted Spindle Support), 72" x 168" Table, 72" x 108" Hydrostatic Rotary Table (May be Sold Separately) #50 ANS Taper, 40 HP, 40 ATC, Chip Conveyor, Steel Way Covers


GIDDINGS & LEWIS 72" X 108" HYDROSTATIC HEAVY DUTY ROTARY TABLE (Equipped on G & L 6" HBM, s/n 450-78-80)

(2) GIDDINGS & LEWIS AIR LIFT ROTARY TABLES, 96" x 144" and 60" x 84"



G & L MAG VTC-1600 CNC VERTICAL TURNING/MILLING CENTER


GRAY 144" CNC VERTICAL BORING MILL



G & L 108-VTC CNC VERTICAL BORING MILL

SALE DATE Tues., December 1 at 9:00 AM CT

VERTICAL MACHINING & TURNING CENTERS



AIR LIFT

(2) G & L 96" X 144" AND 60" X 84" ROTARY TABLES



120" Y-AXIS

6" G & L G60-TX CNC TABLE TYPE HBM
(ROTARY TABLE SOLD SEPARATELY)



2011

LIVE TOOLING

OKUMA SPACETURN LB4000-EX-BBMY CNC TURNING CENTER



168" Y-AXIS

6" G & L H600-FX CNC FLOOR TYPE HBM
(ROTARY TABLES SOLD SEPARATELY)



AMERICAN 40" X 180" CNC LATHE



AMERICAN 3220WX144 CNC LATHE



LIVE TOOLING

OKUMA IMPACT LU45-M TURNING CENTER

TURNING CENTERS & VMC'S

2011 OKUMA SPACETURN LB4000-EX-BBMY CNC TURNING CENTER, s/n 158573, w/OSP-P200LA CNC Control, 26.38" Swing Over Bed, 18.90" Swing Over Cross Slide, 59.06" Max. Turning Length, 59.84" Between Centers, 0.001° C-Axis Indexing, Y-5.51", 30-3,000 RPM Spindle Speeds, 4.41" Spindle Bore, A2-11 JIS Spindle Nose, 50/40 HP Spindle Motor, 45-6,000 RPM Live Milling Spindle, 12-Station Turret, 5.91" Quill Stroke, MT5 Quill Taper, Tool Presetter, Tailstock, Chip Conveyor

OKUMA IMPACT LU45-M TURNING CENTER, s/n 0204, w/OSP-U100 Control, 33.07" Swing Over Covers, 118.11" Centers, 21.85" Max. Turning Dia., 24" 3-Jaw Hydraulic Chuck, 5.12" Bar Cap., 2,400 RPM, 12-Station Upper Turret w/Live Tooling, 10-Station Lower Turret, 60 HP Motor, Tailstock, Chip Conveyor, 1999

AMERICAN CNC LATHE, s/n 79039-74, w/G & L 8000 CNC Control, 180" Centers, 40" Max. Turning Dia., 75 HP, 4-Position Tool Post, Chip Conveyor

AMERICAN 3220WX144 CNC LATHE, w/G & L 8000 CNC Control, 144" Centers, 22" Max. Turning Dia., 20 HP, 4-Position Tool Post, Chip Conveyor

2007 CINCINNATI MAG FTV-1050/2500 VERTICAL MACHINING CENTER, s/n 7098-S00-KM0297, w/Siemens 840 Control, 123.6" x 39.37" Table, Travels: X-100", Y-39.56", Z-31.5", 36 ATC, 50 Taper, 30/50 HP, 17,600-Lb. Table Cap., Coolant Thru Spindle, Chip Conveyor

GIDDINGS & LEWIS 25V VERTICAL MACHINING CENTER, s/n 924-0050-93, w/G & L 8000 Control, 80" x 40" Table, Travels: X-80", Y-40", Z-40", 40 ATC, 50 Taper, 4,000 RPM, Chip Conveyor



2007

CINCINNATI MAG FTV-1050/2500 VERTICAL MACHINING CENTER

FABRICATING MACHINES

FABRICATING MACHINES

2008 ACCURPRESS 7100024 1,000-TON HYDRAULIC PRESS BRAKE, s/n 10084, w/ETS PLC Control, 24' Bed, 20'6" Between Housings, 14" Throat, 24" Open Height, 10" Closed Height, 12" Bed Width, 60 HP Hydraulic Motor, Merlin Light Curtains

CHICAGO DREIS & KRUMP 1000VC18 1,000-TON HYDRAULIC PRESS BRAKE, w/22' Bed, 18'5" Between Housings, 18" Throat, 22' x 30" T-Slotted Bed

2008 KINETIC K5000DA CNC PLASMA/DRILL PLATE PROCESSING CENTER, s/n KD5000DA-6250-242, w/Torchcut 6 PC Based CNC Control, LCD Touch Screen, 488" x 128" Max. Cut Cap., High Speed Drilling Head, 4" Dia. Cap., 1.25" Tapping Cap., 40 HP Spindle Motor, 24 ATC, (2) Hypertherm HPR260XD Plasma Units – (1) Auto Beveler Torch, (1) Straight Line Torch, (2) Oxy-Ace Torches, Mist Tool Coolant, Laser Pointing, Water Table

2007 MESSER TMC 4516 12' X 47' CNC PLASMA/OXY CUTTING SYSTEM, s/n TMC4516LP-07-4903, w/Messer Global CNC Control, 144" Max. Cutting Width, 567" Effective Cutting Length, 672" Track Length, 144" x 544" Table Size, 8" Max. Cutting Height, 1,400 IPM Max. Positioning Speed, 400 IPM Max. Contouring Speed, w/(1) Global Rotator Infinity Plasma Bevel Head, (4) Oxy Fuel Torch Stations w/Messer OL300 OxyFuel Lifter, Hypertherm HPR400XD 400A Hyperformance Plasma Unit (Upgraded in 2010), Slagger Self Cleaning Downdraft Cutting Table, Auto Torch Spacing and Selection, Rack and Rail Cleaning System, Messer Donaldson Free Standing Dust Collector, Camera

BERTSCH 14-E INITIAL PINCH PLATE ROLL, s/n M-10206, 8' x 1-5/32" Cap., 16" Dia. Rolls, Air Drop End, Joystick Solid State Control

HYD-MECH V-18 AUTO VERTICAL BANDSAW, w/45 Deg. Left/Right Mitering Head, Power Clamp

WA WHITNEY 765-000 150-TON HYDRAULIC ANGLE SHEAR, s/n 15982

(3) **WA WHITNEY HYDRAULIC PUNCHES – VARIOUS TONNAGES AND THROATS**



2008

ACCURPRESS 7100024 1,000-TON HYDRAULIC PRESS BRAKE



22' BED

CHICAGO D&K 1000VC18 1,000-TON HYDRAULIC PRESS BRAKE



2007

HD BEVEL HEAD

MESSER TMC 4516 CNC PLASMA/OXY CUTTING SYSTEM



8' X 1-5/32"

BERTSCH 14-E INITIAL PINCH PLATE ROLL



HYD-MECH V-18 AUTO VERTICAL BANDSAW



WA WHITNEY 765-000 150-TON HYDRAULIC ANGLE SHEAR

WELDING DEPARTMENT, MACHINE ACCESSORIES, TOOLING & SUPPORT



ARONSON HD600CS 60,000 LB WELDING POSITIONER

SALE DATE
Tuesday, December 1 at 9:00 AM CT



ARONSON G-1200 120,000 LB WELDING POSITIONER



RED-D-ARC MARK-FIVE 6K 12,000 LB WELDING POSITIONER



RANSOME 12X12 WELDING MANIPULATOR

WELDING DEPARTMENT

1998 ARONSON G-1200 120,000 LB WELDING POSITIONER, s/n 707, w/Power Rotation, 120" x 120" Table

ARONSON HD600CS 60,000 LB WELDING POSITIONER, s/n 7711, w/Power Rotation, 96" x 96" Table

RANSOME 400P 40,000 LB WELDING POSITIONER, s/n 243079, w/Power Rotation, 120" x 120" Table

RANSOME 250P 25,000 LB WELDING POSITIONER, s/n 6521394, w/Power Rotation, 60" x 60" Table

RANSOME 200P 20,000 LB WELDING POSITIONER, s/n 2218573, w/Power Rotation, 60" x 60" Table

1998 RED-D-ARC MARK-FIVE 6K 12,000 LB WELDING POSITIONER, s/n 52263, w/Power Rotation, 48" x 48" Table

RANSOME 12X12 WELDING MANIPULATOR, w/Lincoln NA-5 Sub-Arc Welding System, Lincoln DC1000 Welder



30+ AVAILABLE

VIEW OF WELDERS



30+ AVAILABLE

VIEW OF WELDERS

NELSON TR 850 STUD WELDING SYSTEM, LINCOLN PRECISION TIG 275 TIG WELDER, LINCOLN WELDPANPOWER 225 G7 GENERATOR WELDER, (14) LINCOLN IDEALARC DC600 MIG WELDERS, w/Double Header DH-10 Wire Feed, Boom, (10) LINCOLN IDEALARC DC600 MIG WELDERS, w/LN-7 Wire Feed, Boom, (2) LINCOLN IDEALARC DC600 MIG WELDERS, (2) LINCOLN IDEALARC DC400 MIG WELDERS, w/LN-7 Wire Feed, Boom, LINCOLN IDEALARC DM 500/500 AC/DC ARC WELDER, LINCOLN IDEALARC DC400 ARC WELDER, (2) THERMAL DYNAMICS HYPER THERM POWERMAX 1250 PLASMA CUTTERS, THERMAL DYNAMICS HYPER THERM POWERMAX 185 PLASMA CUTTER



VIEW OF LIVE TOOLING AND TOOL HOLDER



300 LOTS

VIEW OF TOOLING

MACHINE ACCESSORIES, TOOLING & SUPPORT

ANGLE PLATES - VARIOUS CAPACITIES, BOX TABLES, (2,000+)PIECES HSK, KM80 AND CAT 50 TOOL HOLDERS, KURT VISES, INDEXING HEADS, CLAMPING HARDWARE, PERISHABLE TOOLING, CARBIDE INSERTS, BORING BARS, ETC.

INSPECTION

Monday, November 30 from 8:00 AM to 4:00 PM CT or by Appointment

MACHINE TOOLS, FACTORY SUPPORT EQUIPMENT, ROLLING STOCK



MITTS & MERRILL 9B HYDRAULIC KEYSEATER

MITTS & MERRILL 2-HFRD-KS HYDRAULIC KEYSEATER



1.25" CAPACITY



CINCINNATI DH 18" X 144" DH PLAIN CYLINDRICAL GRINDER

MACHINE TOOLS

MITTS & MERRILL 2-HFRD-KS HYDRAULIC KEYSEATER, s/n KM-7517, 12" Stroke, 1.25" Max. Key Width, 4–29 FPM Cutting Speed, .002–.010 Feed


MITTS & MERRILL 9B HYDRAULIC KEYSEATER, s/n KM-7512, 60" Stroke, 5" Max. Key Width, 8" Largest Post, 4-23 FPM Cutting Speed

18" X 144" CINCINNATI MODEL DH PLAIN CYLINDRICAL GRINDER, s/n 3550P5 5Z-0003, 18" Swing, 144" Centers, w/Allen Bradley Panelview Plus 1000 PLC Control, SBS SB-5500 Balancing System, Paper Filtration System, Rebuilt By Machine Tool Research

DAKE 150-TON TRAVELING COLUMN HYDRAULIC STRAIGHTENING PRESS, w/24' x 8' Table, LOGEMAN BROS. 200-TON HYDRAULIC SHOP PRESS, s/n 8108, ENERPAC 100-TON HYDRAULIC SHOP PRESS, MONARCH 18" 7BP LATHE, s/n 17094, 20.5" Swing, 72" Between Centers, 17–700 RPM, Tool Post, Tailstock, CARLTON 8' RADIAL ARM DRILL, 9" Column, 10–1,000 RPM, OOYA RE5 3500 11' RADIAL ARM DRILL, s/n 766555, w/30" Column, CARLTON 3' RADIAL ARM DRILL, w/11" Column, GALLMEYER & LIVINGSTON NO. 55 HYDRAULIC SURFACE GRINDER, s/n S-55254, VAN NORMAN NO. 38 MILLING MACHINE, s/n 38ME-4132-456, 16" x 72" Table, 50–2,000 RPM, DOALL 16-3 VERTICAL BANDSAW, s/n 50-56495, EVERETT 16-DM CHOP SAW, s/n 16-4862. **ALSO:** CINCINNATI TOOL AND CUTTER GRINDER, OLIVER DRILL POINT GRINDER, HAMMOND AND BALDOR PEDESTAL GRINDERS, BELT SANDERS, CHUCKS, ROTARY TABLES, MACHINE VISES, BENCH VISES, AND MORE

FACTORY SUPPORT EQUIPMENT

CUDA H20-4860 FRONT LOAD PARTS WASHER, s/n 10434450-1000180, w/5,000 Lb Turntable Cap., 200 GPM, PARKER HANNIFIN HYDRAULIC HOSE CRIMPER AND CLAMPING DIES, Hydraulic Fitting, Hydraulic Hose, RIDGID POWER THREADERS, GREENLEE EQUIPMENT, VIDMAR BALL BEARING MULTI-DRAWER CABINETS, STRONGHOLD CABINETS, KNAACK GANG BOXES TOOL CHESTS, ELECTRIC AND PNEUMATIC HOISTS, GANTRY AND JIB CRANES, DUMPING SCRAP HOPPERS, ELECTRIC AND PNEUMATIC RETRACTABLE HOSE REELS, HARDWOOD WORK BENCHES, SHOP CABINETS, SHOP CARTS, HAND TOOLS, POWER TOOLS, HD TABLES, HD SAW HORSES, WELDING SUPPLIES, OXY-ACE TORCH SETS, LADDERS, LIFT CARTS, SHOP CARTS, PALLET JACKS, SAFETY LADDERS, TOOL BOXES, ROLLING GANTRIES, ELECTRIC PALLET JACKS, PALLET JACKS, SPILL KITS AND PLATFORMS, STOCK CARTS, STORES AND MAINTENANCE CRIB INCL. LARGE ASSORTMENT OF BEARINGS, HARDWARE, MOTORS, CONSUMABLES, SWITCHES, CONTACTORS, BREAKER BOXES, FUSES, BELTS, BOARDS, MOTORS, BEARINGS, VALVES, HOSES, BALLASTS, LIGHTS, CHAIN, GEARS, CYLINDERS, FILTERS, SPROCKETS, CAMS, SOLENOIDS AND MORE



VIEW OF STORES



CUDA H20-4860 FRONT LOAD PARTS WASHER



PARKER HANNIFIN HYDRAULIC HOSE CRIMPER



OOYA RE5 3500 11' RADIAL ARM DRILL



DAKE 150-TON TRAVELING COLUMN HYDRAULIC STRAIGHTENING PRESS



VIEW OF STORES



VIEW OF DUMPING HOPPERS



PARTIAL VIEW OF RIGGING



VIEW OF SPARE MOTORS



PARTIAL VIEW OF PLATE STEEL

To avoid any public gatherings, there will be no onsite participation in this Webcast-only auction.

All bidders will be able to place live, real-time bids using a desktop or mobile device (the exact same way Webcast bidders have participated in previous sales) and can listen live in real-time to the auctioneer's audio stream.



2008

BOBCAT S175 SKID STEER LOADER



2007

JLG 450AJ 4WD ARTICULATING BOOM LIFT



2 AVAILABLE

KOMATSU FG25ST-16 5,000 LB LPG FORKLIFT



VIEW OF FORKLIFTS

ROLLING STOCK

2008 BOBCAT S175 SKID STEER LOADER, s/n A3L520730, Sold Separately – Snow Blade and Forks Attachment

(2) KOMATSU FG25ST-16 5,000 LB LPG FORKLIFTS, s/n A234349, Side Shift, 48" Fork Length, OH Protection

HYSTER E35HSD 3,500 LB ELECTRIC FORKLIFT, s/n A219N03022E

2007 JLG 450AJ 4WD ARTICULATING BOOM LIFT, s/n 030010516, 45' Max. Platform Height, 25' Horizontal Reach, 550 Lb Platform Capacity

(4) JLG 1930 ELECTRIC SCISSOR LIFTS, as new as 2013

2006 MINUTEMAN POWER BOSS TSS/82 ELECTRIC POWER SWEEPER, s/n 15953066

TENNANT M20 ELECTRIC POWER SCRUBBER, s/n 3705

WALKER MTCHS COMMERCIAL SNOWBLOWER, s/n 107285



VIEW OF POWER SWEEPERS



WALKER MTCHS COMMERCIAL SNOW BLOWER



4 AVAILABLE

VIEW OF JLG SCISSOR LIFTS

Pre-Auction Offers Invited on Major Assets

COMPLETE CATALOG & INFORMATION: <https://perfection.global/telsmith>

JANUARY 2021 AUCTION

Please Visit www.perfectionindustrial.com for Details



KENWORTH T800 DAY CAB HIGHWAY TRACTOR

2000 KENWORTH T800 DAY CAB HIGHWAY TRACTOR, VIN 1XKD-D09X11J865811, ISM-370E Engine, Fuller 10-Speed RTX13710C Transmission

(13) ASSORTED DROP DECK AND FLAT RACK HIGHWAY TRAILERS

2007 KOMATSU FD30T-16 10,000 LB LPG FORKLIFT, s/n 212132

HYSTER H110XL 10,000 LB LPG FORKLIFT, s/n G005D11255U

LINDE HD 30 6,000 LB DIESEL FORKLIFT, s/n H2X393TO1204

2014 RAYMOND 960-CSR30T 3,000 LB SWING REACH FORKLIFT, s/n 960-14-02902

2013 RAYMOND 425-C30TT 3,000 LB ELECTRIC STAND UP FORKLIFT, s/n 425-13-39328

2013 MET-RACK 2,000 LB TWIN BRIDGE FREE STANDING CRANE SYSTEM

2019 MET-RACK 1,000 LB FREE STANDING CRANE SYSTEM

2013 HANEL 2060-825 LEAN-LIFT VERTICAL STORAGE SYSTEM, s/n 424.683, w/(72) Shelves at 1,100 Lb/Shelf

(100) SECTIONS OF HI-BAY PALLET RACKING, Most Sections/14 Load Beams



6 AVAILABLE

DROP DECK TRAILER



LINDE HD 30 6,000 LB DIESEL FORKLIFT




HYSTER H110XL 10,000 LB LPG FORKLIFT



2014

RAYMOND 960-CSR30T 3,000 LB SWING REACH FORKLIFT



2013

HANEL 2060-825 LEAN-LIFT VERTICAL STORAGE SYSTEM



7 AVAILABLE

FLAT RACK TRAILER



6 AVAILABLE

DROP DECK TRAILER



2013

MET-RACK 2,000 LB TWIN BRIDGE FREE STANDING CRANE SYSTEM



100+ SECTIONS

HI-BAY PALLET RACKING



PERFECTION Industrial Sales

Perfection Industrial Sales –2550 Arthur Ave., Elk Grove Village, IL 60007
Phone: +1-847-545-6374 – Fax: +1-847-427-8884
www.perfectionindustrial.com

Perfection Global, LLC WI Firm License #497-53, Joseph Lundvick WI Auctioneer License #2955-52



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

LIVE WEBCAST ONLINE ONLY AUCTION

SALE DATE Tuesday, December 1 at 9:00 AM CT **SALE LOCATION** 10910 Industrial Drive, Mequon, Wisconsin 53092



MAJOR CRUSHER MANUFACTURER-HEAVY MACHINING & FABRICATION FACILITY CLOSURE



2011
DMG DECKEL MAHO DMC 125 FD DUOBLOCK
CNC 5-AXIS UNIVERSAL
MACHINING/TURNING/GRINDING CENTER

LIVE WEBCAST ONLINE ONLY AUCTION



MAJOR CRUSHER MANUFACTURER-HEAVY MACHINING & FABRICATION FACILITY CLOSURE

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

REMOVAL

All small, hand-carry lots must be removed no later than Wednesday, December 11. Larger machining and fabricating assets must be removed no later than Friday, January 15. All removal is strictly on an appointment only basis. No removal will be permitted on holidays or weekends unless prior arrangements have been made. Removal hours are Monday through Friday, 8:00 AM to 4:00 PM CT. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, and that certificate must be provided to the auctioneer for review and approval prior to the auction.

FOR FURTHER INFORMATION

Please contact Jennifer Reiner at +1-847-545-6374 or jennifer@perfectionindustrial.com

SALE DATE

Tuesday, December 1
at 9:00 AM CT

SALE LOCATION

10910 Industrial Drive,
Mequon,
Wisconsin 53092

INSPECTION

Monday, November 30
from 8:00 AM
to 4:00 PM CT
or by Appointment

Complete Catalog & Information Available at <https://perfection.global/telsmith>



PERFECTION Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884
www.perfectionindustrial.com
Perfection Global, LLC WI Firm License #497-53,
Joseph Lundvick WI Auctioneer License #2955-52

Sale is Being Held in Conjunction With:



ph +1-631-249-5566
www.prestigeequipment.com

Webcast Bidding Available Through

