



2 AUCTIONS

AUG. 19 & 20: (2) HOUSTON LOCATIONS: (7) DEEP HOLE BORING MILLS NEW AS 2008 • STRAIGHTENING PRESSES UP TO 1,000 T. CAP. NEW AS 2014 • HUGE QTY. BARSTOCK RACK • (12) HORIZONTAL BANDSAWS NEW AS 2018 • CNC SPIRAL MILL MACHINE TOOLS • (20+) FORKLIFTS: (2) JOHN DEERE 544K W/FORKS • (2) COMBILIFTS • OTHERS NEW AS 2017



WOHLENBERG MDL. PB2-1000B CNC COUNTER ROTATIONAL DEEP HOLE BORING MACHINE

393.7" MAX. BORE DEPTH
2008



AMADA 32" x 28" CAP. MDL. PCSAW720 CNC HORIZ. BANDSAW

INSTALLED NEW 2019

**DAY 1: LIVE ONLINE WEBCAST
WEDNESDAY, AUGUST 19
10:00 A.M. (NO ONSITE BIDDING)**

Including the Former Assets of
SUNBELT STEEL
5311 CLINTON DR., HOUSTON, TEXAS 77020
Wearing Masks & Social Distancing Are Required

INSPECTION:
Mon. & Tues.,
August 17 & 18,
9:00 A.M.
to 4:00 P.M.



(1 OF 3) HYD-MECH 22" ROUND CAP. H22A AUTO. HORIZ. BANDSAWS

3 AVAILABLE



(1 OF 2) JOHN DEERE 544K HIGH-LIFT WHEEL LOADERS W/FORKS

2 AVAILABLE

**DAY 2: TIMED ONLINE ONLY AUCTION
BIDS START CLOSING: THURSDAY,
AUGUST 20 • 10:00 A.M.**

Including the Former Assets of
CONTINENTAL ALLOYS
18334 STUEBNER AIRLINE ROAD,
SPRING, TEXAS 77379

INSPECTION:
Tues. & Wed.,
August 18 & 19,
9:00 A.M.
to 4:00 P.M.

ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
Go to www.pmi-auction.com and click on BidSpotter.com or INDUSTRIALBID on our calendar page for this auction sale.

**18% BUYER'S PREMIUM
WILL APPLY**

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401 FAX: (713) 672-7905

**E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com**



WOHLENBERG MDL. PB2-1000B CNC COUNTER ROTATIONAL DEEP HOLE BORING MACHINE



BETTS DOUBLE END DEEP HOLE BORING MACHINE



LEBLOND DEEP HOLE BORING MACHINE



RMD DEEP HOLE BORING MACHINE

CNC COUNTER ROTATIONAL DEEP HOLE BORING MACHINE

WOHLENBERG MDL. PB2-1000B, new 2008, Fanuc 21i-TB CNC control, rack driven design, (2) 100 kW drives on headstock and drill head, 393.7" max. bore depth, 39.37" swing, 20.87" bed width, 24-1/2" 3-jaw chuck on headstock, 24-1/2" chuck on center drive, nominal capacities 6"-19" O.D. cap., 2"-7.75" I.D. cap., 24"-27' boring length cap, 480 v., Jorgenson full length chip conveyor (new in 2020), (3) damper rests, (4) steadyrests, above ground full length flush coolant pan, boring bars up to 7" dia., pressure heads, *PLUS* unused POLO high pressure coolant pump still in crate, S/N 04601.

DEEP HOLE BORING MACHINES

BETTS DOUBLE END, center drive, 10" bore, dual heads, nominal capacities, 4.125"-9.5" O.D. cap., 1"-4.875" I.D. cap., 6'-32' single end boring length, 26'-32' double end boring length, (3) steadyrests, (2) dampener rests, pendant control.

LEBLOND, center drive, 14" bore, (3) steadyrests, 25" dia. 4-jaw chuck, 2,500 gal. cap. fluid tank, 50 HP headstock drive, Automation Direct touchscreen control, nominal capacities, 5"-12.60" O.D. cap., 2"-5" I.D. cap., 96"-32' boring length cap.

RMD, double pinion rack drive, headstock, boring head, (2) steadyrests, ejector head, large cap. fluid tank, 25" dia. 4-jaw chuck on headstock, hardened and ground bed, nominal capacities, 3.5"-12.5" O.D. cap., 2"-5.25" I.D. cap., 24"-81" boring length cap., Automation Direct touchscreen control.

VDF, remanufactured by Jones & Shipman and Crawford Swift in 3/2008, nominal capacities, 2.5"-11.5" O.D. cap., 1"-4.5" I.D. cap, 15"-60" boring length cap., center drive, 6" bore, headstock, boring spdl. and center boring bar suppt. spdls., (2) steadyrests, full length chip conveyor, large cap. fluid tank and pumps, 45'L. bed, 1,600 gal. coolant tank cap., S/N 200017.

BETTS, center drive, 9-1/4" bore, 21" chucks w/9-1/4" cap., double chucks on center drive, nominal capacities, 2.5"-8.5" O.D. cap., 1"-4.875" I.D. cap., 6'-32' cap., (4) H.D. steadyrests, (3) bar supports, Automation Direct touchscreen control, large cap. fluid tank, 75 kW motor.

VDF, center drive, 6" bore, 20' stroke, (4) steadyrests, (2) dampener rests, double chucks, nominal capacities, 2.5"-4.75" O.D. cap., 1"-1.812" O.D. cap., 8'-32' boring length cap, Automation Direct touchscreen control, 2,100 gal. cap. coolant tank.





FRANKOR HYDRAULICS 1,000 T. CAP. 4-POST HYDRAULIC STRAIGHTENING PRESS



AMADA 32" x 28" CAP. MDL. PCSAW720 CNC HORIZ. BANDSAW

**DAY 1: LIVE ONLINE WEBCAST (NO ONSITE BIDDING)
WEDNESDAY, AUGUST 19 • 10:00 A.M.**

HYDRAULIC STRAIGHTENING PRESSES

FRANKOR HYDRAULICS 1,000 T. CAP. 4-POST DESIGN, new 2014, 42" x 28" working area, (4) 12" dia. hyd. cylinders, Allen Bradley controls, approx. 25" stroke, hyd. pipe handling system approx. 30'L. per side tapered rollers for material movement and hyd. pwr'd. spinning rollers for checking straightness, S/N 1408SP04.

CUSTOM 400 T. 4-POST DESIGN, up to 10" dia. cap. x 16' bed, 10" dia. single hyd. cylinder, pipe handling system w/tapered rollers for material movement and hyd. pwr'd. spinning rollers for checking straightness, pwr. source equipped w/(2) 30 HP motors, hyd. tank, hyd. control panel.

CNC HORIZONTAL BANDSAWS

AMADA MDL. PCSAW720, mfg. 2016, installed new in 2019, single pulse technology, 11.4"-28.3" round cap., 32" x 28" rec. cap., 17,640-lb. load cap., 27'3" blade length, 2-5/8" blade width, 15 HP blade motor, touchscreen PC control, approx. 40'L. pwr'd. infeed conveyor system, pwr. feed and clamping, S/N 72000058.

AMADA MDL. PCSAW430AX, new 10/2018, single pulse technology, 1.18"-16.93" dia. round cap., 16.93" x 16.93 sq. cap., 6,613-lb. load cap., .063" blade cap., 2" blade width, 20' blade length, 15 HP blade motor, pwr'd. roller conveyor infeed system, pwr. clamping and feed, S/N 43010062.

AUTOMATIC HORIZONTAL BANDSAWS

DOALL CONTINENTAL SERIES MDL. DC-560NC, new 2012, 22" round cap., 24" x 22" rec. cap., 10 HP, 2-1/4" blade, 260" band length, pwr'd. roller conveyor system on machine front and rear, S/N 0600057.

DOALL MDL. DC-560NC, new 2011, 22" round cap., 24" x 22" rec. cap., 10 HP, 2-1/4" blade, 260" band length, pwr. feed and clamping, pwr'd. roller conveyor feed system, discharge tbl., S/N 0600653.

HYD-MECH MDL. H-18A, new 2009, 18" round cap., 10 HP, S/N B0906215S.

HYD-MECH MDL. H-20, new 2000, PLC100 control, pwr. feed and clamping, S/N 00198107H.

HORIZONTAL BANDSAWS

DOALL MDL. 400S, new 2013, S/N 597-13243; **DOALL MDL. C-4100**.



CLOSE-UP VIEW OF 1,000 T. STRAIGHTENING PRESS



AMADA MDL. PCSAW430AX CNC HORIZ. BANDSAW



DOALL CONTINENTAL SERIES MDL. DC-560NC AUTO. HORIZ. BANDSAW

LARGE QTY. OF ASSORTED DEEP HOLE BORING TOOLING

BTA STYLE CUTTING HEADS: 1"-9";
LARGE QTY. OF ASSORTED DEEP HOLE BORING CUTTING HEAD INSERTS;
SLEEVES; SPACERS; MISC. SUPPORT EQUIPMENT for deep hole boring bars;
TOOLLEX TREPAN CUTTING HEADS;
L.H. TREPAN CUTTING HEADS.



2008



S.D.T. 3.125" MIN.-11" MAX. O.D. CAP. CNC GANTRY TYPE SPIRAL DRILL COLLAR MILLING MACHINE



SUMMIT MDL. 26-6X120 HOLLOW SPINDLE ENGINE LATHE

CNC GANTRY TYPE SPIRAL DRILL COLLAR MILLING MACHINE

S.D.T., new 2008, 3.125" min.-11" max. O.D. cap., 32' bar length cap., Control Techniques CNC control, 4th axis 24" cap. w/tailstock, 12" bore on 4-jaw chuck, double swivel right angle attach., magnetic type chip conveyor.

HOLLOW SPINDLE ENGINE LATHE

SUMMIT MDL. 26-6X120, 6-1/4" spdl. bore, 800 RPM, front and rear 24" dia. 4-jaw chucks, Dorian toolpost, steadyrest, misc. live and dead centers, S/N 12057.

VERTICAL TURRET MILLS

SUMMIT MDL. VS-350B-MILL, 10" x 54" tbl., 3 HP variable spd. head, Fagor D.R.O., rotary indexer, pwr. feed on all axis, S/N 8333.

FREJOTH MDL. AM-2V, new 2001, 9" x 49" tbl., Newall Topaz D.R.O., S/N 001958.

WELDERS, WIRE FEEDER, PLASMA CUTTER

MILLER MDL. TRAILBLAZER 302 AIR PAK, new 2014, generator, air compressor, battery charger, w/misc. tools, hose reel, fire extinguisher, trailer mtd., S/N ME250080R; LINCOLN MDL. SP-180T MIG WELDER, S/N M3080203547; MILLER MDL. X-TREME 8VS SUITCASE WIRE FEEDER, S/N ME260311V; MILLER MDL. SPECTRUM 1000 PLASMA CUTTER, S/N LJ230320P.

RECIPROCATING AIR COMPRESSORS

INGERSOLL RAND MDL. 7100E15X2, 2-stage, 15 HP motor, vert. air receiving tank, S/N CBV290690; INGERSOLL RAND, 10 HP (est.) motor; CAMPBELL HAUSFELD, 7 HP motor, 60 gal. cap.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

E-Z-GO GOLF CART; (2) H.D. REELS; A-FRAME STANDS; PUMPS; PORTABLE OIL FIRED HEATERS; ELECTRICAL SWITCH GEARS; ARGON MACK PNEUMATIC STAMPING GUN; HYDRAULIC 20 T. H.D. SHOP PRESS; AIR GRINDERS; O-RINGS; CALIPERS; O.D. MICROMETER SET; H.D. TBL. w/Vise; DOALL DOUBLE END GRINDER; TOOLBOXES; DIGITAL FLOOR SCALE; RECIPROCATING AIR COMPRESSORS; CHAMPION VERTICAL TANK; LADDERS; FANS; TOOLBOX w/tools; ADJUSTABLE PALLET RACK; OIL FILTER TRANSFER CART; 300 GAL. DIESEL FUEL STORAGE TANK; SPARE PARTS; HARDWARE; MORE.



SUMMIT MDL. VS-350B-MILL VERTICAL TURRET MILL

HEAVY DUTY BARSTOCK/PIPE RACKING

HUGE OFFERING! 100's AVAILABLE OF ASSORTED SIZES AND CAPACITIES: FRAZIER ADJUSTABLE PALLET RACKS, 20' ht., (57) uprights, bolt package (brand new); HUGE QTY. OF BARSTOCK RACKING SYSTEMS up to 70,000-lbs. per slot; H.D. CANTILEVER RACK; BARSTOCK UPRIGHT RACKS 20' LONG; SINGLE SIDED SHIPPING RACKS; 30' LAY DOWN RACKS; APPROX. (30) DOUBLE SIDED CANTILEVER PAN RACKS, 5,000-lbs. per side, (6) levels high; HUGE QTY. OF LARGE CAP. BARSTOCK RACKS, 70,000-lbs. per slot, up to 100'L., MUCH MORE!



2014



2014 KALMAR SUNSTAR MDL. 4X2 TRAILER JOCKEY

AS NEW AS 2013



(1 OF 2) COMBILIFT 10,000-LB. CAP. C10000XL SIDE LOADER DIESEL FORKLIFTS

2 AVAILABLE



TCM 22,000-LB. CAP. FD100-2 DIESEL FORKLIFT



PMI AUCTION #1

**DAY 1: LIVE ONLINE WEBCAST (NO ONSITE BIDDING)
WEDNESDAY, AUGUST 19 • 10:00 A.M.**

Including the Former Assets of
SUNBELT STEEL
5311 CLINTON DRIVE
HOUSTON, TEXAS 77020
Wearing Masks & Social Distancing
Are Required

TRAILER JOCKEY

2014 KALMAR SUNSTAR MDL. 4X2, 36,000-lb. G.V.W.R., single axle, 5th wheel attachment, ODO: 60,028 miles, VIN 11VF213EOEA000264.

TRAILER

GREAT DANE, 50' overall, single drop, tandem axle, stake bed, wood deck.

DIESEL FORKLIFTS

TCM 22,000-LB. BASE CAP. MDL. FD100-2, diesel pwr'd., 2-stage mast, 6'L. forks, 158" lift ht., dual front solid rubber tires, fork positioner, side shift, 8,533 H.O.M., S/N 30U00173.

TOYOTA 10,000-LB. BASE CAP. MDL. 7FDU45, diesel engine, dual drive pneumatic, 110" max. lift ht., 239" triple stage mast, 48" forks, S/N 60088.

DOOSAN 6,000-LB. BASE CAP. MDL. D30S-5, diesel pwr'd., 3-stage mast, 186" lift ht., 5'L. forks, pneu. style cushion tires, side shift, S/N FDA06-1240-1285.

**DAY 1: LIVE ONLINE BIDDING ONLY (NO ONSITE BIDDING):
YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING
AT THIS AUCTION. Go to www.pmi-auction.com and click
on BidSpotter.com or INDUSTRIALBID on our calendar
page for this auction sale.**

INSPECTION: Monday & Tuesday, August 17 & 18,
9:00 A.M. to 4:00 P.M.

SIDE LOADER STYLE DIESEL FORKLIFTS

(2) COMBILIFT 10,000-LB. BASE CAP. MDL. C10000XL, as new as 2013, 8,435-lb. cap. at 12" load center, diesel pwr'd., 2-stage mast, 13'-4" max. lift ht., 47" platform length, solid tires: S/N 22484 (new 2013, 3,257 H.O.M.); S/N 22483 (new 2011, 3,708 H.O.M.).

LPG FORKLIFTS

HYSTER 13,500-LB. BASE CAP. MDL. S135FT, new 2015, LPG, 186" max. lift ht., 101" 3-stage mast, cushion tires, 48" forks, 9,052 H.O.M., S/N G024V02375N.

(2) HYSTER 12,000-LB. BASE CAP. MDL. S120FTS, new 2014, LPG, 110" max. lift ht., 83" 2-stage mast, cushion tires: S/N H004V02856M (4,012 H.O.M.); S/N H004V02866M (4,719 H.O.M.).

YALE 8,000-LB. BASE CAP. MDL. GLC080VXN, new 2017, LPG, 185" max. lift ht., 92" 3-stage mast, cushion tires, 42" forks, S/N G81802268R.

TOYOTA 7,000-LB. BASE CAP MDL. 8FGCU32, new 2014, LPG, 131" max. lift ht., 88" 2-stage mast, cushion tires, forks, S/N 64400.

YALE 7,000-LB. BASE CAP. MDL. GLC070VXN, new 2016, LPG, 185" max. lift ht., 92" 3-stage stage mast, cushion tires, 42" forks, S/N C910V05776P.

HYSTER 7,000-LB. BASE CAP. MDL. S70FT, new 2014, LPG, 89" max. lift ht., 187" triple stage mast, sideshift, cushion tires, 48" forks, S/N G187V01576M.

MISCELLANEOUS MATERIAL HANDLING EQUIPMENT

CONTRAX 1 T. CAP. JIB CRANE; BLACK BEAR 1 T. ELECTRIC HOIST; (2) M&W 4,000-LB. CAP., CRANE STYLE PALLET LIFTERS; (6) HIPPO HOPPER TRASH HOPPERS; MORE.

2015



HYSTER 13,500-LB. CAP. FORKLIFT



TOYOTA 10,000-LB. CAP. DIESEL FORKLIFT



DOOSAN 6,000-LB. CAP. D30S-5 DIESEL FORKLIFT



AUCTION #2

**DAY 2: TIMED ONLINE ONLY AUCTION
BIDS START CLOSING:
THURSDAY, AUGUST 20 • 10:00 A.M.**

Including the Former Assets of
CONTINENTAL ALLOYS
18334 STUEBNER
AIRLINE ROAD, SPRING,
TEXAS 77379

INSPECTION: Tues. & Wed., August
18 & 19, 9:00 A.M. to 4:00 P.M.



(1 OF 3) **HYD-MECH 22" ROUND CAP. H22A AUTO. HORIZ. BANDSAWS**

3 AVAILABLE



(1 OF 2) **AMADA 16.5" ROUND CAP. HFA400W AUTO. HORIZ. BANDSAWS**

AS NEW AS 2017



(1 OF 2) **JOHN DEERE 544K HIGH-LIFT WHEEL LOADERS W/FORKS**

LARGE CAPACITY HORIZONTAL BANDSAWS

(3) **HYD-MECH MDL. H22A**, as new as 2009, 22" round cap., 2" blade size, 10 HP, S/N C0911341S (2009); S/N C0510291S (2005 w/bundling attachment); S/N C05102925 (2005).

(2) **AMADA MDL. HFA400W**, as new as 2017, 1.18"-16.54" round cap., 5,511-lb. load cap., 1.5" blade size, 8 HP, S/N 45752176 (2017); S/N 45752052 (2012).

LARGE QUANTITY PALLET RACK ADJUSTABLE PALLET RACK SECTIONS, (3) levels at 4,000-lb. cap. per shelf.

HYDRAULIC PIPE LOADING/ UNLOADING SYSTEMS

(2) 40'L. PER SIDE, (8) PWRD. ROLLERS, 21"L. ROLLER, (1) W/EACH SAW.

POWERED PIPE HANDLING SYSTEM

30,000-LB. CAP., APPROX. 60'L. IN (2) SECTIONS, 24" W/ROLLER.

POWERED PIPE FEEDING SYSTEM 30", 24" ROLLERS.

PIPE RACK SYSTEM

CHAIN DRIVEN, (10) SECTIONS—APPROX. 25'L. EACH.

CONCRETE PIPE SLEEPERS

APPROX. (500) AVAILABLE.

HIGH-LIFT WHEEL LOADERS WITH FORKS

(2) **JOHN DEERE 544K**, as new as 2007, diesel, Wickler 6" x 8" forks, S/N DW544KZ627427 (2007), S/N DW544KZ625398 (2005).

WAREHOUSE FORKLIFTS

HYSTER 12,000-LB. BASE CAP. MDL. S120FT, new 2015, LPG, 171" max. lift ht., 83" 3-stage mast, cushion tires, 48" forks, S/N J004V01819N.

HYSTER 8,000-LB. BASE CAP. MDL. H80FT, new 2015, diesel, 123" max. lift ht., 83" 2-stage mast, pneu. style tires, 42" forks, S/N U005V02319N.

TOYOTA 7,000-LB. BASE CAP. MDL. 8FGCU32, new 2014, LPG, 131" max. lift ht., 88" 2-stage mast, cushion tires, forks, S/N 64387.

TOYOTA 6,000-LB. BASE CAP. MDL. 8FGCU30, new 2015, LPG, 187" max. lift ht., 83" 3-stage mast, side shift, cushion tires, forks, S/N 63742.

HYSTER 6,000-LB. CAP. MDL. S60FT, new 2016, LPG, 192" max. lift ht., 89" 3-stage mast, side shift, LPG, cushion tires, 42" forks, S/N H187V04091P.

TOYOTA 5,000-LB. BASE CAP. MDL. 8FGCU25, new 2015, LPG, 189" max. lift ht., 83" 3-stage mast, side shift, cushion tires, forks, S/N 69661.

MATERIAL HANDLING EQUIPMENT

BARREL LIFTER; (4) 5,000-LB. CAP. PALLET WRAPPING TBLs.; CHIP CONVEYOR; (2) PORTABLE RECYCLE DUMPSTERS; MAGNET LIFTERS; STRAPS; TOTES; WASTE OIL SYSTEMS; (2) WASTE OIL CONTAINERS, (2) DRUM DOLLIES; OIL DRUM PUMPS; METAL RACK; (2) 40' PIPE RACKS; (2) BANDING CARTS w/tools; (2) 5,000-LB. CAP. PALLET WRAPPING STANDS.



SAMPLE VIEW OF PIPE LOADING/UNLOADING SYSTEMS



SAMPLE VIEW OF LARGE QTY. PALLET RACK



HUGE QTY. OF CONCRETE PIPE SLEEPERS

2014



TOYOTA 7,000-LB. CAP. MDL. 8FGCU32 FORKLIFT



GARDNER DENVER 30 HP ROTARY SCREW AIR COMPRESSOR

2012



GARDNER DENVER RES280 REFRIG. AIR DRYER

2015



TOYOTA 6,000-LB. CAP. MDL. 8FGCU30 FORKLIFT

ROTARY SCREW AIR COMPRESSORS
 GARDNER DENVER 30 HP ELECTRA-SAVER II MDL. EBE990, new 2012.
 2003 GARDNER DENVER 30 HP ELECTRA-SAVER II MDL. EBE99N, S/N S146584.

REFRIGERATED AIR DRYER
 GARDNER DENVER MDL. RES280, Eliminator II Mdl. CTS30, S/N 1000002808547.

RECIPROCATING AIR COMPRESSOR
 QUINCY MDL. 5T, 60 gal. cap., 10 HP motor.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT
 10' X 20' PORTABLE STORAGE BUILDING; GRACO PAINT SPRAY SYSTEM; JUSTRITE FLAMMABLE STORAGE CABINET; LADDERS; TBLS.; HAIER FRIDGE FLAMMABLE STORAGE CABINET; VENDING MACHINE; WATER COOLERS; KRYLON SPRAY CANS; RIDGID SHOP VACUUM; MARSH MDL. H STENCIL MACHINE, (2) 1" and (2) 1/2"; (3) LADDERS; (3) WASTE CANS; (2) ROLLING CABINETS; (2) JUSTRITE FLAMMABLE STORAGE CABINETS; BROOMS; SHOVELS; 20 T. CAP. SHOP PRESS; MAGNET SWEEPER; H.D. STEEL TBL.; JOBOX; EMPLOYEE LOCKERS.



10' x 20' PORTABLE STORAGE BUILDING



(2) JUSTRITE FLAMMABLE MATERIAL STORAGE CABINETS



VENDING MACHINE

PARTIAL TERMS & CONDITIONS

An 18% Buyer's Premium Will Apply. See Rules for Participation. Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____.* This letter is good until September 21, 2020.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO

FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

REGISTRATION

Bid on-line at:



1. Register to bid at BidSpotter.com or Industrialbid.com. Use the link to BidSpotter or Industrialbid on PMI's website calendar. DO IT NOW.
2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com or Industrialbid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT.** If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

If you need assistance, don't hesitate to call (713) 691-4401. **ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

(7) DEEP HOLE BORING MILLS NEW AS 2008 • STRAIGHTENING PRESSES UP TO 1,000 T. CAP. NEW AS 2014 • HUGE QTY. BARSTOCK RACK • (12) HORIZONTAL BANDSAWS NEW AS 2018 • CNC SPIRAL MILL • MACHINE TOOLS (20+) FORKLIFTS: (2) JOHN DEERE 544K W/FORKS • (2) COMBILIFTS OTHERS NEW AS 2017



DAY 1: LIVE ONLINE WEBCAST: WED., AUGUST 19 • 10:00 A.M.

DAY 2: TIMED ONLINE AUCTION: THURS., AUGUST 20 • 10:00 A.M.

PUBLIC AUCTION



ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



2014

FRANKOR HYDRAULICS 1,000 T. CAP. 4-POST HYDRAULIC STRAIGHTENING PRESS



SAMPLE VIEW OF HUGE QTY. OF HEAVY DUTY BARSTOCK AND PIPE RACKING



393.7" MAX. BORE DEPTH

2008

WOHLENBERG MDL. PB2-1000B CNC COUNTER ROTATIONAL DEEP HOLE BORING MACHINE



2018

AMADA MDL. PCSAW430AX CNC HORIZ. BANDSAW