



PMI AUCTION

MAJOR MACHINING & GRINDING FACILITY CLOSED

Featuring Late Model CNC Vertical & Horizontal Milling Machines and Lathes; Huge Quantity of Grinders of all Sizes & Types; Manual Machine Tools; Tooling & Machine Accessories; Q.C. & Measuring Equip. as new as 2019; 125 KVA Backup Generator; Air Compressors; (20) Pedestal Jib Cranes; Forklifts; Vehicles; Workout Equip.; MORE!

2011



HAAS MDL.
VF-11/50 4-AXIS
VERT. MACHINING
CENTER



2007

FEMCO MDL.
WV-12 CNC VERT.
BORING MILL

2012



(1 OF 2) DOOSAN MYNX MDL. 5400/50 4-AXIS
VERT. MACHINING CENTERS

INSPECTION: Monday & Tuesday,
August 31 & September 1
9:00 A.M. to 4:00 P.M.
Wearing Masks & Social Distancing
Are Required

By Order of the U.S. Bankruptcy Court, Southern
District of Texas, Houston Division, Janet S. Casciato-
Northrup Trustee, Case No. 20-30967

**WATSON GRINDING &
MANUFACTURING CO.**
4525 GESSNER RD., HOUSTON, TX 77041

WED., SEPTEMBER 2 • 10:00 A.M.
LIVE ONLINE WEBCAST
(NO ONSITE BIDDING)

60" UNDER
RAIL



SPRINGFIELD MDL. 48AR UNIVERSAL
VERT. GRINDING MACHINE



DOOSAN PUMA MDL. 400LB
SLANT BED CNC LATHE

2012



HUGE QTY. Q.C. AND
MEASURING EQUIPMENT



GENERAC IVECO MDL. SD100
BACKUP GENERATOR

2017

ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.
Go to www.pmi-auction.com and click on INDUSTRIAL BID OR BidSpotter.com on our calendar page for this auction sale.

**15% BUYER'S PREMIUM
WILL APPLY**

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



HAAS MDL. VF-11/50 4-AXIS VERT. MACHINING CENTER



4-AXIS VERTICAL MACHINING CENTERS

HAAS MDL. VF-11/50, new 5/2011, 120" x 28" tbl. size, 4,000-lb. tbl. load, 120" X, 40" Y, 30" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30 ATC, HPTSC, Haas HRT-450 CNC rotary tbl., S/N 1085425.

(2) DOOSAN MYNX MDL. 5400/50 4-AXIS, new 2012, Fanuc Oi CNC control, 47.2" x 21.2" tbl., 1,763-lb. tbl. load, 40.2" X, 21.3" Y, 20.8" Z-axis travels, CAT-50, 6,000 RPM, 30 HP, 24 ATC, TSC, 10" CNC rotary tbl., S/N MV0047-000407 (5/2012), S/N MV0047-000453 (3/2012).

HAAS MDL. VF5B/40, new 3/2006, 52" x 23" tbl., 4,000-lb. tbl. load, 50" X, 26" Y, 25" Z-axis travels, CAT-40, 10,000 RPM, 20 HP, 20 ATC, TSC, Haas HRT-310 rotary tbl., S/N 47846.

HORIZONTAL MACHINING CENTERS

(2) HAAS MDL. EC1600-4X, new 5/2007, 64" x 30" tbl. size, 30" built-in rotary tbl., 64" X, 40" Y, 31.24" Z-axis travels, CAT-50, 7,500 RPM, 30 HP, 30 ATC, TSC, S/N 2052142, S/N 2052074.

CNC VERTICAL BORING MILL

FEMCO MDL. WVL-12, new 3/2007, Fanuc Oi-TC CNC control, 49.21" 4-jaw chuck size, 62.99" max. swing, 49.6" max. turning ht., 39.4" Z-axis stroke, 39.4" cross rail travel, 2.8 -280 RPM, 60 HP, 12-pos. ATC, chip conveyor, mist collector, S/N V27527.

2 AVAILABLE



(1 OF 2) HAAS MDL. EC1600-4X HORIZ. MACHINING CENTERS

2 AVAILABLE



(1 OF 2) DOOSAN MYNX MDL. 5400/50 4-AXIS VERT. MACHINING CENTERS

2007



FEMCO MDL. WVL-12 CNC VERT. BORING MILL



2012

DOOSAN PUMA MDL. 400LB SLANT BED CNC LATHE



2006

ROMI MDL. G50 SLANT BED CNC LATHE



AS NEW AS
2007

2
AVAILABLE

8.5"
HOLE

(1 OF 2) WEILER MDL. E70X3000 FLAT BED CNC LATHES



2012

DOOSAN PUMA MDL. 400B SLANT BED CNC LATHE



4-AXIS

2012

HAAS MDL. VF5B/40 4-AXIS VERT. MACHINING CENTER

SLANT BED CNC LATHES

DOOSAN PUMA MDL. 400LB, new 1/2012, Fanuc Oi CNC control, 30.3" swing over bed, 21.7" turning dia., 120" dist. btwn. centers, 5.2" spdl. bore, 2,000 RPM, 50 HP, 12-pos. turret, 18" dia. hyd. chuck, tool presetter, hyd. tailstock, RIP turn thru steadyrest, chip conveyor, S/N ML0133-004525.

DOOSAN PUMA MDL. 400B, new 1/2012, Fanuc Oi CNC control, 30.3" swing over bed, 21.7" turning dia., 41.1" turning length, 5.2" spdl. bore, 2,000 RPM, 50 HP, 12-pos. turret, 18" dia. hyd. chuck, tool presetter, chip conveyor, mist collector, S/N ML0126-004580.

ROMI MDL. G50, new 2006, Fanuc 21-iT CNC control, 2,000 RPM, 27" swing over Z-axis cover, 21" max. cutting dia., 51" max. turning length, 4.1" spdl. bore, 2-2,000 RPM, 15" hyd. chuck, tool presetter, 10-pos. vert. turret, chip conveyor, S/N 016.006269.401.

ROMI MDL. G260, new 2004, Fanuc Oi Mate-TB CNC control, 17" swing over bed, 24" btwn. centers, 2.5" bar cap., 4,500 RPM, 8" hyd. chuck, 12-pos. turret, hyd. tailstock, chip conveyor, S/N 016005538-430.

FLAT BED CNC LATHES

(2) WEILER MDL. E70X3000, 28" swing over bed, 17" swing over cross slide, 120" dist. btwn. centers, 8.5" spdl. hole, spds.: 1-900 RPM, 50 HP, Aloris tool post, (2) steadyrests, chip conveyor, (2) MPG handles, 23-1/2" dia. 4-jaw front and rear chucks, S/N 6E05 (2007), S/N 378 (2004).

(2) ROMI MDL. M27, new 2006 and 2004, Fanuc 21-iT CNC control, 29.97" swing over bed, 16.9" swing over cross slide, 120" dist. btwn. centers, 6-1/2" spdl. bore, 1-1,300 RPM, 30 HP, (2) MPG handles, teach mode, 25" dia. 4-jaw thru hole chuck, Aloris tool post, mist collector, assorted steadyrests S/N 002-092057-405 (2006), S/N 002-088988-405, 1,000 RPM, (2004).

(2) ROMI MDL. M27, Fanuc 21-iT CNC control, 29.97" swing over bed, 16.9" swing over cross slide, 80" dist. btwn. centers, 4.1" spdl. bore, 1-1,800 RPM, 30 HP, (2) MPG handles, teach mode, 25" dia. 4-jaw thru hole chuck, Aloris tool post, mist collector, assorted steadyrests 19" dia. 4-jaw chuck, S/N 002-091661-405, (2006), S/N 002-090249-405, (2005).



2
AVAILABLE

AS NEW AS
2006

6.5"
HOLE

(1 OF 2) ROMI MDL. M27 FLAT BED CNC LATHES



CINCINNATI 30" X 80" PYTHON MDL. 3080 ENGINE LATHE



RYAZAN 27" x 196" MDL. 1M63H-5 ENGINE LATHE



POLAMCO 22" X 120" MDL. TUR630A ENGINE LATHE

3
AVAILABLE



SPEEDFAM 96" HORIZ. LAPPING MACHINE



(1 OF 2) ACER E MILL
MDL. EVS-3VKH
VERT. TURRET
MILLS

2003

2
AVAILABLE



CUSTOM BALL VALVE POLISHING SYSTEM



ROBOTIC BALL VALVE POLISHING MACHINE

ENGINE LATHES

CINCINNATI 30" X 80" PYTHON MDL. 3080, 16" dia. 3-jaw chuck, Heidenhain 2-axis D.R.O., spds.: 8–1,400 RPM, S/N CM-0065.

RYAZAN 27" x 196" MDL. 1M63H-5, new 1998, 13.7" swing over cross slide, 4-1/2" spdl. hole, taper attach., 19-1/2" dia. 4-jaw chuck, steadyrest, S/N 3909.

AXELSON 25" X 144", 28-3/4" actual swing, spds.: 6–555 RPM, 25 HP motor, 2-1/4" spdl. hole, taper attach., 24" dia. 4-jaw chuck, (2) steadyrests, S/N 2900.

POLAMCO 22" X 120" MDL. TUR630A, new 1998, spds.: 15–1,400 RPM, 5-1/2" spdl. hole, camlock outboard spdl. mount, Adjust-Tru 16" dia. 6-jaw chuck, S/N 51465.

(2) **POLAMCO 22" X 80" MDL. TUR630A**, spds.: 30–1,400 RPM, taper attach., Newall 2-axis D.R.O., inch/metric thdng., 5-1/2" spdl. hole, w/ camlock outboard chuck mount, (2) steadyrests, Adjust-Tru 16" dia. 6-jaw chuck, (2) 16" dia. 4-jaw thru hole chucks, S/N 51437, S/N 59248.

SUMMIT 20" X 80", 4" spdl. hole, spds.: 16–1,400 RPM, taper attach., steadyrest, Newall 2-axis D.R.O., Adjust-Tru 6-jaw chuck, S/N 36156.

SUMMIT 16" X 60", 3.15" spdl. hole, spds.: 20–2,000 RPM, Newall 2-axis D.R.O., taper attach., steadyrest, Adjust-Tru 6-jaw chuck, 4-way rapid traverse, S/N 34761.

VERTICAL TURRET MILLS

(2) **ACER E MILL MDL. EVS-3VKH**, new 2003, 10" x 48" tbl., 4 HP motor, pwr. drawbar, (3) pwr. feeds, Acu-Rite 2-axis D.R.O., variable spd. head, spds.: 60–4,500 RPM, S/N 131003045, S/N N12110585.

(2) **BRIDGEPORT SERIES 1**, 9" x 48" tbl., (3) pwr. feeds, 2-axis D.R.O., S/N 234657, S/N BR256270.

HORIZONTAL LAPPING MACHINES

SPEEDFAM 96", (4) hyd. hold-downs, (3) geared driven conditioning rings; **MORE.**

MISCELLANEOUS MACHINERY

JET DOUBLE END BENCH GRINDER; JET 9" X 16" HORIZONTAL BANDSAW; MILLER MILLERMATIC MDL. 140 INTEGRATED MIG WELDER w/ rolling stand; CINCINNATI MDL. MT MONOSET TOOL AND CUTTER GRINDER; MORE.

VALVE POLISHING EQUIPMENT

COMPLETE BALL VALVE POLISHING DEPARTMENT, incl.: (8) Custom Mfg. ball polishing systems comprised of radial arm drill machine combined in unison w/lathe headstock in various sizes.

INSPECTION: Monday & Tuesday, August 31 & September 1
9:00 A.M. to 4:00 P.M.
Wearing Masks & Social Distancing
Are Required

60" UNDER RAIL



SPRINGFIELD MDL. 48AR UNIVERSAL VERT. GRINDING MACHINES

SPRINGFIELD MDL. 3-1/2TR ADJUSTABLE RAIL STYLE UNIVERSAL VERT. GRINDING MACHINES

60" UNDER RAIL



By Order of the U.S. Bankruptcy Court, Southern District of Texas, Houston Division, Janet S. Casciato-Northrup Trustee, Case No. 20-30967

WATSON GRINDING & MFG. CO.

4525 GESSNER ROAD, HOUSTON, TEXAS 77041

WEDNESDAY, SEPTEMBER 2 10:00 A.M. LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

UNIVERSAL VERTICAL GRINDING MACHINES

SPRINGFIELD MDL. 3-1/2TR ADJUSTABLE RAIL STYLE, 68" swing, 62" tbl. dia. w/(4) top jaws, approx. 60" ht. under rail, L.H. dual swivel radius grinding head w/elec. cross feed, R.H. sgl. swivel deep bore grinding head w/10 HP drive, grinding spds.: 0-7,000 RPM, tbl. spds.: 0-150 RPM, Varidyne VFD system, aluminum surround catwalk, paper magnetic filter coolant system, 24" grinding spdl., 60" grinding spdl., S/N 69030.

SPRINGFIELD MDL. 48AR, 48" dia. plain tbl., approx. 60" swing, approx. 60" under grinding spdl. sgl. swivel ram w/36" grinding spdl., 10 HP drive, full function pendant control, tbl. spds.: 0-100 RPM, joystick operation, (4) tbl. mtd. jaws, S/N 74171.

PLAIN MODIFIED ROLL GRINDER

CINCINNATI 24" X 240" MDL. MH, new 1980, (4) 2-point steadyrests, variable spd. workhead, Allen Bradley PLC control (damaged screen), S/N 3550SPE80-0001.

VERTICAL GRINDING & TURNING MACHINE

CUTMASTER 54", 54" plain tbl., L.H. saddle w/turning ram, direct drive vert. grinding spdl., Westinghouse 15 HP variable frequency tbl. drive, S/N N.A.

UNIVERSAL CYLINDRICAL GRINDER

JOHANSSON 42" x 120" MDL. 3UD, 42" swing over bed, 120" dist. btwn. centers, pendant control, variable spd. wheel and work head, sgl. axis read out for infeed, pwr. tailstock, hyd. profile dresser, 30" max. wheel dia.

PLAIN CYLINDRICAL GRINDERS

(3) NAXOS UNION MDL. RT50/3000, new as 1971, 22" swing, 120" dist. btwn. centers, 36" wheel size, assorted 2-point steadyrests, S/N 36408 (1971); S/N 35446 (1961); S/N 35259 (1960 - disassembled and in need of repair).

(2) NORTON MDL. 10X48CTU, 30" max. wheel dia., variable spd. work head, auto. cycle, plunge grinding, S/N 36971 S/N 27416.

CINCINNATI MILACRON 14" X 72" MDL. 380, new 1980, Acramatic EC3 grinder control w/ CRT, Acra size 2 gauging, Filmatic headstock, 6" max. wheel width, 36" max. grinding wheel size, hyd. profile dresser, auto. wheel balance, variable spd. work head, S/N 35384F80-005.

CINCINNATI 10" X 72", 2-point steadyrest, center grinding attach.

INTERNAL GRINDERS

HEALD MDL. 72A EXTENDED BRIDGE, 20" x 48" nominal grind cap., 84" bridge extension, variable spd. work head, 15-1/2" dia. 4-jaw chuck, redhead spdl., swing-down dresser, S/N 11050.

CINCINNATI MILACRON MDL. 273, angle setting attach., Adjust-Tru 16" dia. 6-jaw chuck, redhead spdl., S/N 39617.

HEALD MDL. 274, Adjust-Tru 10" dia. 6-jaw chuck, redhead spdl., swing-down dresser, variable frequency work head, S/N 37734.

HEALD MDL. 272, 15" dia. 4-jaw chuck, 10" dia. 6-jaw chuck, 1-1/2 HP work head drive motor, angle setting attach., redhead spdl., swing-down dresser, S/N 38185.

HEALD MDL. 72A, Adjust-Tru 8" dia. 6-jaw chuck, Heald redhead spdl., variable spd. grinding spdl., S/N N.A.

240"



CINCINNATI 24" X 240" MDL. MH PLAIN MODIFIED ROLL GRINDER

CINCINNATI MILACRON 14" X 72" MDL. 380 PLAIN CYL. GRINDER



3 AVAILABLE




HEALD MDL. 72A EXTENDED BRIDGE INTERNAL GRINDER



(1 OF 3) NAXOS UNION MDL. RT50/3000 PLAIN CYL. GRINDERS



SAVAGE 60 T. CAP. MDL. 60CFS STRAIGHTENING PRESS



6,000 PSI PRESSURE TEST SYSTEM

2012



FARO EDGE MEASURING ARM

DON'T MISS THIS SALE!



DELTA COOLING TOWER



HUGE AIR RECEIVER

STRAIGHTENING PRESS

SAVAGE 60 T. CAP. MDL. 60CFS, new 1988, 14'-8"L. straightening bed, sliding roller strengthening rests, integrated hyd. system, S/N 1750.

HVOF THERMAL SPRAY SYSTEM

PRAXAIR, Mdl. PS-100 plasma spray powder supply, gas control panel, Mdl. PC-100 pwr. supply control, Praxair annunciator, (2) Thermac Mdl. AT1200 pwr. feeders, Yasnac Mdl. MRC 6-axis robot, Type YR-SK45-C000, 45 KG payload, Nebel sliding gap bed positioning lathe, approx. 14" dist. btwn. centers, 49" swing in gap, 60" gap length, vert. rotary tbl., pwr. drive, S/N KK321621.

RAW MATERIAL

316L STAINLESS STEEL BARS; HASTELLOY; INCONEL – PLEASE INSPECT ON SITE.

PRECISION MEASURING INSTRUMENTS

6,000 PSI PRESSURE TEST SYSTEM; FARO EDGE MEASURING ARM, new 8/2012, assorted styli, tripod base, S/N E09-05-12-10327; **CLARK MDL. MC12 MANUAL ROCKWELL HARDNESS TESTER**, on cabinet stand, S/N 75027; **36" X 72" X 6" PRECISION GRANITE SURFACE PLATE** w/fabricated roller base; **PORTABLE KING BRINELL TESTER**, 3,000 KG cap., S/N 151; **GAGEMAKER MDL. RG-7000 CIRCULAR THREAD GAUGE; GAGEMAKER MDL. RG7001 CIRCULAR THREAD GAUGE; MICROMETERS; BLADE MICROMETERS; CALIPERS; THREAD AND FLAT PLUG GAUGES; MICROMETER SETS** up to 12"; **GAUGE BLOCKS; DIAL TYPE HT. GAUGES; MORE.**

HAND HELD PORTABLE SPECTROMETER

OLYMPUS VANTA MDL. VMR, new 3/2019, M Series, 50 KV.2MA tube rating, carrying case, S/N 804751.

PRECISION MACHINE ACCESSORIES

HUGE QUANTITY TOOLPOSTS AND HOLDERS; CAT-50 TAPER TOOLHOLDERS of all varieties; **2-3-4 SET-UP BLOCKS; KURT 6" MILLING VISES; VERTEX 16" VERTICAL/HORIZONTAL ROTARY TBL.;** **TOMBSTONES; DRILLED AND TAPPED SUB-PLATES; SPRING COLLETS; ENDMILLS; DRILLS; TAPS; PRECISION GROUND V-BLOCKS; LATHE CHUCKS; LIVE CENTERS; DRILL CHUCKS; MORE.**

ROTARY SCREW AIR COMPRESSOR

GARDNER DENVER ELECTRA SAVER II MDL. ECPQMC, 100 HP motor, skid mtd., air cooled, S/N M45098.

RECIPROCATING AIR COMPRESSORS

SPEEDAIRE MDL. 35WC54, new 2017, 15 HP motor, 120 gal. horiz. receiver, 175 PSI max. pressure.

SPEEDAIRE, 49 CFM cap., 10 HP motor, 120 gal. horiz. receiver.

COOLING TOWER

DELTA, polycarbonate construction, water softening system, watt reverse osmosis water unit.

2019



OLYMPUS VANTA MDL. VMR HAND HELD PORTABLE SPECTROMETER



THREAD GAUGES



HUGE QUANTITY TOOLING

2017



GENERAC IVECO MDL. SD100 BACKUP GENERATOR



MAXIMAL 5,500-LB. CAP. MDL. 25M SERIES FORKLIFT



JLG MDL. 2646E3 SELF-PROPELLED SCISSOR LIFT

**WEDNESDAY, SEPTEMBER 2
10:00 A.M.
LIVE ONLINE WEBCAST
(NO ONSITE BIDDING)**



SAMPLE VIEW OF PEDESTAL JIB CRANES



DAKE H-FRAME PRESS



BIG ASS FAN



SEVERAL GOLF CARTS TO BE SOLD



GMC MDL. C5500 1.5 T. CAP. FLATBED TRUCK



SAMPLE VIEW OF POLICE CRUISER



SAMPLE VIEW OF WORKOUT EQUIPMENT

HUGE SELECTION

BACKUP GENERATOR

GENERAC IVECO MDL. SD100, new 2017, diesel pwr'd., 100 kW, 125 KVA, 6.7 liter, mtd. on diesel tank base, S/N 3002361730.

SHOP & WAREHOUSE EQUIPMENT

STANLEY VIDMAR ROLLER DRAWER TOOL CABINETS; WOOD TBL. TOP WORK BENCHES; 5,000-LB. CAP. DIGITAL PLATFORM SCALE; KEROSENE HEATERS; HIPPO HOPPERS 1 CU. FT. SELF-DUMPING HOPPERS w/casters; HUOT TOOL CARTS; MAINTENANCE SUPPLIES; FASTENERS; POWER TOOLS; MORE.

FORKLIFTS

MAXIMAL 5,500-LB. BASE CAP. MDL. 25M SERIES, LPG, 3-stage mast, 58" forks, S/N 1602501669.

TCM 5,000-LB. BASE CAP. MDL. FG25T7L, LPG, 3,400-lb. at 24" load center, 189" max. lift ht., 3-stage mast, 58" forks, S/N A45L00720.

SELF-PROPELLED SCISSOR LIFTS

JLG MDL. 2646E3, battery pwr'd., extendable pulpit, S/N N.A.

JLG MDL. 2033E3, battery pwr'd., extendable pulpit, cushion tires, S/N 0200060086.

FREE-STANDING PEDESTAL JIB CRANES

DAYTON 2 T. X 13' REACH, 14' ht. under rail, Dayton 2 T. cap. elec. chain hoist; ABELL HOWE 2 T. X 12' REACH, 16' ht. under rail, Coffing elec. chain hoist; (4) DAYTON 1 T. X 12' REACH, 14' ht. under rail, Dayton elec. chain hoists; (6) ABELL HOWE 1 T. X 11' REACH, 12' ht. under rail, elec. chain hoist; GAFFEY 1 T. X 9' REACH, 10' ht. under rail, Dufflinks elec. chain hoist; CONTROL LIFTING 1 T. X 12' REACH, 12' ht. under rail, Dayton 1 T. cap. elec. chain hoist; ABELL HOWE 1 T. X 10' REACH, 12' ht. under rail, Dayton 1 T. cap. chain hoist; DAYTON 1 T. X 8' REACH, 10' ht. under rail, Dayton 1 T. cap. elec. chain hoist; DAYTON 1 T. X 12' REACH, 8' ht. under hook, CM Loadstar chain hoist; DAYTON 1/2 T. X 12' REACH, 10' ht. under rail, no hoist; MORE.

TRUCKS

2006 GMC MDL. C5500 1.5 T. CAP. FLATBED TRUCK, diesel, 15' stake side, VIN 1GDE5C1236F432396.

1997 FORD MDL F-250 3/4 T. CAP. KING CAB PICKUP, gasoline, plate BW42713, VIN 1FTEX27LOVNC16549.

2010 FORD F-150 1/2 T. EXTENDED CAB PICKUP, gasoline, plate LYF0588, VIN 1FTEXX-C84AFA85142.

POLICE CRUISERS

(2) 2010 FORD CROWN VICTORIA, 4-door, VIN 2FABP7BV9AX111693; 2FABP7B-V0AX140144.

EXERCISE EQUIPMENT

APPROX. 50 PIECES OF HIGH QUALITY WORKOUT EQUIPMENT AND FREE WEIGHTS: (see catalog of sale for more details).

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

MAJOR MACHINING & GRINDING FACILITY CLOSED

Featuring Late Model CNC Vertical & Horizontal Milling Machines and Lathes; Huge Quantity of Grinders of all Sizes & Types; Manual Machine Tools; Tooling & Machine Accessories; Q.C. & Measuring Equip. as new as 2019; 125 KVA Backup Generator; Air Compressors; (20) Pedestal Jib Cranes; Forklifts; Vehicles; Workout Equip.; MORE!



**WEDNESDAY, SEPTEMBER 2 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)**

PUBLIC AUCTION



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

All items being sold that require a professional Rigging and Loading firm (i.e. non-hand carry items) will be handled by one company to be named. The loading charges for such items will be posted in the catalog of sale and billed and collected by PMI on the buyer's auction invoice. (No Buyer's Premium or Sale Tax apply to the loading charge.) Buyer's will then coordinate the timing of removals directly with the Rigger's representative.

**ONLINE BIDDING ONLY (NO ONSITE BIDDING):
YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING
AT THIS AUCTION. Go to www.pmi-auction.com and click on
 INDUSTRIAL BID Or BidSpotter.com on our calendar page for
this auction sale.**

**NEED TO SELL EQUIPMENT? CALL 1-800-282-8466
FOR A CONFIDENTIAL CONSULTATION**

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply. See Rules for Participation. All items must be removed by September 30 at 4:00 P.M. or they will be considered abandoned.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____.*
This letter is good until October 2, 2020.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE

AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

REGISTRATION

Bid on-line at:



1. Register to bid at BidSpotter.com or Industrialbid.com. Use the link to BidSpotter or Industrialbid on PMI's website calendar. **DO IT NOW.**
2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the BidSpotter.com or Industrialbid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT.** If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

If you need assistance, don't hesitate to call (713) 691-4401.

ALL BIDS ARE SUBJECT TO A 15% BUYER'S PREMIUM.