



By order of David Kirk of Kirks, Administrator of Storage Solutions Limited – Spur Shelving

SPUR

SHEETMETAL & FABRICATION MACHINERY, POWER PRESSES, ROLL FORMERS, PAINT PLANTS, FACTORY EQUIPMENT, STOCK, ETC.

(Subject to availability)



Please be aware that this is a PPE site – visitors must wear adequate PPE at all times

ONLINE AUCTION:

To bid please go to www.lshmachinerysales.co.uk or



AT:

Linden Close, Great Torrington, Devon, EX38 7AL

ON VIEW:

Tuesday 3rd March 2020 between 10.00am and 4.00pm

BIDDING ENDS:

Thursday 5th March 2020 @ 3.00 PM

CLEARANCE:

Monday 9th to Tuesday 17th March 2020 (excluding weekend) between 10.00am and 4.00pm ONLY (or BY APPOINTMENT ONLY)

FURTHER INFO:

Matthew Hartley mhartley@lsh.co.uk

BID ENQUIRIES:

MBA Accounts 023 8046 1643 mhaaccounts@lsh.co.uk

OFFICE ADDRESS:

Sterling Court, 16 Dix's Field, Exeter, EX1 1QA

NOTICE TO PURCHASERS

VIEWING:

- The lots may be viewed as follows: **Tuesday 3rd March 2020 between 10.00am and 4.00pm.**
- Located at **Linden Close, Great Torrington, Devon, EX38 7AL**

BIDDING ENDS:

- Bidding will end from: **Thursday 5th March 2020 at 3.00pm** [subject to the normal 10 min extension] **AT WHICH TIME ALL HIGHEST BIDS WILL BE CONSIDERED.**

ACCEPTANCE OF FINAL HIGHEST BIDS – IMPORTANT NOTE:

- **Acceptance of all final highest bids is subject to approval by our client.**
- Lambert Smith Hampton reserves the right to reject any bids which they feel does not reflect reasonable value
- Successful bidders will be notified by email by **5.00pm on Friday 6th March 2020**

INSTRUCTIONS FOR BIDDING:

- Access for bidding can be obtained through our website www.lsh.co.uk/mba.
- Full details including valid email address must be provided in order to receive approval for bidding
- In the event of a bid being received within 10 minutes of the scheduled closing time, the bidding period on that lot will automatically extend by a further 10 minutes and for a further 10mins for any bid received thereafter.
- Staggered end times have been applied to the lots in this sale. Please check the lot you are bidding on for the end time.
- **MAXIMUM BIDS:** If more than one maximum bid is placed of the same amount, the maximum bid placed first will be considered the highest bid and a further bid will need to be placed to take the lead. Bidders are notified by an automated message which appears on their screen
- **IMPORTANT:** When bidding, do not forget to **'REFRESH'** your screen to ensure you are aware of current bids.
- **MAILING:** All approved bidders will automatically have their details placed on our database for notification of futures sales undertaken by Lambert Smith Hampton only. In the event that you wish to have your details excluded from our database, please use the 'unsubscribe' feature within our website (as above) alternatively please notify our Sales Administration Team mbaaccounts@lsh.co.uk

BUYERS PREMIUM:

- The purchaser will pay a buyer's premium of **16%** plus VAT, which will be charged on all lots.
- The premium is not negotiable and will be paid by all buyers

PAYMENT TERMS:

- All purchases are to be paid in full, no later than **5.00pm on Friday 13th March 2020**
- All queries regarding payment should be directed to our Sales Accounts team, mbaaccounts@lsh.co.uk
- Please note that we do not have the facility to accept debit or credit card payments (the details required when signing up are for name and address validation purposes only).

Please refer to the page headed **"PAYMENT DETAILS"** for acceptable methods of payment

LAMBERT SMITH HAMPTON WILL NOT ACCEPT ANY CASH TRANSACTIONS WHICH EXCEED £7,000 UNDER ANY CIRCUMSTANCES.

VALUE ADDED TAX:

- Purchasers will be charged Value Added Tax on all lots, where applicable, at the current rates

DEPOSITS:

- Purchasers are required to pay a deposit on lots which will cause damage or leave a hole in the fabric of the building after removal. These lots will be specified in the sale catalogue. The deposit will be returned once the purchaser has made good in a satisfactory manner.

RISK:

- The bidder / buyer is at risk once the buyer is notified of his successful purchases and is strongly advised to effect insurance at once, irrespective of whether title has passed. Title does not pass to the purchaser until payment has been received in full.

RECORDED "USEAGE" READINGS: The hour and odometer readings on machinery and vehicles in this sale cannot be warranted and should not be relied upon.

COMPUTER SOFTWARE: Due to the Data Protection Act, all software and data will be removed from computers prior to selling.

CLEARANCE TERMS AND ARRANGEMENTS

- All lots must be removed from **Monday 9th to Tuesday 17th March 2020 (excluding weekend) only (OR BY APPOINTMENT ONLY), unless otherwise stated on the lot description. No further access will be available after this time.**
- The premises will be open from **10.00am to 4.00pm.**
- **Please note** there will be no lifting/loading facilities available on site – the purchaser must arrange this.
- Please ensure you bring the required tools and manpower and arrive on site in sufficient time to allow for the safe dismantling And loading of your lots before the site closes.
- Lambert Smith Hampton does not undertake packaging, postage, delivery or shipment of goods and the bidder must make his own arrangements to comply with the clearance terms
- Clearance of all lots must be undertaken in accordance with The Health & Safety at Work etc. Act 1974 and, where and as applicable, The Construction (Design and Management) Regulations 2015 and all other summary legislation.

- **Risk Assessments and Method Statements (RAMS):** If you purchase a lot that requires RAMS to be completed please be aware that you will not be permitted access to site to commence collection of ANY of your lots until the required RAMS has been completed and reviewed by an LSH representative. If you need access to site during the collection period to review equipment for RAMS purposes, or have any further questions please contact **Matthew Hartley**, mhartley@lsh.co.uk
- Lambert Smith Hampton reserve the right to stop clearance if in their opinion, they believe it is being carried out in an unsafe manner or without the Method Statement and Risk Assessment.
- The purchaser should ensure that their contractors hold sufficient public liability insurance, copies of which should be made available to Lambert Smith Hampton if demanded.
- Any fluids remaining in any lots purchased MUST be removed from site in conformity with the Control of Substances Hazardous to Health (COSHH) Regulations.

CONDITIONS OF SALE

All lots will be sold subject to the Conditions of Sale as printed on the catalogue cover. Bidders are strongly advised to read them carefully.

TRANSFER OF LOTS:

Lambert Smith Hampton will only accept payment from and permit removal of lots purchased by the successful purchaser or their duly appointed agent.

OVERSEAS PURCHASERS:

Overseas purchasers must, on acceptance of offers, advise of their intentions to export their good immediately and notify our Sales Co-ordinator, Elaine Allan [eallan@lsh.co.uk]

Overseas purchasers will be required to provide details of :

- (a) Their passport(s)
- (b) One other method confirming their identity, ie drivers licence, name, address, UK agent (if any), telephone and fax numbers.
- (c) Full details of their national bank and their UK corresponding bank.
- (d) Details from their bank confirming method of payment, etc.

Please also ensure that:

- (e) Your country, or the country to which the items are destined, holds no import restrictions on the goods that you wish to purchase.
- (f) The country has no import licence restrictions or a restriction on currency allocation.
- (g) The country has no prolonged inspection procedure, which might cause excessive delay in allowing your goods to be imported.
- (h) You receive a fully descriptive invoice in order that you may arrange payment as soon as possible with our bank.
- (i) You employ a reputable freight-forwarding organisation. Please note that many of the machinery removal companies in this country are not necessarily freight forwarders. We will be pleased to advise accordingly.
- (j) You have read the Conditions of Sale.

Please Note:

- (a) We will not allow removal of any Lot from the Sale site until our Accounts Department has received notification from our bankers that your payment has been properly cleared in full. Monies must be transferred to ourselves within the time stated in the "Notice to Purchasers"
- (b) If there are any special arrangements that you wish to make with us, you must contact us at least three days before the Sale date.
- (c) Our terms regarding payment of VAT and subsequent refunds.

VAT on Goods Destined for Export:

All purchasers intending to export their purchases will be charged a deposit equal to that of the VAT due on each lot purchased and the Buyer's Premium.

In order to qualify for a refund, the goods must be exported in accordance with regulations under "Indirect Export" and valid evidence of export received by Lambert Smith Hampton within one month of the date of export. Where satisfactory evidence is not provided, goods and services will be subject to UK VAT at the standard rate and the deposit will not be refunded.

Please ensure that the cashier has been notified of your intentions to export prior to removal of goods.

International Bank Charges: Please note LSH will look to recover charges incurred on the transfer of the VAT deposit refunded.

The above information must be supplied in writing to our Sales Co-ordinator, Mrs Elaine Allan, Lambert Smith Hampton, First Floor, 2 Manor Court, Barnes Wallis Road, Fareham, PO15 5TH, on your official company notepaper and signed by the contact name quoted.

If you intend to export your purchases using your own transport (either by sea, rail or air), then VAT will be levied and refunded upon receipt of satisfactory documentation, supporting removal of the goods purchased.

Lambert Smith Hampton reserve the right to refuse to accept the bid of any bidder should they be unable to satisfy Lambert Smith Hampton on any of the above.

PAYMENT DETAILS

- ◆ Purchasers should note that **GOODS MAY ONLY BE REMOVED FROM SITE UPON RECEIPT OF PAYMENT IN FULL IN CLEARED FUNDS**

- ◆ For the avoidance of doubt, CLEARED FUNDS is:

Cash [see note 1]

Telegraphic Transfer / BACS [see note 2]

Bankers Draft [see note 3]

Credit / Debit cards / Cheques **CANNOT be accepted**

PURCHASERS WHO MAKE OVER THE COUNTER PAYMENTS AT THE BANK WILL HAVE THEIR COLLECTION STALLED UNTIL THE BANK HAVE CONFIRMED IT IS A LEGITIMATE CASH PAYMENT.

(1) CASH	Lambert Smith Hampton (LSH) operates within the guidelines in respect of Money Laundering as set out in the Proceeds of Crime Act 2002. <ul style="list-style-type: none">◆ In this instance onsite cash payments will be restricted to £5000
(2) Telegraphic Transfers / BACS payments	<p>Purchasers who wish to make direct payments into our bank account can obtain bank details from the office following notification of successful bids. Please note timescales for payment, as follows</p> <ul style="list-style-type: none">◆ Telegraphic payments : up to 24hrs◆ BACS payments : 3 day <p>Payments direct into our bank account will not be accepted by any other method. For the avoidance of doubt over the counter credits are not an acceptable method of payment and is in breach of Lambert Smith Hampton payment terms particularly those that relate to the Money Laundering Act 2017</p>
(3) Bankers Draft	Made payable to Lambert Smith Hampton

MONEY LAUNDERING REGULATIONS


Services provided by Lambert Smith Hampton in relation to the sale of assets fall under the Proceeds of Crime Act 2002. Accordingly we have put in place policies and procedures which are designed to prevent, forestall and identify acts of money laundering.

Lambert Smith Hampton will not accept transactions in cash which exceed £7,000 under any circumstances and Lambert Smith Hampton will take any action necessary to ensure that it does not contravene its obligations under the Money Laundering Regulations 2017. In the event that a purchaser entering into a business relationship with Lambert Smith Hampton, knowingly or unwittingly fails to comply with our policy Lambert Smith Hampton will have no choice than to treat this as a breach of the regulations. Where necessary ID will be sought by the company and consider a report to NCIS (National Criminal Intelligence Service)

**Should you have any queries on the above, please contact
our MBA Accounts Team on +44(0)2380 461643**

STORAGE SOLUTIONS LTD

Address: Linden Close, Great Torrington, Devon, EX38 7AL



NOTICE

**ALL LOTS IN THIS
SALE ARE SUBJECT
TO A BUYERS
PREMIUM OF 16%
PLUS V.A.T AT THE
PREVAILING RATE**

LOT NO.	DESCRIPTION
1	Ricoh 30 ton x 2000mm hydraulic upstroking press brake, model RGH 20-30, Hurco Autobend IV, power back gauge (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
2	Promecam 35 ton x 2400mm hydraulic upstroking press brake, model RG-2400-35 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
3	Hydrabend 50 ton x 8ft hydraulic downstroking press brake, serial no: 669, with individual punch tooling as lotted (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
4	Cressex Hydrabend 60 ton x 9ft 4in hydraulic downstroking press brake, with individual punch tooling as lotted (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
5	Promecam 1100mm hydraulic downstroking press brake, type RGO, serial no:1289 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
6	Edwards 1250 x 3.5mm powered guillotine, model 3.5/1250, serial no: 823850255, power back gauge dimensioned front supports, and rear safety enclosure (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
7	Unbadged twin station rotating decoiler (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).
8	WT Atkin single station decoiler and leveller/straightener, model SP150.500, serial no: W5589, capacity 150mm x 500kg with control (please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).
9	Unbadged coil plate transfer conveyor (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).

LOT NO.	DESCRIPTION
10	<p>Cincinnati Milacron GH40 adjustable stroke inclinable mechanical power press, serial no: 17078, fitted Servomatic LT infeed unit, model SLMT, serial no: C11700 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).</p>
10A	<p>Servomatic LT infeed unit, model SLMT, serial no: C11700 with controller (please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).</p>
11	<p>Formit 12 stage narrow width roll former, model L1, serial no: FS119 (1998), with attached control and infeed conveyor (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 7 to 11 being higher than the final highest bid on the all-inclusive lot 12. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11).</p>
12	<p>All inclusive lots 7 to 11 including main control panels x 2 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. (please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 7 to 11. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 12 the opportunity to review the cumulative final highest bids for lots 7 to 11). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place.</p>
13	<p>Unbadged hydraulic 4 ram twin section 8 column through feed vertical press, with 2 x 400mm width x 1200mm in/out feed conveyors and power pack (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 13 to 15 being higher than the final highest bid on the all-inclusive lot 16. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 16 the opportunity to review the cumulative final highest bids for lots 13 to 15).</p>
14	<p>Oliver hydraulic 14 stage duplex roll former with guarding (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 13 to 15 being higher than the final highest bid on the all-inclusive lot 16. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 16 the opportunity to review the cumulative final highest bids for lots 13 to 15).</p>

LOT NO.	DESCRIPTION
15	<p>Oliver powered double ended straight folding machine, serial no: 31-6R-93, max band width approx 950mm, approx max length between bending heads 2600mm, fitted 310mm x 2000mm magnetic transfer conveyor, with guarding (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 13 to 15 being higher than the final highest bid on the all-inclusive lot 16. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 16 the opportunity to review the cumulative final highest bids for lots 13 to 15).</p>
16	<p>All inclusive lots 13 to 15 including main control station (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 13 to 15. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 16 the opportunity to review the cumulative final highest bids for lots 13 to 15). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place.</p>
17	<p>Unbadged twin station rotating decoiler (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
18	<p>Atkin 150mm leveller/straightener, with loop controller/accumulator (please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
19	<p>HME GH40 adjustable stroke inclinable mechanical power press, serial no: 14374, serial no: C11699 (roll infeed) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
19A ?	<p>Servomatic LT feed controller, with coil handling equipment, SMLT feeder, serial no: C11700 (Please note: this lot is currently attached to lot 10. Purchaser to collect on first day of clearance period and required to disconnect. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>

LOT NO.	DESCRIPTION
20	<p>Oliver powered transfer conveyor, 80mm x 2000mm (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
21	<p>Oliver powered 14 stage 100mm roll former (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
22	<p>Powered outfeed conveyor, 70mm x 1000mm, with drop down accumulator.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 17 to 22 being higher than the final highest bid on the all-inclusive lot 23. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22).</p>
23	<p>All inclusive lots 17 - 22 including controls (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement).</p> <p>Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 17 to 22. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 23 the opportunity to review the cumulative final highest bids for lots 17 to 22). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place.</p>
24	<p>Oliver powered 14 stage roller former, serial no: 1432092 (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)</p>
25	<p>Oliver powered 14 stage roller former, serial no: 12LD290.89 (12 stage) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)</p>
26	<p>Oliver powered 14 stage roller former, serial no: 12LD290.89 (12 stage) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)</p>
27	<p>Unbadged 7 stage roll former (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)</p>
28	<p>Bliss mechanical inclinable fixed stroke power press, model 12-S, mounted on stand (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)</p>
29	<p>Sweeney & Blocksidge mechanical inclinable adjustable stroke, model M-6, serial no: A80531979 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)</p>

LOT NO.	DESCRIPTION
30	Hounsell hydraulic single ram vertical press, approx 40 ton capacity, 20" x 14" table size (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
31	Oliver hydraulic twin duplex shelf, 12 & 14 stage roll former, serial no: 14 HDTH2383 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 31 to 32 being higher than the final highest bid on the all-inclusive lot 33. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 33 the opportunity to review the cumulative final highest bids for lots 31 to 32).
32	Oliver powered double end straight folding machine, max bend width 1400mm, approx max bend width between bendy heads 2400mm, fitted 300mm x 1500mm magnetic central feed conveyor, with outfeed conveyor (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 31 to 32 being higher than the final highest bid on the all-inclusive lot 33. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 33 the opportunity to review the cumulative final highest bids for lots 31 to 32).
33	All inclusive lots 31 to 32 including main controller and guarding (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement). Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 31 to 32. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 33 the opportunity to review the cumulative final highest bids for lots 31 to 32). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place.
34	Formit Duplex hydraulic adjustable 12 stage roll former, serial no: F4574, approx max width 950mm (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
35	Unbadged hydraulic adjustable twin head press, mounted on frame with power pack (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
36	Unbadged hydraulic adjustable twin head press, mounted on frame with power pack (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
37	Edwards 4mm x 250mm hydraulic corner notcher, model 4/250, serial no: 837850176, with Wander foot control (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)

LOT NO.	DESCRIPTION
38	Femco hydraulic corner notcher, 200 x 200mm (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
39	Carbonini Glie straightening and cut to length machine, approx max width 450mm, with powered outfeed conveyor (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
40	Unbadged twin station rotating decoiler (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
41	HME 70 ton mechanical inclinable adjustable stroke power press, model LM70, serial no: 7473 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
42	Rhodes 75 ton mechanical inclinable adjustable stroke power press, model RF75, serial no: 16153 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
43	Rhodes 75 ton mechanical inclinable adjustable stroke power press, model RF75, serial no: 15738, with fitted air cushion (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
44	Besoncon single station decoiler (Please note: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
45	Clarks single station decoiler, model VSR12E2M, serial no: 13828, capacity 500kg (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
46	Jasic Mig 350P mig welder, with PO40 inching feed system and water cooling
47	Meritus 30kva spot welder, model 5002580, serial no: 28823, 250mm throat (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
48	Sciaky 25kva spot welder, model Rapid 25, serial no: 12325/1, 450mm throat (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)

LOT NO.	DESCRIPTION
49	Sciaky 100kva profile welder, model PA100, serial no: 23010, 300mm approx thread (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
50	Purpose build pneumatic production fixture (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
51	Nederman mobile fume extractor
52	Unbadged horizontal bandsaw, approx 200mm capacity (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
53	Unbadged vertical spindle rotary wire brush finishing machine (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
54	HME 40 ton mechanical/inclinable adjustable stroke power press, model OP40, serial no: 12020 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
55	Unbadged roll former, 12 stage capacity
56	Sweeney & Blocksidge M6 inclinable fixed stroke power press, serial no: A79341T (work condition unknown, spares or repairs only)
57	Unbadged pillar type punch, style 101R, serial no: P8848 (working condition unknown, spares or repairs only)
58	Sciaky spot welder (working condition unknown, spares or repairs only)
59	
60	Wagner ESB Powder Coating, through feed application tunnel, type: 3113714, serial no: 1372, 240v, approx length 4m, aperture size approx 1500mm x 200mm, with two Gema Volstatic adjustable vertical applicators/ reciprocators, type ACR-1, serial no: 50031266 and 50031265 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 60 to 64 being higher than the final highest bid on the all-inclusive lot 65. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64).
61	Gema Volstatic type APS-2 12 rack applicator control unit, serial no: 8601079 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 60 to 64 being higher than the final highest bid on the all-inclusive lot 65. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64).
62	Powered throughfeed transfer conveyor system, approx total length 50m, including circa 12 steel pillar supports, with Fenner Speed Ranger 2030 adjustable speed controller, drop to floor circa 2000 - 2500mm (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 60 to 64 being higher than the final highest bid on the all-inclusive lot 65. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64).
63	Airflow Product Finishing throughfeed 2 stage pre-treatment plant, with control and extraction to atmosphere, approx total length 12m, width 2m, aperture size 1500 x 500mm (Please note: buyer to make good building roof upon removal of extraction ducting) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 60 to 64 being higher than the final highest bid on the all-inclusive lot 65. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64). (Please note: buyer responsible for the drainage and safe disposal of all associated pretreatment/wash liquid relating to this lot) (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)

LOT NO.	DESCRIPTION
64	<p>Airflow Product Finishing throughfeed 2-pass drying/curing oven, approx 6 x 3m, with twin ceiling mounted fans and Satronic MMG810.1 gas fired heating element (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 60 to 64 being higher than the final highest bid on the all-inclusive lot 65. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64). (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)</p>
65	<p>All inclusive lots 60 to 64 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 60 to 64. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 65 the opportunity to review the cumulative final highest bids for lots 60 to 64). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place. (Please note: buyer responsible for the drainage and safe disposal of all associated pretreatment/wash liquid relating to this lot)</p>
66	Gema Volstatic MPS 1-B mobile applicator units with Gema P6-1 hand held gun, serial no: ASEV 91.1 11861
67	Gema Volstatic MPS 1-B mobile applicator units with Gema P6-1 hand held gun, serial no: TBC
68	Steel, stand alone vertical spray booth, approx 2m x 900mm, with flexi hose extraction ducting
69	<p>Throughfeed 3-stage pre-treatment plant, approx length 11m, width 2m, with twin treatment storage tanks, Calorex 510 fluid pump, steel frame and extraction ducting to atmosphere, aperture size approx 3000 x 600mm, including two treatment storage tanks circa 2 x 3 x 1m and 2 x 2 x 1m (Please note: buyer to make good building roof upon removal of extraction ducting) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74). (Please note: buyer responsible for the drainage and safe disposal of all associated pretreatment/wash liquid relating to this lot) (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)</p>
70	<p>Thorid throughfeed 4-pass drying oven, approx dimensions 12 x 3.5m, aperture size 270 x 550mm, access ladder and gantry, two side access doors, with gas fired heating element, and dust extraction unit mounted to roof of oven, and associated extraction ducting to atmosphere (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74). (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)</p>
71	<p>Thorid throughfeed roll on / roll off spray booth, cyclone extraction and dust extraction, mounted on steel skid frame and floor mounted rails, approx length 4.5m x 4m width, aperture size 2700 x 600mm (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
71A	<p>Gema Volstatic powder paint spray system including 2 x control cabinets, 2 x vertical reciprocating spraying arms and 16 x spray guns including interconnecting cabling and pipework - (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
71B	<p>KEK powder doser - (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>

LOT NO.	DESCRIPTION
72	<p>Thorid throughfeed roll on / roll off spray booth, cyclone extraction and dust extraction, mounted on steel skid frame and floor mounted rails, approx length 4.5m x 4m width, apperture size 2700 x 600mm(please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
72A	<p>Gema Volstatic powder paint spray system including 2 x control cabinets, 2 x vertical reciprocating spraying arms and 16 x spray guns including interconnecting cabling and pipework - (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
72B	<p>KEK powder doser - (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
73	<p>Thorid throughfeed 2-pass curing oven, approx dimensions 10 x 3m, with roof mounted fans and extraction ducting to atmosphere (x3), apperture width 5500mm, access ladder and gantry (Please note: buyer to make good building roof upon removal of extraction ducting) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74). (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)</p>
74	<p>Powered throughfeed transfer conveyor system, approx total length 140m, including circa 20 uprights, approx height 4m - 6m (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to the cumulative total for lots 69 to 74 being higher than the final highest bid on the all-inclusive lot 75. (Please note the all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74).</p>
75	<p>All inclusive lots 69 to 74 (Thorid powder coating plant) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.</p> <p>Acceptance of the final highest bid on this lot is subject to it being higher than the cumulative total final highest bids on the individual lots 69 to 74. (Please note this all-inclusive lot will close from 4.30pm to allow bidders on lot 75 the opportunity to review the cumulative final highest bids for lots 69 to 74). If you wish to bid on this lot please contact the Auctions Administration team on 02380 461643 as special arrangements need to be put in place. (Please note: buyer responsible for the drainage and safe disposal of all associated pretreatment/wash liquid relating to this lot)</p>
76	<p>Kek mobile pneumatic powder sifting unit, serial no: 737913 SO 77033 (1993) (Please note: a deposit will be required from the purchaser and held by LSH until the required repair works to the fabric of the building (roof) are undertaken and completed, amount: t.b.c.)</p>
76A	<p>Gem Volstatic vertical reciprocating spraying arm - please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p>
77	<p>Steel frame raised platform, with 4 tread stair access and chequer plate surface, approx 3 x 1.2m</p>
78	<p>Steel frame raised platform, with 4 tread stair access and chequer plate surface, approx 4 x 1.2m</p>
79	<p>Harrison SS and ST gap bed centre lathe, 9" swing, quick change tool post, 1000rpm, serial no: 110719, with 3 jaw and 4 jaw chuck please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</p>
80	<p>Taft-Pierce No 1 precision surface grinder, with Eclipse magnetic chuck, and sliding table, serial no: 253</p>
81	<p>Oxy Acetylene torch regulator and trolley (excludes gas cylinders)</p>
82	<p>Kennedy parts washer/degreaser</p>
83	<p>Spensstead single bag dust extractor</p>
84	<p>Bay of 3 shelf stores racking and contents, to include assorted air pipe, etc.</p>
85	<p>Three bas of stores racking and contents, to include assorted spares, lighting, fuses, filters, etc. (excludes lot 83)</p>
86	<p>Steel frame workbench, with 5" bench mounted vice and contents</p>
87	<p>Bay of stores racking (welded) and contents, to include assorted machine spares, belts, etc.</p>
88	<p>Mobile steel trolley and contents to include assorted spare parts, scrap, etc.</p>

Items for Bidspotter.co.uk

LOT NO.	DESCRIPTION
89	Montpack throughfeed shrink wrapper, model B900, serial no: 193 (1996), with in-feed belt conveyor, overhead reel dispenser, pneumatic guillotine, outfeed conveyor to heat tunnel, and gravity roller conveyor section, approx belt width 600mm
90	Siat WS 320L-1 rotary pallet wrapper, serial no: 14527 please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.
91	Pak Seal Akebond 250 mobile automatic strapping system, serial no: 4773
92	Pak Seal Akebond 250 mobile automatic strapping system, serial no: unknown (sold as spares/repairs)
93	Atlas Copco GA37VSD FF packaged air compressor, serial no: AII35718, max pressure 13 bar (2003) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.
94	Atlas Copco GX11 FF receiver mounted packaged air compressor, serial no: AII 620045 (2001), max pressure 7.25 bar, hours: 36304 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.
95	Ultrafilter FDS 0072 Dryer, serial no: 2.0.84 261047 (1995), with two type AG 0072 in-line filters and Ultra Sep Super Plus 60 (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.
96	Scott McArthur vertical air receiver test pressure, 250 psi please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.
96A	Compair Autopower Jetair J15 receiver mounted air compressor, serial no: 058416 (1998)
97	Compair Broomwade thermal air dryer and two Compair inline filters (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
98	Ultrafilter Ultratroc thermal air dryer with two ultra filter in-line filters and Ultra Sep Plus 30 (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
99	Steel frame floor standing gantry, approx footprint length 2.5m x 6.3m, total six 5.3m support beams, one 3.5m, SWL: 1 tonne (Please note: This lot must be removed Tuesday 10th March 2020. A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
100	Morris 1 tonne powered chain block (currently mounted on gantry), with Telemechanique control (Please note: This item has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
101	Two bays of adjustable boltless pallet racking, approx height 6m, 2.2m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
102	Two bays of adjustable boltless pallet racking, approx height 4m, 3.0m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
103	One bay of adjustable boltless pallet racking, approx height 2.4m, 1.35m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
104	Two bays of adjustable boltless pallet racking, approx height 2.4m, 2.8m and 1.9m widths per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
105	Two bays of adjustable boltless pallet racking, approx height 2.4m, 2.8m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
106	One bay of adjustable boltless pallet racking, approx height 2.4m, approx 3000m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
107	Two bays of adjustable boltless pallet racking, approx height 2.4m, approx 2 & 2.8m widths per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
108	Two bays of adjustable boltless pallet racking, approx height 3.5m, approx 2.8m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
109	One bay of adjustable boltless pallet racking, approx height 2.4m, 1.35m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
110	One bay of adjustable boltless pallet racking, approx height 2.4m, approx 2.9m width per bay (excludes all contents) (Please note: This lot must be removed Monday 16th March 2020 A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
111	Two bays of 4 shelf bolted stores racking (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
112	Bay of adjustable boltless stores racking, approx 1.9 x 1.8m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020

Items for Bidspotter.co.uk

LOT NO.	DESCRIPTION
113	Two bays of adjustable boltless stores racking (6 shelf), approx 2.4 x 1.5m (excludes all contents) Please note: This lot must be removed on Monday 16th March 2020
114	Three bays of adjustable boltless stores racking (6 shelf), approx 2.2 x 1.5m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
115	Two bays of adjustable boltless stores racking (6 shelf), approx 2.2 x 1.5m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
116	Two bays of assorted stores racking (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
117	Three bays of adjustable boltless stores racking (5 & 6 shelf), approx 2.1 x 1.5m and 2.4 x 1.2m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
118	Two bays of adjustable boltless stores racking (6 shelf), approx 2.4 x 1.5m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
119	Two bays of adjustable boltless stores racking (6 shelf), approx 2.4 x 1.5m (excludes all contents) Please note: This lot must be removed Monday 16th March 2020
120	Mobile hydraulic lift trolley (1000kg capacity)
121	Mobile hydraulic lift trolley (1000kg capacity)
122	Mobile hydraulic lift trolley (500kg capacity)
123	BT Rolatruc pallet truck with extra long forks
124	BT Rolatruc pallet truck with extra long forks
125	Pallet truck 1500kg capacity
126	Pallet truck 2500kg capacity
127	Pallet truck 2500kg capacity
128	Pallet truck 2500kg capacity
129	Two aluminium A frame ladders (10 and 12 tread)
130	Two various Hoovers including Nilfisk Alto and Parkside (only one hose)
131	Two strapping kits
132	Unbadged pressure washer, aluminium 5 tread steps, battery jump pack and five boxes of assorted hand tools, etc. (as lotted)
133	Six boxes of assorted packaging stock and pneumatic stapler
134	Avery Berkel HL 206-7 benchtop digital scale
135	Two various thermal wire cutters
136	Two mobile trolleys and Parkside space heater
137	Makita LC1230 chop saw, serial no: 121273 (2010) (110v)
138	Dewalt DC725 battery powered drill, charger and three batteries
139	Makita HR2400 rotary hammer drill, serial no: 5950 IE with case (sold as spares/repairs only, no plug)
140	Parkside PBH 1100 rotar hammer drill (240v), with case
141	110v site transformer angle grinder, and Metabo KSO852S circular saw
142	Three assorted Parkside vibratory sanders (240v)
143	Black & Decker 110v rotary hammer drill with case
144	Quantity of assorted hand tools, fixings, extension lead, etc. (as lotted) (circa 5 boxes)
145	Three boxes of various magnets, Powerflex micrometers, wire rotary grinders, etc.
146	Two various clamping kits (incomplete)
147	Two various steel frame mobile tables (excludes contents)
148	
149	Makita cordless drill, charger, carry case
149a	2 x Makita cordless drills, 2 x chargers
149b	Powerback 9.6v cordless drill, charger, carry case
149c	Quantity of assorted extension leads, 110v
150	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150a	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150b	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150c	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150d	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150e	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150f	8 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
150g	4 x packs Zamba medium duty boltless 5 shelf unit, width: 850mm x depth: 350mm x height: 1670mm
151	5 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 450mm x height: 1320mm
151a	4 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 450mm x height: 1320mm
151b	4 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 450mm x height: 1320mm
151c	4 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 450mm x height: 1320mm
152	2 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 450mm x height: 1320mm, 1 x Zamba pack amba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 500mm x height: 1320mm

Items for Bidspotter.co.uk

[illegible]

Items for Bidspotter.co.uk

LOT NO.	DESCRIPTION
162f	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
162g	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
162h	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
162i	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163	7 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163a	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163b	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163c	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163d	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
163e	8 x packs Zamba bolted 3 shelf unit, width: 700mm x depth: 300mm x height: 780mm
164	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
164a	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
164b	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
164c	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
165	6 x packs Zamba standard duty bolted 4 shelf unit, width: 600mm x depth: 300mm x height: 1200mm
165a	6 x packs Zamba standard duty bolted 4 shelf unit, width: 600mm x depth: 300mm x height: 1200mm
165b	6 x packs Zamba standard duty bolted 4 shelf unit, width: 600mm x depth: 300mm x height: 1200mm
165c	3 x packs Zamba standard duty bolted 4 shelf unit, width: 600mm x depth: 300mm x height: 1200mm
166	5 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
166a	4 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
166b	4 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
166c	4 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
166d	4 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
166e	4 x packs Zamba bolted medium duty 5 shelf unit, width: 900mm x depth: 400mm x height: 1850mm
167	7 x packs Zamba bolted 4 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
167a	8 x packs Zamba bolted 4 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
167b	8 x packs Zamba bolted 4 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
167c	8 x packs Zamba bolted 4 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
168	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 310mm x height: 1850mm
168a	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 310mm x height: 1850mm
168b	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 310mm x height: 1850mm
169	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169a	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169b	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169c	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169d	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169e	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
169f	8 x packs Zamba bolted 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
170	5 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 305mm x height: 1850mm
170a	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 305mm x height: 1850mm
170b	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 305mm x height: 1850mm
170c	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 305mm x height: 1850mm
170d	6 x packs Zamba medium duty bolted 6 shelf unit, width: 900mm x depth: 305mm x height: 1850mm
171	2 x packs Zamba boltless 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
172	5 x packs Zamba boltless 4 shel unit, width: 700mm x depth: 300mm x height: 1400mm
173	2 x packs Zamba boltless 3 shelf unit, width: 700mm x depth: 300mm x height: 760mm
174	3 x packs Zamba medium duty bolted 3 shelf unit, width: 900mm x depth: 400mm x height: 985mm
175	2 x packs Zamba heavy duty boltless 4 shelf unit, width: 1320mm x depth: 350mm x height: 1320mm
176	4 x packs Zamba boltless 5 shelf unit, width: 700mm x depth: 300mm x height: 1500mm
177	2 x packs lever arch boltless 3 shelf unit, width: 1067mm x depth: 300mm x height: 1020mm
178	Contents of racking to include Spur Steel-Lok off white shelves, sizes 270mm, 320mm, 220mm, 120mm, 170mm (Please note: this lot must be removed before Friday 13th March 2020)
179	Contents of three bays of racking, to include Spur T-Slot uprights (white/ raw/black), Spur easy hang white, T Slot bracket white/black, and Top Shelf ornamental brackets pewter (200mm) (Please note: this lot must be removed before Friday 13th March 2020)
179A	Quantity of Spur 520mm upright gloss aluminium effect (Please note: this lot must be removed before Friday 13th March 2020)
180	Contents of three bays of racking, include Prostore 220mm, 270mm and 370mm brackets, Newtec 160cm uprights, Newtech 320mm, 370mm, 470mm, 610mm white brackets(Please note: this lot must be removed before Friday 13th March 2020)
181	Contents of bay of racking to include Prostore 1549mm, 1165, 975mm, 590mm, white uprights (Please note: this lot must be removed before Friday 13th March 2020)

LOT NO.	DESCRIPTION
182	Contents of bay to include Prostore and Spur uprights, circa 2.4 - 2m in length (Please note: this lot must be removed before Friday 13th March 2020)
183	Contents of bay to include Prostore and Spur uprights, circa 1.8 - 1.5m in length (Please note: this lot must be removed before Friday 13th March 2020)
184	Pallet and contents to include Spur Steel-Lok 270mm white brackets (Please note: this lot must be removed before Friday 13th March 2020)
185	Pallet and contents to include Spur Steel-Lok 270mm white brackets (Please note: this lot must be removed before Friday 13th March 2020)
186	Pallet and contents to include Spur Steel-Lok 370mm white brackets (Please note: this lot must be removed before Friday 13th March 2020)
187	Pallet and contents to include Spur Steel-Lok 370mm white brackets "twin slot" (Please note: this lot must be removed before Friday 13th March 2020)
188	Pallet and contents to include Spur Steel-Lok 370mm white brackets "twin slot" (Please note: this lot must be removed before Friday 13th March 2020)
189	Pallet and contents to include Spur Steel-Lok 370mm white brackets "twin slot" (Please note: this lot must be removed before Friday 13th March 2020)
190	Contents of four shelves of racking to include Spur ladder and tool brackets, Spur Steel-Lok 120mm, 145mm white brackets, oval chrome hanging rail, RF610mm white bracket etc. (Please note: this lot must be removed before Friday 13th March 2020)
191	Contents of pallet to include Spur Steel-Lok 145mm white bracket (Please note: this lot must be removed before Friday 13th March 2020)
192	Contents of pallet to include Spur Steel-Lok 220mm white bracket (Please note: this lot must be removed before Friday 13th March 2020)
193	Contents of pallet to include Spur Steel-Lok 220mm white bracket (Please note: this lot must be removed before Friday 13th March 2020)
194	Contents of two bays of racking to include Spur uprights 520mm, 430mm and 710mm, Spur Steel-Lok grey/black brackets, including 145mm, 220mm, 270mm, 320mm, 370mm and RF 470mm (Please note: this lot must be removed before Friday 13th March 2020)
195	Contents of two bays of racking to include Spur uprights 710mm, 1000mm, Spur Steel-Lok black/silver brackets, 120mm, 170mm, 270mm, 320mm, 370mm and RF470mm (Please note: this lot must be removed before Friday 13th March 2020)
196	Contents of three bays of racking to include Spur uprights (brown/white), 1000mm, 710mm pink/grey uprights/brackets, Spur fixing kits, Spur brown brackets 270mm, 220mm, 320mm, 370mm and clothes rail hanger (Please note: this lot must be removed before Friday 13th March 2020)
197	Contents of pallet to include assorted laminate wood effect shelves (Please note: this lot must be removed before Friday 13th March 2020)
198	Four steel stillages and contents to include T-Slot brackets, spring rods, etc. (Please note: this lot must be removed before Friday 13th March 2020)
199	Four steel stillages and contents to include shelf brackets, radiator brackets (Please note: this lot must be removed before Friday 13th March 2020)
200	Three steel stillages and contents to include Spur twin slot 250mm rod book ends 245mm, etc. (Please note: this lot must be removed before Friday 13th March 2020)
201	Three steel stillages and contents to include Spur twin slot 145mm, 250mm rod book ends (Please note: this lot must be removed before Friday 13th March 2020)
202	Steel stillage and contents to include 245mm spring rod bookend (white) (Please note: this lot must be removed before Friday 13th March 2020)
203	Contents of pallet including 28 boxes, circa 75 pairs per box, 220mm spring rod book end (Please note: this lot must be removed before Friday 13th March 2020)
204	Two pallets of various black shelving (Please note: this lot must be removed before Friday 13th March 2020)
205	Two steel stillages and contents to include black uprights and cross members (Please note: this lot must be removed before Friday 13th March 2020)
206	Contents of two pallets to include white shelving (270 x 850mm and various) (Please note: this lot must be removed before Friday 13th March 2020)
207	Contents of two pallets to include Spur Steel-Lok steel shelf 320mm and 220mm (Please note: this lot must be removed before Friday 13th March 2020)
208	Contents of two pallets to include Spur 1000mm, 1700mm, 1200mm uprights (white) (Please note: this lot must be removed before Friday 13th March 2020)
209	Blank
210	Contents of two pallets, to include 24 adjustable boltless racking kits, with shelving (4 shelf) (Please note: this lot must be removed before Friday 13th March 2020)
211	Assorted Zamba boltless racking kits (3/4 shelf), Zamba racking uprights, and various Spur spring rod book ends (total of 10 boxes) (Please note: this lot must be removed before Friday 13th March 2020)
212	Four stillages and contents to include corner braces for medium duty bolted racking (Please note: this lot must be removed before Friday 13th March 2020)
213	Two steel stillages and contents to include white radiator brackets (Please note: this lot must be removed before Friday 13th March 2020)
214	Three steel stillages and contents to include brackets/garden hooks/ cross members (Please note: this lot must be removed before Friday 13th March 2020)
214A	Six boxes of wall mountable garden hooks (Please note: this lot must be removed before Friday 13th March 2020)

LOT NO.	DESCRIPTION
215	Contents of bay of racking to include Spur uprights blue 1000mm, black 520mm, steel shelves, etc. (Please note: this lot must be removed before Friday 13th March 2020)
216	Contents of bay of racking to include Storage Solutions archive shelving frame 5 tier 1200mm, Spur 1220mm upright (black), ornate hanging basket brackets (Please note: this lot must be removed before Friday 13th March 2020)
217	Three steel stillages and contents including assorted bolted racking uprights (Please note: this lot must be removed before Friday 13th March 2020)
218	Six steel stillages and contents to include reinforced bracket ends (2 with stock, 4 empty) (Please note: this lot must be removed before Friday 13th March 2020)
219	Contents of pallet to include Spur oval chrome hanging rail 850mm (Please note: this lot must be removed before Friday 13th March 2020)
220	Two steel stillages and contents, to include white radiator brackets (Please note: this lot must be removed before Friday 13th March 2020)
221	Two steel stillages and contents, to include black 770mm uprights and various uprights (Please note: this lot must be removed before Friday 13th March 2020)
222	Contents of bay of racking to include rolled edge back braces, 400mm - 1400mm (Please note: this lot must be removed before Friday 13th March 2020)
223	Steel stillage and contents to include cabinet brackets
224	Two steel stillages and contents to include various bolted racking uprights, approx 770mm length (Please note: this lot must be removed before Friday 13th March 2020)
225	Pallet and contents to include white laminate shelving, approx 1220 x 250mm (Please note: this lot must be removed before Friday 13th March 2020)
226	Four pallets of assorted chipboard shelving (Please note: this lot must be removed before Friday 13th March 2020)
227	Two pallets of Zamba 5 shelf twin pack narrow garage racking, 1530 x 900 x 200mm (Please note: this lot must be removed before Friday 13th March 2020)
228	One pallet of 6 shelf twin pack narrow garage racking, 1650 x 900 x 200mm (Please note: this lot must be removed before Friday 13th March 2020)
229	Three pallets of assorted racking kits, frames and shelves (Please note: this lot must be removed before Friday 13th March 2020)
230	Three pallets of various chipboard shelving (Please note: this lot must be removed before Friday 13th March 2020)
231	Coil of mild steel stock, approx width 465mm (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
232	Coil of mild steel stock, approx width 485mm (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
233	Coil of mild steel stock, approx width 295mm x 0.9mm, weight circa 560kg (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
234	Coil of mild steel stock, approx width 420mm (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
235	Two coils of mild steel stock, approx width 220 x 0.9mm and 184 x 1.2mm, weight circa 188kg and 213kg (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
236	Four coils of general purpose steel stock, approx 73 x 0.9mm (275kg), 105 x 1.45mm (432kg), 115 x 1.95mm (153kg), 87mm x 0.9mm (96kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
237	coil of general purpose steel stock, approx width 26mm (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
238	Three coils of general purpose steel stock, approx 74 x 0.9mm (387kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
239	Two coils of general purpose steel stock, approx 94 x 0.9mm (492kg), 74 (582kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240	Coil of general purpose steel stock, approx 104mm (946kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240A	Two coils of general purpose steel stock, approx 200 x 1.2mm (372kg), 200 x 1.2mm (803kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240B	Coil of general purpose steel stock, approx 387 x 0.7mm (944kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240C	Coil of general purpose steel stock, approx 184 x 1.45mm (580kg) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240D	Three coils of general purpose steel stock, approx 104 x 0.9mm (348kg) x 3 (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240E	Four coils of general purpose steel stock, approx 74 x 0.9mm (127kg), 104mm (81kg), 52mm, 25mm (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240F	Contents of eight pallets to include various general purpose steel sheet stock (as lotted) (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
240G	Steel frame, 10 bay rack, approx 2640 x 2030mm and contents to include approx 24 various press jigs, etc.
240H	Steel frame 3 shelf rack and contents to include 9 storage bins, including workpiece/jig clamps
240I	Contents of two bays of stores racking including assorted metal stock

LOT NO.	DESCRIPTION
241	Four steel frame stillages, approx 1m x 1m
241A	Four steel frame stillages, approx 1m x 1m
241B	Four steel frame stillages, approx 1m x 1m
241C	Six steel frame stillages, approx 1m x 1m
241D	Four steel frame stillages, approx 856 x 1000mm
241E	Three steel frame stillages, approx 856 x 1000mm
241F	Three steel frame stillages, approx 856 x 1000mm
241G	Five steel frame stillages, approx 1m x 1m
241H	Five steel frame stillages, approx 1m x 1m
242	Forklift mountable tipping skip, approx 1300mm width
242A	Forklift mountable tipping skip, approx 800mm width
242B	Forklift mountable tipping skip, approx 800mm width
243	Floor standing weigh scale, approx 1850 x 1500mm (condition unknown)
244	40ft shipping container Please note: This Lot cannot be removed until Monday 16th March 2020 (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
245	20ft shipping container. Please note: This Lot cannot be removed until Monday 16th March 2020 (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
245A	Nederman external dust extraction system, type VAC 12-1800, serial no: 17230, with associated galvanised ducting and collector (A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
245B	Two steel frame mobile transport A frames
245C	Three steel frame mobile transport A frames
246	Two bays of adjustable boltless pallet racking, approx 2700mm per bay with approx 32 cross members Please note: This lot must be removed on Monday 16th March 2020
247	Mitsubishi SBP12NS battery operated pedestrian forklift truck, serial no SPN1201135 (2008), max lift capacity 960 kg, max lift height 2500mm (NB: This item has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement)
248	Caterpillar 20 LPG ride on triple mast forklift truck, model GP20CN, serial no 34L60048 (2004), max lift capacity 2000 kg, max lift height 4750mm, side shift facility, all weather cab. Please note: This lot cannot be removed until Monday 16th March 2020 (NB: This item has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement)
249	Nissan 18 LPG ride on duplex mast forklift truck, model 18PJ01A18U, serial no PJ01A111968 (1994), max lift capacity 1500 kg, max lift height 4750mm, recorded hours 6801 Please note: This lot cannot be removed until Monday 16th March 2020 (NB: This item has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement)
250	Mitsubishi FG25K, 2500kg capacity multi duplex LPG forklift truck, with cascade side shift expandable fork attachment, and all weather cab, max lift height 5500mm, serial no: EF17B65049, hours circa 7,070 (1999) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (NB: This item has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement)
251	Cincinnati GH30 ton vertical fixed rotation hydraulic press, serial no: 17402 GH30, max flywheel speed 215rpm, with Wander foot control (3 phase) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
252	Unbadged table mounted 13 head press, with Hydrapower hydraulic pack, approx table length 2450mm (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)

LOT NO.	DESCRIPTION
253	Worcester 10 ton vertical fixed rotation hydraulic press, max flywheel speed 170rpm (3 phase), with Wander foot control (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
254	Unbadged table mounted, single head hydraulic punch press, with Wander foot control, and Partridge hydraulic pack, includes steel infeed table/work station, approx 2500 x 2100mm (Please note: An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot. NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
255	Atkin double headed roll feed, serial no: W4822D, max width capacity 500mm (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
256	Two S and B No.9 inclinable mechanical power press (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
257	Two unbadged various table mounted 5 head hydraulic press punches, with associated hydraulic pack, approx total length 2300mm (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
258	Two unbadged various table mounted 7 and 8 head, through feed hydraulic press punch, approx table length (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
259	Two various Oliver through feed roll formers (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
260	Atkin type 52 press feed, serial no: W4822B (3 phase), aperture size 500mm (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)

LOT NO.	DESCRIPTION
261	Two Atkin / Oliver adjustable horizontal through feed roll formers, model Flexi Belt, serial nos: 14258/B (1988), max width circa 1000mm (3 phase) (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
262	HME OP40 ton inclinable mechanical power press, serial no: 10241, with Wander foot control (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
263	Three various inclinable mechanical power presses (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
264	HME G55 ton inclinable mechanical power press, serial no: 15687, with Wander foot control (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
265	Three various inclinable mechanical power presses (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
266	Unbadged hydraulic vertical press (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
267	Two assorted hydraulic packs (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
268	Inclinable mechanical power press (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)

LOT NO.	DESCRIPTION
269	Sciaky PA100 welder, serial no: 14031 (around 1985) (3 phase) (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
270	Unbadged spot welder, with Sciaky Compro 302 weld function timer (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
271	Sciaky Rapid 25 spot welding machine, serial no: 18289 (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
272	Unbadged table mounted 4 head hydraulic press/punch with hydraulic pack and pneumatic in-feed clamp (working condition unknown) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
273	Atkin hydraulic leveller, serial no: W4822J (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
274	Five Gema Volstatic ACR-1 reciprocator powder coating applicators, three circa 5m and two circa 4m in height (working condition unknown)
275	Two powder coating/spray paint applicator stands, approx 3.5m in height (working condition unknown)
276	Two various vertical applicator stands including Larius 6040 (working condition unknown)
277	Dulevo pedestrian scrubber dryer, model 33BTR, serial no: H2094A1005 (battery powered) (working condition unknown)
278	Forward Precision Equipment Ltd throughfeed hydraulic former, model SP, serial no: 7655 12-95
279	Formit throughfeed horizontal roll former, model F.O., serial no: F4595 (1996)
280	F J Edward 6DB flypress and stand
281	Norton flypress and stand
282	F J Edward 6A flypress and stand
283	Taylor & Challen No.758 inclinable mechanical power press, with Wander foot control (working condition unknown) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
284	Two assorted table mounted croppers (sold as scrap) (Please note: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
285	Gema Volstatic APS2, 26 rack capacity modular control unit, serial no: 8601.0381 (working condition unknown) (sold as spares)
286	Mobile 15 tread steps

LOT NO.	DESCRIPTION
287	Tallescope, galvanised steel access steps and platform, SWL 113kg
288	John Quinn Packaging heat sealer and throughfeed heat shrink tunnel (sold as spares) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
289	Unbadged throughfeed horizontal roll former (working condition unknown) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
290	Gauer Metal Products 5H edging machine (working condition unknown) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement. NB: This item does not comply with current health and safety standards regarding guarding and will require risk assessment and possible remedial action prior to first use. The purchaser should satisfy themselves as to the safety of the item in accordance with the intended use and set up. The purchaser will be required to sign an undertaking confirming their agreement)
291	Gema Volstatic APS2, 26 rack capacity modular control unit, (working condition unknown) (sold as spares)
292	Four various Donaldson Torit and Nederman mobile dust extractors (240v) (sold as spares/repairs)
293	Fastline 300 horizontal throughfeed heat sealer (sold as spares/repairs)
294	Quantity of various extraction ducting, cyclone twin bag collection unit, etc. (sold as spares/repairs) (please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
295	Abbott 875 litre vertical air receiver
296	8 tread mobile steps
297	Steel frame mounted powder coating depositor (working condition unknown)
298	Adpak throughfeed heat sealer (sold as spares/repairs)
299	Meritus AP30 corner cropper (sold as spares/repairs)
300	Cock Seamer throughfeed roll former
301	Unbadged spray rail drive system (sold as spares/repairs)
302	Unbadged hydraulic pack (working condition unknown) (sold as spares/repairs)
303	Unbadged hydraulic pack (working condition unknown) (sold as spares/repairs)
304	Unbadged hydraulic leveller (working condition unknown) (sold as spares/repairs) (NB: this item has no CE marking. The Purchaser is required to satisfy themselves as to the safety of the item and that it meets current Health & Safety Regulations, in particular PUWER Regulations, prior to being put into use. The Purchaser will be required to sign an undertaking confirming their agreement)
305	Hare pedestal mounted punch
306	Steel gantry, approx 2m in length
307	Four pallets of assorted steel jigs
308	Five pallets of assorted steel jigs
309	Four steel stillages and contents incl. black/white racking uprights
310	Steel stillage and contents incl. various hoses, etc.
311	Contents of two pallets incl. assorted used air filters (used in conjunction with paint/powder coating plants)
312	Steel frame mounted vertical powder dispenser (working condition unknown) (sold as spares/repairs)
313	Perf Rap throughfeed heat shrink tunnel (sold as spares or repairs)
314	Contents of two pallets and steel stillages to incl. assorted spares/ repairs, scrap metal, Rotapak 45 Fluidair dryer (sold as spares/repairs), etc.
315	Contents of three pallets, incl. two heat sealing machines and assorted stock
316	Pallet of assorted steel clamps, jigs, etc.
317	Contents of two pallets, to incl. Rotapak 45 Fluidair dryer and Beko Owamat 4 oil and water separator (sold as spares/repairs only)
318	Cool Technology Ltd vertical air receiver (267 litres), and Compair CS2010 oil and water separator
319	Contents of six pallets to incl. various steel jigs, clamps, etc. and hydraulic pack (sold as spares/repairs)
320	Contents of six pallets to incl. various steel jigs, clamps, etc. (sold as spares/repairs)
321	Two steel frame workbenches incl. steel bar/strip stock located underneath and Oldham Crompton series battery charger
322	Pallet of various foil backed insulation pieces
323	Five bays of boltless stores racking, approx 900mm width per bay (5 shelf)
324	Three bays of adjustable boltless pallet racking, approx 2700mm width per bay, approx 4000mm height (excludes contents) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (This lot cannot be removed until Thursday 12th March 2020)

Items for Bidspotter.co.uk

LOT NO.	DESCRIPTION
325	Two bays of adjustable boltless pallet racking, approx 2700mm width per bay, approx 4000mm height (excludes contents) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (This lot cannot be removed until Thursday 12th March 2020)
326	Quantity of boltless racking uprights, etc. located on two pallets
327	Eight steel frame lockers (located on two pallets) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
328	Quantity of adjustable boltless pallet racking and associated various cross members, approx 20 uprights
329	Large quantity of reclaimed timber boards/joists, etc. (as lotted), circa 3200mm in length (Please note: this lot must be removed on Monday 9th March).
330	Quantity of MDF racking shelving (as lotted), approx length 3000mm, depth 25mm, circa 55 pieces
331	Quantity of chipboard sheets (tongue & groove), approx 2400 x 600mm
332	Contents of three pallets to incl. assorted Eland range brackets, chain block and cabling (spares/repairs), etc.
333	Six pallets (incomplete) of assorted cardboard packaging stock (located on racking) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
334	Two various steel frame mounted hydraulic croppers
335	Contents of bay of pallet racking, to include F&R Engineering air dryer, two hydraulic croppers, etc. (Please note: excludes all books and records. Sold as spares/repairs)
336	Contents of bay of pallet racking, to include assorted hydraulic horizontal presses, spare parts, etc. (Sold as scrap)
337	Two bays of adjustable boltless pallet racking, approx width per bay 2750mm (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (This lot cannot be removed until Thursday 12th March 2020) (Excludes contents)_
338	Three bays of adjustable boltless pallet racking, approx width per bay 2750mm (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (This lot cannot be removed until Thursday 12th March 2020) (Excludes contents)_
339	Three bays of adjustable boltless pallet racking, approx width per bay 2750mm (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot) (This lot cannot be removed until Thursday 12th March 2020) (Excludes contents)_
340	Pallet truck
341	Pallet truck
342	
343	
344	
345	
346	
347	
348	
349	
350	Bott steel double cupboard, blue/grey (excluding contents)
351	Two bays of boltless adjustable stores racking , fitted 4 shelves per bay, orange/grey (excluding contents)
352	Loose contents of container including rack supports uprights, consumables, etc (contents not to be removed until the removal of lots 350 and 351)
353	One pallet of steel unpainted shelf units, circa 60 packs of painted shelves and a quantity of chrome support poles
354	Four pallets of assorted size plastic wrap rolls, approx 60 in total
355	steel frame 3 sided netted product storage trolley
356	Steel export type storage container, plywood sheet floor, blue, 40ft (not to be removed until the latter stages of clearance period - contact Auctioneer to confirm) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
357	Steel export type storage container, plywood sheet floor, grey, 20ft (not to be removed until the latter stages of clearance period - contact Auctioneer to confirm) (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot)
358	Nedermann extraction unit, type VAC-12-1800, serial no 17230, Art no 102810 (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot - An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.)
359	Assorted boxes of powder coating paint, located on 1 bay on 3 shelves (circa 50 boxes in total)
360	Assorted boxes of powder coating paint, located on 1 bay on 3 shelves (circa 60 boxes in total)
361	Assorted boxes of powder coating paint, located on 1 bay on 3 shelves (circa 20 boxes in total), together with assorted powder coating controllers, etc
362	Wrought iron machinery including 3 individual pneumatic powered forming machines (Please note: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot - An electrical disconnection charge of £35 plus VAT will be added to the hammer price for this lot.)
363	Wilmat hydraulic stacker truck
364	Three assorted aluminium scaffold tower sections and 2 walkway platforms

LOT NO.	DESCRIPTION
365	Assorted rolls of plastic shrink wrap rolls stock, corca 35 rolls in total
366	
367	
368	
369	
370	
371	
372	
373	
374	
375	
376	
377	
378	
379	
380	
381	
382	
383	
384	
385	
386	
387	
388	
389	
390	
391	
392	
393	
394	
395	
396	
397	Two steel frame tables, mobile transport trolley and contents including nuts, bolts, fixing kits, Tek screws, etc.
398	Twin door, mobile wire mesh cage and contents including packaging material
399	Contents of four pallets including die cut shelf locking flat pack cardboard boxes, 337 x 73 x 51mm, 235 x 75 x 50mm, and die cut end caps 222mm x 617mm
400	Five pallets of assorted cardboard packaging (as per images)
401	Contents of two pallets including various plastic boxes and assorted lids
402	Quantity of various plastic tote bins (Lin Bins) circa 12 boxes
403	Quantity of assorted plastic storage bins
404	Aluminium adjustable step ladder
405	Mobile steps, 3 tread
406	Mobile steps, 4 tread
407	Powermatic Industrial space heater, model NU60/F/1, serial no: N60AJ217 (sold as spares or repairs)
408	
409	
410	3 x assorted computer systems, TFT's, keyboards, mice
411	Brother MFC-9140CDN touch screen printer
412	Brother Photosmart 7760 printer
413	Indesit undercounter fridge, Daewoo microwave, 3 x desk fans, 2 x assorted electric heaters
414	4 x bays of assorted boltless and bolted shelf units
415	Assorted office sundries including screen cleaner wipes, hole punches, staplers, desk tidiers, kettle, wipe board etc.
416	Dymo digital USB postal scales
417	4 x assorted wood effect desks, wood effect low level storage cupboard, 3 x upholstered chairs, metal 4 drawer filing cabinet
418	2 x assorted computer systems, TFT, keyboard, mice
419	2 x assorted laptops - unsure of working condition
420	Rexel P-170 paper shredder, Dahle paper guillotine
421	Oki C711 printer mounted on lockable storage unit
422	2 x assorted label printers

LOT NO.	DESCRIPTION
423	2 x wood effect desks, 3 x assorted upholstered chairs, 2 x metal 4 drawer filing cabinets
424	Wood effect corner workstation, wood effect 3 drawer filing cabinet, 3 shelf unit, bay of boltless shelving- excluding contents
425	Remaining loose contents of room including various printers, mobile and wall mounted air conditioning units, 2 x uprights vacuums, etc. - unsure of working order of electricals
426	Loose contents of room including bay of boltless shelving, desk, metal 4 drawer filing cabinet, keylock sake, assorted dismantled shelf units, uprights, brackets, shelving, shelving top etc.
427	Wood 6 drawer plans chest
428	2 x metal 4 drawer and 1 x 3 drawer filing cabinets
429	Easy paver patio paving parts including measuring boards, various size pouches, 82m brick lines, M6 wing knobs, joining plates etc.
430	3 x bays of shelf units with hanging file shelving, etc.
431	Bay of boltless 5 shelf storage racking - excluding contents
432	2 x bays of bolted 5 shelf units
433	3 x assorted shelf units
434	2 x bays of boltless/bolted 5 shelf units
435	2 x bays of bolted 5 shelf units
436	3 x bays of boltless/bolted 3 shelf units
437	Fridge freezer ¾ height, iGenix microwave, kettle, toaster, under counter dishwasher
438	4 x assorted wood effect tables, wood effect circular table, 4 shelf bookcase, 3 x assorted shelf units, 19 x approx. various chairs, 2 x metal 4 drawer filing cabinets
439	HP designjet 500 wide carriage printer
440	Remaining loose contents of room including wood effect circular table, 5 x assorted chairs, 3 x shelf units, bookcase etc.
441	Data scribe printer
442	2 x bays of shelf units with contents including Spur Steel-Lok 400mm/145mm Elaf 32cm brackets, medium duty brackets, Gardinia shelf brackets, wall uprights, DS2 solid back panels etc.
443	2 x bays of shelf units with contents including 2 x printers, computer tower, keyboards, electrical equipment, Epson DFX-8000 printer, over head projector - unsure of working order of electrical equipment
444	Fujitsu metal frame comms cabinet with mesh single door, metal 4 drawer filing cabinet, metal 2 door storage cupboard
445	Oki C711 printer
446	TEC label printer
447	2 x assorted computer systems, 3 x TFT's, keyboards, mice. 2 x speakers, HP PSC1410 printer
448	3 x assorted tables, 2 x metal 4 drawer filing cabinets, 2 x upholstered chairs
449	3 x assorted boltless shelf units
449a	3 x metal 4 door personnel lockers
450	2 x Panasonic Toughbook laptops, 2 x Dell laptops, Thinkcentre computer tower, leads, etc.
451	<p>VW Golf Plus SE 1.4 TSI 122bhp 5 door hatchback Registration: FJ59 SUY Recorded Mileage: 36,956 MOT: 30 November 2020 DOR: 17/12/2009 V5: Yes</p> <p>Please note: This lot qualifies for VAT. It will be therefore be sold VAT inclusive, i.e. the hammer price will include the VAT element. Please note that Buyer's Premium plus VAT will still apply and be added on top of the hammer price. The recovery of VAT is in accordance with normal VAT rules; the purchaser must apply the correct treatment for the intended use for the vehicle acquired.</p> <p>Located: Avonmouth, Bristol - for viewing please contact Adam Marx amarx@ish.co.uk</p>

1: Conditions

These conditions, together with any 'Special Conditions' or 'Notices to Purchasers', are the only terms and conditions subject to which Lambert Smith Hampton (LSH) (the "Auctioneer") acting as agents for the Vendor (the "Vendor") will contract with buyers (the "Buyer"). Bidding for any lot shall be deemed to be an acceptance of these conditions and any conditions in the Notices to Purchasers. If there is any inconsistency between any of these conditions and anything in the Notices to Purchasers, then those in the Notices to Purchasers shall prevail.

2: Inspection and Description

- 2.1 Buyers have a responsibility to make their own inspection and investigation of the lots at the time(s) and at the premises specified, and to satisfy themselves on all matters affecting the lots, and to inspect and satisfy themselves prior to the sale, as to the condition and description of a lot, its fitness and suitability for purpose.
- 2.2 Goods are believed to be correctly described but all goods are sold with faults, imperfections and errors of description.
- 2.3 Neither the Vendor nor the Auctioneers, their servants or agents makes or gives, nor has any person in the employment of the Auctioneers any authority to make or give, any representation or warranty in relation to any lots.

3: Limitation of Liability

- 3.1 Neither the Vendor nor the Auctioneers, their servants or agents shall be liable for any loss or damage suffered by the Buyer arising out of or in connection with any defects or deficiencies in any lots purchased, errors of description in the auction catalogue, any mis-statements as to any matter affecting the lots or the failure of the lots to fulfill the functions for which they were intended
- 3.2 The Auctioneer's and the Vendor's total liability for breach of contract or negligence is limited to the Bid Price.
- 3.3 Neither the Auctioneers nor the Vendor shall be liable for any indirect or consequential loss or damage (whether for loss of profit, loss of business or otherwise) incurred by the Buyer whatsoever.
- 3.4 Nothing in these conditions excludes or limits the liability of the Auctioneers or Vendor for death or personal injury caused by their negligence or fraudulent misrepresentation.
- 3.5 Nothing in these conditions shall prejudice the statutory rights of a consumer who shall be bound by these conditions only insofar as they are consistent with such statutory rights.

4: Conduct of Sale

- 4.1 The Auctioneers reserve the right in their absolute discretion to refuse admission to the premises and grounds to any person.
- 4.2 The conduct of the sale shall be at the Auctioneer's sole discretion and the Auctioneers reserve the right to refuse any bids without giving any reason. If any dispute of whatsoever nature relating to a bid shall arise, such dispute shall be determined by the Auctioneers in their absolute discretion and whose decision shall be final and binding on all parties.
- 4.3 Each bidder must register prior to submitting any bids in Online Sales. The Auctioneer reserves the right to reject any registration at its sole discretion.
- 4.4 The Vendor and the Auctioneers reserve the right to fix a reserve price for any lot.
- 4.5 No bid may be withdrawn after the close of bidding.
- 4.6 The Vendor or the Auctioneers have absolute discretion to withdraw consolidate or divide at any time any lot.
- 4.7 The highest bidder for each lot at the close of bidding shall be the Buyer, subject to approval by the Auctioneers and the Vendor. The Sale Price is exclusive of the buyer's premium and VAT. The highest bid at the close of bidding subject to approval by the Auctioneers and Vendor also marks a conclusion of a contract of sale between the Vendor and the Buyer.
- 4.8 In making a bid for any lots, the Buyer does so as principal. The Buyer will be held personally and solely liable for a bid unless the Auctioneers have previously agreed in writing with the Buyer that the bidder will do so on behalf of an identified third party acceptable to the Auctioneers. In circumstances where the Auctioneers have so agreed, the Buyer and the third party will jointly and severally be liable for all obligations arising from the bid where a third party shall be bound by these conditions by the individual bidding as his agent in the same way as if he were bidding personally.

5: Price

The price payable by the Buyer for the purchase of the lots secured shall be the sale price, being the highest bid and accepted by the Auctioneer in accordance with condition plus the buyers premium and any other associated costs (if any) and VAT applicable at the prevailing rate.

6: VAT

The price of the goods purchased is exclusive of Value Added Tax (VAT), which where applicable, the Buyer shall be additionally liable to pay to the Auctioneer

7: Risk and Title

- 7.1 Insurance: As from the date and time the Buyer is declared, all risks in and relating to the Goods purchased, shall pass to the Buyer and the Buyer is strongly advised to effect insurance for these risks at once. In no circumstances will the Auctioneers or the Vendor be responsible if any Goods or part thereof be lost, stolen, damaged or destroyed after the Buyer is declared.
- 7.2 Title: The Vendor shall only sell such title to the Goods as he may have. Neither the Auctioneers nor the Vendor warrants the Vendor's good title to any of the Goods and if it is found that the Vendor does not have title or unencumbered title to any of the Goods purported to be sold under these conditions the Buyer expressly agrees that it shall have no right either to rescind the contract or to claim damages or a reduction in the consideration paid or payable under the contract.
- 7.3 Title to each of the Goods will not pass until:-
 - (a) all debts owed by the Buyer to the Auctioneers (whether part-paid secured or otherwise) are settled, for the avoidance of doubt the debts shall not be settled until (where payment or part payment is made by cheque) all cheque(s) in question have been cleared; and
 - (b) such Goods have been removed from the premises at which the sale is held or where the Goods are being stored in their entirety.

8: Removal

- 8.1 No lot or part thereof can be removed until payment in cleared funds (cash, approved Bankers Draft, BACS or Chaps) has been made in full or (where any part of the payment was made by cheque) the cheque has cleared in the Auctioneer's account. No lot shall be removed without the authority of the Auctioneer and unless under the supervision of the Auctioneer's servants or agents.
- 8.2 Removal shall take place only up to 5.00 pm and must be completed no later than the dates and times specified and published within the Notice to Purchasers or any date and time specifically declared thereafter, in writing, by the Auctioneer or written authority is obtained from the Auctioneers for clearance after that time.
- 8.3 The Buyer has no right to anything not described in the auction catalogue.
- 8.4 Delivery of lots sold will be made only to the declared Buyer and no transfer of any lot or part of a lot to any other person will be recognised.
- 8.5 Prior to the removal of any lot the Vendor may rescind the contract for the sale of that lot and refund to the Buyer any money paid by the Buyer for the lot should any third party claim title to or possession of any part of the lot.
- 8.6 The Buyer will be responsible for removal of lots at his own expense and must provide his own labour, and equipment.
- 8.7 The Auctioneers require that in pursuit of safe working practice all equipment used for lifting and transportation should be covered by appropriate insurance, safety documentation set out by current Health & Safety legislation at the time and registration documents (in particular, but not limited to, cranes, lifting equipment, tackle and fork lift trucks). Such documentation shall be produced to the Auctioneers and if the Buyer fails to produce such documentation on request for inspection the Auctioneers reserve the right to refuse to release the lot and/or rescind the sale in which event the provisions of condition 8 will apply. Equipment may only be used by operatives who have the valid and appropriate licences to use such equipment
- 8.8 Appropriate Personal Protective Equipment (PPE) must be worn during these activities and due regard paid to safe material handling practices.

9: Damage to Premises

The Buyer shall be responsible for the removal of all goods purchased at his own expense and risk and such removal must be carried out safely and lawfully and in accordance with any conditions of sale of which the Buyer is notified. For the avoidance of doubt removal includes where applicable disconnection from the mains electricity supply and the detachment of any lots which are fixed. All electrical installations must be carried out by a Certified electrician and left in a safe condition during and after the removal and the use of explosives or flame cutting equipment or any other potentially hazardous or inflammatory process shall not be permissible on the site without the express written consent of the Auctioneers. The Buyer shall be responsible to insure against and to make good any injury or damage to persons or property caused by the Buyer, their carriers, servants or agents detaching, disconnecting or removing any goods purchased by the Buyer. The Buyer shall produce his insurance documentation to the Auctioneers on request and if the Buyer fails to produce such documentation the Auctioneers reserve the right to refuse to clear the lot and/or rescind the sale. The Buyer shall indemnify the Auctioneers for any damage or loss which the Auctioneers may suffer in respect of loss, damage or injury suffered by the Buyer's agents or employees or any third party arising from the removal. At its discretion the Auctioneers may require the payment of a deposit to the Auctioneers prior to and/or during the removal which will be refunded on the removal being completed to the Auctioneer's satisfaction. If the Buyer refuses to deposit such monies, the Vendor or the Auctioneers may refuse the Buyer access to the premises for the purposes of removing the lot purchased by them and/or rescind the sale in which event the provisions of condition 8 will apply. The Auctioneers reserve the right to stop the removal of a lot by a Buyer, his agents or employees, if it appears to the Auctioneers or its agents or employees that the removal is being carried out in an unsafe or unsatisfactory way.

10: Default by Buyer

Upon failure by the Buyer for whatsoever reason:-

- (i) to pay a deposit in full if required under the Conditions of Sale or special notices; or
- (ii) to pay the purchase price in full on the due date; or
- (iii) to provide any documentation required under these conditions; or
- (iv) to remove the goods in a safe or satisfactory way; or
- (v) to remove any lot from the premises on or before the date specified for removal,

The Vendor will be entitled to rescind the contract forthwith without incurring any liabilities to the Buyer and, without prejudice to any claims of the Vendor and/or the Auctioneers against the Buyer arising from breach of contract or otherwise, upon rescission as aforesaid the following provisions apply:

- (a) all monies deposited in part payment will be forfeited and used to pay the Vendor's and/or Auctioneer's expenses referred to in paragraph (d) below;
- (b) if the lots have been removed in breach of these conditions, the Vendor and/or the Auctioneers, their servants or agents may enter the premises of the Buyer to recover such lots;
- (c) lots may be re-sold or otherwise disposed of by the Auctioneers in the manner they feel appropriate at their sole discretion and any deficiency arising upon the resale together with the expenses of it shall be due as a debt from the Buyer in default upon the first sale. The Buyer consents to such a resale on the Auctioneer's conditions of business applicable at the time of resale. Neither the Auctioneers nor the Vendor shall be liable to account to the Buyer in the event of a re-sale at a higher price than the price contracted to be paid by the Buyer. The Buyer waives any claim in such a case that he may have title to the lot and agreed that any re-sale price shall be deemed commercially reasonable;
- (d) the Buyer will be responsible from the specified time for final removal for all losses and expense incurred by the Vendor and/or the Auctioneers including storage, security and removal expenses, the costs of re-selling or disposing of lots and Auctioneer's commission.

11: Auctioneer as Agent

The Auctioneers act only as Agents for and on behalf of the Vendor and shall not be held responsible for any action or default on the part of either the Vendor, bidders or the Buyer. Any concluded contract of sale is made directly between the Vendor and the Buyer.

12: Accident or Damage

Neither the Auctioneers nor the Vendor will accept any responsibility for any accident, (except for that arising out of its negligence, or the

negligence of its agents or employees, resulting in death or personal injury) howsoever caused to any person which may occur whilst on the Auctioneer's premises, the Vendor's premises or such other premises used to hold the auction or to store the lots before during or after the sale and any person entering the premises does so at his own risk and is deemed to have notice of the condition of the premises and their contents.

13: The Consumer Protection Act 1987

No lots are sold as new.

14: Health & Safety At Work

It is expressly brought to the Buyer's attention and that of potential buyers, at the time of sale, any item of plant, machinery or equipment contained in the goods may not necessarily comply with the Health and Safety at Work Act 1974; the Environmental Protection Act 1990; Construction Design and Management Regulations 2015 or any other Act of Parliament or regulations thereunder governing the use of that plant, machinery or equipment in a working environment. Buyers of any such plant, machinery or equipment are hereby required to ensure so far as reasonably practicable that such item will be safe and without risk to health and that the use of any such items at a place of work within the EEC & the United Kingdom does not contravene any such Act of Parliament or regulation applicable to such use.

15: Dangerous Substances

It is expressly brought to the attention of Buyers (and potential buyers) that certain types of plant or main service installations could contain blue and white asbestos, dangerous chemicals and hazardous waste which if not handled correctly during their removal from the premises could be in breach of the Health and Safety at Work Act 1974, Sections 2-13 Control of Substances Hazardous to Health Regulations 2002 (COSHH) or other current legislation regulating the use of such substances in a working environment. The Buyer shall ensure so far as is reasonably practicable that they comply with the Health and Safety at Work Act 1974, COSHH and other current legislation in connection with the removal, handling and transport of such dangerous substances and or hazardous waste or shall employ a specialist contractor to remove them. The Buyer shall, on request, satisfy the Auctioneers in relation to its removal procedures, and the removal of waste materials must be undertaken by an approved and licensed contractor. The Buyer will indemnify the Vendor, their servants or agents against any loss, damages or expenses suffered by them as a result of the Buyer's or a sub-contractor's failure to comply with this legislation.

16: Notices

Any notices or other communications shall be in writing and, if sent by post, shall be deemed to have been received by the addressee on the second working day after posting or, if the addressee is outside the United Kingdom, on the fifth working day after posting. If any written notice is delivered by hand, it shall be treated as having been received at that time. Any notice sent to the Auctioneers shall be sent to the Auctioneer's address as set out in the auction catalogue, or displayed on the auctioneer's web site on the notice specific to that sale. Any notice which the Auctioneers send to the Buyer may be sent to the Buyer's last address known to the Auctioneer.

17: Third Party Rights

Save as expressly provided in these conditions, no term of these conditions shall be enforceable under The Contracts (Rights of Third Parties) Act 2001 by a third party.

18: Governing Law

These Conditions and any Conditions contained in the Notices to Purchasers, along with all associated transactions and all connected matters shall be governed and construed in accordance with English Law

19: Severability

In the event that any provisions of these conditions shall be held unenforceable for any reason, the remaining conditions shall remain in full force and effect.



Equipment to include:

(Subject to Availability - Unless previously sold by Private Treaty)

SHEETMETAL, PRESSES & FABRICATION:

- **Press brakes (5)** by Promecam 50 x 2.4m, Promecam RGO, Rico 30 ton x 2m, Cressex 50 ton x 2.5m, Cressex 60 ton x 10ft.
- **Power Presses (30)** by Rhodes 75 ton (2 off), HME LH70 ton, GP55 ton, GH40 ton (4 off), GP40 ton, OP40 ton, GP30 ton (3 off), LM25 ton, **EW Bliss** 12 ton, **Sweeney & Blocksidge** M6 & 20 ton (3 off), **Worcester, Taylor & Challen** M738, **Hounsell** 45 ton & **Hare** hydraulic presses, 4 tool press station, inline hydraulic presses.
- **Roll Formers (14)** by **Formit** Duplex 12 pass (3 off), **Well Form** 7 pass, **Oliver** triple line 14 stage, **Oliver** duplex line 14 stage (2 off), **Oliver** single line (3 off).
- **Other** - **Atkin** 4 & 2 ton decoilers (4 off), **Atkin** straighteners / levellers, **Servomatic** roll feeders, **Oliver** twin station benders (2 off), **Carbonini** cropper with rolls and guillotine, **FJ Edwards** Truecut 3.5/1250 guillotine, **FJ Edwards** 4/250 & **Femco** corner notchers, **Spot welders** (6) by **Sciaky** 100 & 25 KVA, **Merit** 30 KVA, scroll forming machines, **Jasic** 350P mig welder.

PAINT PLANTS (2):

Thorid powder coating plant, 2 Gema 16 gun spray booths, 3 stage treatment, 4 pass curing oven, extraction, 140m conveyor, **Paint plant** including Wagner booth with 2 **Gema** paint guns, 2 stage pre-treatment, curing oven, conveyor, assorted paint plant spares.

FACTORY EQUIPMENT:

Forklifts (4) by **Mitsubishi** 2500 kg LPG, CAT 2000 kg LPG (2004), **Nissan** 1500 kg gas, **Mitsubishi** 950 kg battery operated (2008).

Air Compressors (3) by **Atlas Copco** GA37VSDFF & GX11F & **Compair** Auto Power, Packaging by **Montpack** shrink wrapper, **Pakseal** strapper, Maintenance by **Harrison** centre lathe, 40ft & 20ft storage containers, small tools, etc.

STOCK:

Over £150k (contract value) of **Spur**, **Prostore**, **Zamba** and other commercial shelving, other stock incl steel, raw materials, consumables, etc.

OTHER:

Small tools, factory and office furniture, IT, factory equipment, etc.

FOR SALE BY PRIVATE TREATY IMMEDIATELY – INTANGIBLE ASSETS:

Registered Trademarks– Spur (ongoing legal claims which could result in potential substantial revenue awarded to brand owner), **Zamba**, **Prostore**, **Eff** / **Associated machinery & tooling** / **PATENTS & DESIGNS** / **SOFTWARE** – Rack designer / Over 120 various storage office equipment, facilities management and shelving related URL's – further details available.