

SURPLUS  
EQUIPMENT

EVERYTHING  
MUST SELL!

# Webcast Auction

## TRIAD TOOLING, INC.

MORI SEIKI, FADAL & CNC MACHINE SHOP

12195 N. MARIPOSA STREET - WESTMINSTER, CO 80234

WEDNESDAY, JUNE 30TH @ 10:00 A.M. MDT

Inspection: Tuesday, June 29th From 8:00 A.M. - 4:00 P.M. MDT



**REMOVED FROM AUCTION**

2018

INDEX G200.2 MULTI-TASKING CNC TURNING & MILLING CENTER



2  
AVAIL.

MORI SEIKI SH-403 CNC HORIZONTAL MACHINING CENTER



5  
AVAIL.

2004

FADAL VMC CNC VERTICAL MACHINING CENTERS



2005

MORI SEIKI ZT2500Y MULTI-TASKING CNC TURNING & MILLING CENTER



# Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane  
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325

www.asset-sales.com info@asset-sales.com

European Headquarters

6 Hill End Close, Norwood Green  
Halifax, West Yorkshire, HX3 8RH

Tel / Fax 07836.347880

peteram@asset-sales.co.uk



BidSpotter.com



INDEX G200.2 MULTI-TASKING CNC TURNING & MILLING CENTER



MORI SEIKI ZT2500Y MULTI-TASKING CNC TURNING & MILLING CENTER

**MULTI-TASKING  
& CNC TURNING  
CENTERS**

**INDEX** G200.2 Multi-Tasking CNC Turning & Milling Center with Y-Axis Milling on Main & Counter Spindles, 165mm Chuck Diameter Capacity & Spindle Speeds to 6,000 RPM, 660mm Turning Length, 65mm Spindle Clearance, (3) Tool Carrier Turrets, 360° Milling Spindle with HSK-A40 Taper Speeds to 7,200 RPM, **SIEMENS** S840D SL CNC Control, sn:10810067, mfg.2018

**MORI SEIKI** ZT2500Y Multi-Tasking CNC Turning & Milling Center with Y-Axis Milling, (2) 10" 3-Jaw Chucks, Main Spindle Speeds to Approx. 4,000 RPM, Milling Spindle Speeds to Approx. 6,000 RPM, Approx. 26" Maximum Swing, Approx. 14" Max. Turning Diameter, Approx. 3" Spindle Bore, (2) 12 Position Turrets, Rear Discharge Chip Conveyor, Mist Collector, Parts Catcher, **MORI SEIKI** MSX-501 CNC Control, sn:ZT250EF0178, mfg.2005



SAMSUNG SL-15E CNC TURNING CENTER



MORI SEIKI SL-25B CNC TURNING CENTER



MORI SEIKI SH-403 CNC HORIZONTAL MACHINING CENTER



MORI SEIKI SH-400 HORIZONTAL MACHINING CENTER



FADAL EMC CNC VERTICAL MACHINING CENTER

### MULTI-TASKING & CNC TURNING CENTERS (continued)

**SAMSUNG SL-15E** CNC Turning Center with 6" 3-Jaw Chuck, Spindle Speeds to Approx. 6,000 RPM, Approx. 17" Swing, Approx. 11" Turning Diameter, Approx. 1.5" Bar Capacity, 12 Position Turret, Tailstock, Chip Conveyor, Mist Collector, **FANUC Oi-TF** CNC Control, sn:17D150524, mfg.2017

**MORI SEIKI SL-25B** CNC Turning Center with 10" 3-Jaw Chuck, Spindle Speeds to Approx. 3,500 RPM, Approx. 20" Swing, Approx. 10" Turning Diameter, Approx. 2.5" Bar Capacity, 12 Position Turret, Tailstock, Chip Conveyor, **YASNAC** CNC Control, sn:521

### CNC HORIZONTAL MACHINING CENTERS

**MORI SEIKI SH-403** CNC Horizontal Machining Center with (2) 15.7" x 15.7" Pallets, #40 Taper Spindle Speeds to Approx. 12,000 RPM, Approx. 22" X-Axis Travel, 20" Y-Axis, 20" Z-Axis, 120 Position ATC, Chip Conveyor, Mist Collector, **MORI SEIKI MSX-501III** CNC Control, sn:1273, mfg.2000

**MORI SEIKI SH-400** CNC Horizontal Machining Center with (8) 15.7" x 15.7" Pallets & Pallet Pool, #40 Taper Spindle Speeds to Approx. 12,000 RPM, Approx. 22" X-Axis Travel, 20" Y-Axis, 20" Z-Axis, 120 Position ATC, Chip Conveyor, Mist Collector, **MORI SEIKI MSC-502** CNC Control, sn:626

Download a lot book at [www.asset-sales.com](http://www.asset-sales.com)



FADAL VMC4020 CNC VERTICAL MACHINING CENTER

### CNC VERTICAL MACHINING CENTERS

FADAL EMC CNC Vertical Machining Center with 29" x 16" Table, #40 Spindle Taper Speeds to Approx. 7,500 RPM, Approx. 20" X-Axis Travel, 16" Y-Axis, 14" Z-Axis, 16 Position ATC, FADAL Multi-Processor CNC Control, sn:012004046205, mfg.2004

FADAL VMC4020 CNC Vertical Machining Center with 48" x 20" Table, #40 Taper Spindle Speeds to Approx. 10,000 RPM, Approx. 40" X-Axis Travel, 20" Y-Axis, 28" Z-Axis, FADAL CNC 88 CNC Control, sn:9112799

(2) FADAL VMC40 CNC Vertical Machining Centers with 48" x 20" Tables, #40 Taper Spindle Speeds to 10,000 RPM, Approx. 40" X-Axis Travel, 20" Y-Axis, 20" Z-Axis, 21 Position ATC, FADAL CNC 88 CNC Controls, sn:9104169 • sn:9201870

FADAL VMC3016 CNC Vertical Machining Center with 39" x 19" Table, #40 Taper Spindle Speeds to Approx. 7,500 RPM, Approx. 30" X-Axis Travel, 20" Y-Axis, 20" Z-Axis, 21 Position ATC, FADAL CNC 88HS CNC Control, sn:9306495

### 3-AXIS CNC & MANUAL MILLING MACHINES

TREE Journeyman 310 3-Axis CNC Knee Mill with 10" x 48" Power Feed Table, Variable Speeds to Approx. 4,200 RPM, DYNAPATH Delta Series CNC Control, sn:9-32-35-1290

CHEVALIER Model FM-JUKH Knee Mill with 10" x 50" Power Feed Table, Variable Spindle Speeds with KURT Power Drawbar, SONY Millman DRO, sn:HM842174



(2) FADAL VMC40 CNC VERTICAL MACHINING CENTERS



FADAL VMC3016 CNC VERTICAL MACHINING CENTER



TREE JOURNEYMAN 310 3-AXIS CNC KNEE MILL



CHEVALIER FM-JUKH KNEE MILL



Download a lot book at [www.asset-sales.com](http://www.asset-sales.com)



**MOLLART DRILLSPRINT CNC TWIN SPINDLE GUN DRILL**



**WEBB 17" X 40" ENGINE LATHE**



**HEM H90A-B/F AUTOMATIC HORIZONTAL BAND SAW**



**PARAGON RC-12 CENTERLESS GRINDER**

**TWIN SPINDLE CNC GUN DRILL & CENTERLESS GRINDER**

**MOLLART** Drillsprint CNC Twin Spindle Gun Drill with T-Slotted Fixture Table, Approx. 19" Drilling Depth, Approx. 5" Center Distance, 1" Spindle Max Diameter, Spindle Speeds to Approx. 12,000 RPM, High Pressure Thru Spindle Coolant, **MOLLART** CNC Control, sn:A373-0998-SP02

**PARAGON** RC-12 Centerless Grinder

**MANUAL ENGINE LATHE**

**WEBB** Engine Lathe 17" x 40" with 8" 3-Jaw Chuck, Approx. 17" Maximum Swing x 40" Center Distance, Spindle Speeds to Approx. 1,800 RPM, Push Button Controls, Steady Rest, Tailstock, **SONY** DRO

**FABRICATION MACHINERY**

**HEM** H90A-B/F Automatic Horizontal Band Saw with Approx. 12" x 12" Capacity, Adjustable Blade Speeds, Control Console, sn:430194

(2) **JET** Portable Horizontal Band Saws

**INSPECTION & QUALITY CONTROL**

**S-T INDUSTRIES** 20-1600 Optical Comparator with **QUADRA-CHEK** 200 Digital Readout

**EZSET** Ezgo Tool Presetter with Image Controller 1 System, sn:EZF04C1-00169, mfg.2012



**(2) JET PORTABLE HORIZONTAL BAND SAWS**

**SATO** Hardness Tester, **MITUTOYO** Digital Height Gauge, Manual Height Gauges, **FOWLER** Vernier Calipers, Micrometers, Granite Plates, etc.

**AIR COMPRESSORS, DRYERS, & PLANT SUPPORT EQUIPMENT**

**GARDNER DENVER** Electra Saver II Rotary Screw Air Compressor with Digital Controls, sn:s447722

**INGERSOLL RAND** T30 10HP Reciprocating Horizontal Air Compressor Model 2545, sn:01063842

**HANKISON** HPR125 Compressed Air Dryer, sn:H215AN51212002

**EMC** Water Eater Model 85E Coolant Evaporator System

**HAAS** Programmable Indexer • **YUKIWA** 8" & **FADAL** 6" Programmable 4th-Axis Rotary Tables • **JET** 30 Ton H-Frame Press • Tool & Pedestal Grinders • **BALDOR** Belt Sander • Arbor Press • Bench Vises • #40 Taper Tooling • Collets • Perishable Tooling • Metal Stock • Work Benches • Hand Tools • Plus Much More

**NEW PERISHABLE TOOLING & TOOLHOLDERS**

**HUGE ASSORTMENT OF NEW BORING BARS, INSERT LATHE TOOLS**



**INGERSOLL RAND 10 HP AIR COMPRESSOR**



**GARDNER DENVER AIR COMPRESSOR**



**EMC WATER EATER SYSTEM**



# Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane

Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – [www.asset-sales.com](http://www.asset-sales.com)

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



**MORI SEIKI ZT2500Y MULTI-TASKING CNC TURNING & MILLING CENTER**



## ABBREVIATED TERMS & CONDITIONS OF AUCTION

**YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.**

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT [WWW.ASSET-SALES.COM](http://WWW.ASSET-SALES.COM). No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer, cashiers check, cash or a company check with a bank letter of guarantee. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

**ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.**

# WEBCAST AUCTION

## TRIAD TOOLING INC.

MORI SEIKI, FADAL & CNC MACHINE SHOP

WESTMINSTER, CO

**WEDNESDAY, JUNE 30TH @ 10:00 A.M. MDT**