

SURPLUS
EQUIPMENT

EVERYTHING
MUST SELL!

Webcast Auction

MOORE'S MACHINE COMPANY

CNC MACHINING & GEAR MACHINERY

310 MCNEILL ROAD - SANFORD, NC 27330

TUESDAY, AUGUST 3RD @ 10:00 A.M. EDT

Inspection: Monday, August 2nd From 8:00 A.M. - 4:00 P.M. EDT



MAKINO A81 CNC HORIZONTAL MACHINING CENTER



HAAS VF-5D 4TH AXIS CNC VERTICAL MACHINING CENTER



MORI SEIKI 600L CNC TURNING CENTER



YAMA SEIKI GOODWAY GTW-1500Y MULTI AXIS CNC TURNING CENTER



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325
www.asset-sales.com info@asset-sales.com

European Headquarters

6 Hill End Close, Norwood Green
Halifax, West Yorkshire, HX3 8RH
Tel / Fax 07836.347880
peteram@asset-sales.co.uk

**BUYERS ARE ENCOURAGED TO
INSPECT ALL MACHINERY**



IAA

BidSpotter.com

2008



MAKINO A81 CNC HORIZONTAL MACHINING CENTER

CNC HORIZONTAL MACHINING CENTERS

MAKINO A81 CNC Horizontal Machining Center with 24.8" Pallets, 360 Degree Rotation, 50 Taper, 35.4" X-Axis, 31.5" Y-Axis, 40.2" Z-Axis Travels, 60 ATC, **MAKINO** Professional 5 CNC Control, sn:664, mfg.2008

MORI SEIKI MH630 CNC Horizontal Machining Center with 25" Pallets, 360 Degree Rotation, 50 Taper Spindle Speeds to 6,000 RPM, 39" X- Axis, 33" Y- Axis, 36" Z- Axis Travels, 60 ATC, MSC502 CNC Controls, sn:903

(2) MORI SEIKI SH500/SH50 CNC Horizontal Machining Centers with 20" Pallets, 360 Degree Rotation, 40 Taper Spindle, 24.8" X-Axis, 23.6" Y-Axis, 25.6" Z-Axis Travels, 40 Position ATC, MSC 516 CNC Control, sn:245, sn:107

CNC VERTICAL MACHINING CENTER

HAAS VF-5D CNC Vertical Machining Center, Wired for 4th Axis and Probe with Vector VOP-B, 12" Diameter 4th Axis Rotary Table (May be Sold Separate), 50" X-Axis, 20" Y-Axis, 25" Z-Axis Travels, 40 Taper, Thru Spindle Coolant, 23" x 52" Table, 40 Position ATC, Probing, 20HP, sn:47365, mfg.2006

Asset Sales, Inc. Does Not Pack, Ship, Crate, Transport or Rig Items. Buyers May Pick Up Their Items at the Auction Location or Can Arrange for a Third Party Logistics Firm to Manage the Removal Process for Them.



(2) MORI SEIKI SH500/SH50 CNC HORIZONTAL MACHINING CENTERS



HAAS VF-5D CNC VERTICAL MACHINING CENTER



MORI SEIKI SL400B/800 CNC TURNING CENTER

2
AVAIL.

2006



MORI SEIKI SL-65A CNC TURNING CENTER



MORI SEIKI 600L/1000 CNC TURNING CENTER



DAEWOO PUMA 400MB CNC TURNING CENTER



OKUMA LU-45 CNC 2-AXIS CHUCKER



(6) YAMA SEIKI GLS2000LS CNC TURNING CENTERS



(2) YAMA SEIKI GTZ-2600Y MULTI-AXIS CNC TURNING CENTERS



YAMA SEIKI GOODWAY GTW-1500Y MULTI AXIS CNC TURNING CENTER



(2) YAMA SEIKI SW-32 CNC SWISS TURNING LATHES

CNC TURNING CENTERS

MORI SEIKI SL400B/800 CNC Turning Center with 24" 3-Jaw Chuck, Approx. 28" Swing x 44" to Tail Stock, 12 Position Turret, Chip Conveyor, MSC 501 CNC Control, sn:241

MORI SEIKI SL-65A CNC Turning Center with Approx. 21" 3-Jaw Chuck, Approx. 35" Swing x 35" to Tail Stock, 12 Position Turret, MSC-516 CNC Control, sn:1402

MORI SEIKI SL-600L /1000 CNC Turning Center with Approx. 20" Chuck, 10 Position Turret, Approx. 12" Bore, MSC501 CNC Control, sn:47

MORI SEIKI ZL-200 SMC CNC Turning Center with 6" Chuck on Sub-Spindle, Upper & Lower Turrets, Milling, sn:139

DAEWOO PUMA 400MB CNC Turning Center with 15" 3-Jaw Chuck, Milling, Approx. 30" Swing x 38" Max. Turning Length, 12 Position Turret, Approx. 5" Bore, **FANUC** 18i-TB CNC Control, sn:P35M1591, mfg.2004

OKUMA LU-45 CNC 2-Axis Chucker with Dual 12 & 10 Position Turrets, OSP7000L CNC Control, sn:0072

(6) YAMA SEIKI GLS2000LS CNC Turning Centers with 8" Chucks on Main Spindles, 5" Sub Spindles, 12 Position Turrets, & **FANUC** Series Oi-TK CNC Controls, sn:98H3J9 ● sn:98H3J8 ● sn:98H373 ● sn:98H374 ● sn:98H342 ● sn:98H292

CNC MULTI-AXIS TURNING CENTERS

(2) YAMA SEIKI GTZ-2600Y Multi-Axis CNC Turning Centers with 8" Chuck, Sub Spindle, Milling, Y-Axis, 7.67" X-Axis, 24.4" Z-Axis, 3" Spindle Bore, 4,000 RPM, **FANUC** 32i CNC Control, sn:100B009, mfg.2015, sn:100B011, mfg.2015 *Buyer Inspect*

YAMA SEIKI Goodway GTW-1500Y Approx. 7-Axis Multi-Axis CNC Turning Center with Milling, Y-Axis, 180mm X-Axis, 268mm Z-Axis Travels, 2" Bar Capacity, 5,000 RPM, Chip Conveyor, **FANUC** Series 32i-Model B, sn:102E007, mfg.2016 *Buyer Inspect*

CNC SWISS SCREW MACHINES

(2) YAMA SEIKI SW-32 CNC Swiss Turning Lathes with 1.26" Max. Mach. Dia. x 12.4" Max. Turning Length, Approx. 6 OD Tools, & 4 ID Tools, Main Spindle Speeds to 7,000 RPM, Chip Conveyor, Mist Collector, Automatic Bar Feed (may be sold separate), **FANUC** Series 32i CNC Control, sn:96F145, mfg.2015, sn:96E177, mfg. 2016 *Buyer Inspect*



OKUMA & HOWA V80R CNC VERTICAL TURNING CENTER



(2) YUJJI YV-600A CNC VERTICAL TURNING CENTERS



(2) OKUMA & HOWA 2SP-V55 CNC VERTICAL TURNING CENTERS



(5) FELLOWS GEAR SHAPERS



9
AVAIL.

(9) CJMT CNC GEAR SHAPERS



HANNIFAN 100 TON
STRAIGHT SIDE PRESS

CNC VERTICAL TURNING CENTERS

OKUMA & HOWA V80R CNC Vertical Turning Center with 30" 3-Jaw Chuck, Approx. 17.32" Swing x Approx. 40" Turning Dia., Approx. Spindle Speeds to 1250 RPM, 12 Position Turret, **FANUC** Series 18-TB CNC Control, sn:81143

(2) **YOUJI YV-600A** CNC Vertical Turning Centers with 24" 3-Jaw Chuck, Approx. 33.5" Max. Swing x Z-Travel Approx. 31.5", 6 Position Turret Station, **FANUC** Series Oi-TC CNC Control, sn:07V6A1749, mfg.2007 • sn:06V6A1727, mfg.2006

(2) **OKUMA & HOWA 2SP-V55** CNC Vertical Turning Centers with 15" 3-Jaw Chuck, Approx. X-Travel 13.38", Z-Travel 30.94", Spindle Speeds to Approx. 2000 RPM, 12 Position Turret, **FANUC** Series 18T CNC Control, sn:55105 • sn:55185

GEAR MACHINERY

(7) **CJMT YK51550DX3** CNC Gear Shapers with 30" Tables, sn:624 • sn:635 • sn:634 • sn:633 • sn:632 • sn:563 • sn:572, mfg.2011 & 2012

(2) **CJMT YK5180BX3177** CNC Gear Shapers with 36" Tables, 10" Stroke, sn:182 • sn:188, mfg.2012

(3) **BARBER-COLEMAN 16-36** Gear Hobbers, sn:4558, 4506, 4637

BARBER-COLEMAN 16-56 Extended Gear Hobber

(4) **FELLOWS** Model 6A Gear Shapers

DETROIT BROACH Model 25-72 Vertical Broach, sn:M745041

FELLOWS Gear Shaper with 12" Table

EX-CELLO SP81 Spline Roller #3251 with 2.5 Capacity, Roto Flo, sn:4895

MISCELLANEOUS MACHINERY

(4) **CDMC** Deburring Machines with 6" Chucks & **ALLEN BRADLEY** PLC Controls

HANNIFIN 100 Ton Straight Side Press with S-100-96-12-4-1-SP, sn:1T0038

CINCINNATI Angle Grinder, 2 Step Grinders, **GROOVE** Grinder

SELAS Induction Lindberg 10" Furnace

TOCCO Axle Shaft Machine, **TOCCOTRON** End Hardener, sn:95-4589-11

IPE Induction Electric Furnace with 400 - 650 Deg. Tempering, sn:EQ5383

MAGNAFLUX Magnetic Particle Inspection Machine, sn:78723



4
AVAIL.

(4) BARBER-COLEMAN GEAR HOBBERS



EX-CELLO SPLINE ROLLER



4
AVAIL.

(4) CDMC DEBURRING MACHINES



MAGNAFLUX INSPECTION MACHINE



IPE INDUCTION ELECTRIC FURNACE



TOCCOTRON END HARDENER



BARLOAD BARFEEDER

Want to Sell Your Shop or Know Someone Who Does? Call Us Toll Free at (888) 800-4442!
We Pay Great Finder's Fees!



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – www.asset-sales.com

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



MAKINO A81 HORIZONTAL MACHINING CENTER

ABBREVIATED TERMS & CONDITIONS OF AUCTION

YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer, cashers check, cash or a company check with a bank letter of guarantee. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.

WEBCAST AUCTION

MOORE'S MACHINE COMPANY CNC MACHINING & GEAR MACHINERY

SANFORD, NC

TUESDAY, AUGUST 3RD @ 10:00 A.M. EDT