

PLANT  
CLOSED

EVERYTHING  
MUST SELL!

# Webcast Auction

## MAXCESS INTERNATIONAL

**LARGE CAPACITY LATHES, BALANCERS, ROLL & CYLINDRICAL GRINDING**

**260 INDUSTRIAL DRIVE - WAUCONDA, IL 60084**

**TUESDAY, AUGUST 24TH @ 10:00 A.M. CDT**

Inspection: Monday, August 23rd From 8:00 A.M. - 4:00 P.M. CDT



10F7

GEMINIS GE 7-1150 ENGINE LATHE



RETRO  
2013

NAXOS-UNION RILDQY CNC-S CNC CYLINDRICAL / ROLL GRINDER



CNC

WMW 4-AXIS CNC TABLE TYPE HORIZONTAL BORING MILL



# Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane  
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325  
www.asset-sales.com info@asset-sales.com

European Headquarters

6 Hill End Close, Norwood Green  
Halifax, West Yorkshire, HX3 8RH  
Tel / Fax 07836.347880  
peteram@asset-sales.co.uk



IAA

**LENGEND**  
If Noted Neenah or Two Rivers:

2nd Location: 1035 Breezewood Lane - Neenah, WI 54956  
3rd Location: 400 Columbus Street - Two Rivers, WI 54241

**BidSpotter.com**



**GURUTZPE TIMEMASTER 62" X 318" ENGINE LATHE**



**POREBA 61" X 324" HEAVY DUTY ENGINE LATHE**



**POREBA 54" X 124" GAP BED ENGINE LATHE**



**GEMINIS 43" X 309" ENGINE LATHE**

## ENGINE LATHES

**GURUTZPE TIMEMASTER** Super-BT 8000/800 Engine Lathe with Approx. 62" Swing x 318" Centers, 55" 4-Jaw Chuck, Taper Attachment, 4-Way Power Feed Saddle, Spindle Speeds to 400 RPM, Inch/Metric Threading, Tailstock, Pendant Control, sn:6-36, WAUCONDA

**POREBA TR-155 B2** x 8M Heavy Duty Engine Lathe with Approx. 61" Swing x 324" Centers, 47" Swing Over Cross Slide, 49" 4-Jaw Chuck, Inch/Metric Threading, Spindle Speeds to Approx. 1,250 RPM, Tailstock, Steady Rests, 2-Axis DRO, sn:7402-01-13018-00, mfg.1994, WAUCONDA

**POREBA TR-135 B2/3M** Gap Bed Engine Lathe with Approx. 54" Swing x 124" Centers, 36" 3-Jaw Chuck, 4-3/4" Bore, Power Feed Saddle, Inch/Metric Threading, Spindle Speeds to 1250 RPM, Tailstock, Push Button Controls, sn:7402-01-05008-08, WAUCONDA

**GEMINIS GE 7-1150** Engine Lathe with Approx. 43" Swing x 309" Centers, 39" 4-Jaw Chuck, 4-Way Power Feed Saddle, Inch/Metric Threading, Tailstock, Steady Rests, Spindle Speeds to 1,120 RPM, 2-Axis DRO, sn:5858, mfg.1998, WAUCONDA

**UNIVERSAL CWB1100B** Heavy Duty Engine Lathe with Approx. 40" Swing x 196" Centers, 30" Swing Over Cross Slide, 39" 4-Jaw Chuck, Tailstock, Push Button Controls, sn:JY011, WAUCONDA

**TOS SU100** Heavy Duty Engine Lathe with Approx. 30" Swing x 220" Centers, 4-Jaw Chuck, Inch/Metric Threading, Tailstock, Push Button Controls, sn:0443673, Two Rivers

**TOOLMEX TVR-560S/157** Engine Lathe with Approx. 22" Swing x 162" Centers, 13" 3-Jaw Chuck, Tailstock, Steady Rests, 2-Axis DRO, sn:990020, mfg.1999, WAUCONDA

[www.asset-sales.com](http://www.asset-sales.com)





UNIVERSAL CWB1100B HEAVY DUTY ENGINE LATHE

**Asset Sales, Inc. Does Not Pack, Ship, Crate, Transport or Rig Items. Buyers May Pick Up Their Items at the Auction Location or Can Arrange for a Third Party Logistics Firm to Manage the Removal Process for Them.**



HOFMANN CNC ROLL BALANCER



HOFMANN CNC ROLL BALANCER



NORTON 20" X APPROX. 264" ROLL GRINDER

**BALANCERS**

**HOFMANN** CNC Roll Balancers with Approx. 76" Swing x 180" Centers, **BALANCEMASTER** Easy Balance 3.3 CNC Controls, WAUCONDA

**SCHENCK** HM6B/CAB 690H Horizontal Roll Balancer with Approx. 40" Swing x 455" Centers, Rollers, Drives, (2) Bed Extensions, sn:AH1 8519, mfg.2003, TWO RIVERS

**SCHENCK** H30BU Horizontal Shaft Balancer with Rollers, Drive, (2) Bed Sections, Controls, sn:AHE 1284, TWO RIVERS

**ROLL & CYLINDRICAL GRINDERS**

**NORTON** 20" x Approx. 264" Roll Grinder with Variable Speed Workhead, Follow Rests, **BARNES** Paper Coolant Filtration System, **SONY** DRO, WAUCONDA

**CINNATI** 16" x 120" Cylindrical Grinder with 10" 3-Jaw Chuck, Motorized Workhead, Tailstock, Paper Filtration Coolant System, **ACURITE** DRO, sn:59-412D174-2, WAUCONDA

**NAXOS-UNION** RTLDQY CNC-S 26" x Approx. 156" CNC Cylindrical/Roll Grinder with **MACHINE MATE** 920-907-0001 CNC Controls, sn:37222, Retrofit 2013, WAUCONDA

**FRIEDRICH SCHMALTZ** R5 42" x 170" Cylindrical Belt Grinder with Variable Speed Work Head, Tailstock, Upgraded Controls, Wheelhead & DRO, sn:30480 TWO RIVERS



CINNATI 16" X 120" CYLINDRICAL GRINDER

[www.asset-sales.com](http://www.asset-sales.com)



**NAXOS-UNION RILDQY CNC-S 26" X APPROX. 156" CNC CYLINDRICAL / ROLL GRINDER**

### CNC TURNING CENTERS

**MORI SEIKI SL300/BMC750** CNC Turning Center with Milling, 12" 3-Jaw Chuck, Approx. 24" Centers, Turret, Chip Conveyor, **MORI SEIKI MSC-501** CNC Control, sn:315, mfg.1998 WAUCONDA

**MORI SEIKI SL25E** CNC Turning Center with 10" 3-Jaw Power Chuck, Approx. 20" Centers, Turret, Chip Conveyor, **MORI SEIKI MSC-500** CNC Control, sn:8305, mfg.2000, WAUCONDA

(2) **MORI SEIKI TL5S/TL5B** CNC Turning Centers with 12" 3-Jaw Chucks, Approx. 72" /110" Distance to Tailstocks, 3.5" Thru-Holes, 8 Position Turrets, Chip Conveyors, **YASNAC / YASNAC 6T** CNC Controls, **YASNAC 2000G** Power Supply / **FANUC** Power Supply, sn:1197, NEENAH

**DAEWOO PUMA 10S** CNC Turning Center with 10" 3-Jaw Power Chuck, Approx. 36" Distance to Tailstock, 2.5" Bore, 12 Position Turret, Chip Conveyor, **FANUC O-T** CNC Control, sn:380605, NEENAH



**MORI SEIKI SL300/BMC750 & SL25E CNC TURNING CENTERS**



**MWV 4-AXIS CNC TABLE TYPE HORIZONTAL BORING MILL**

### HORIZONTAL BORING MILLS

**MWV 4-Axis** CNC Table Type Horizontal Boring Mill with 4" Spindle, #50 Taper Spindle Speeds to 1,420 RPM, 48" x 83" Rotary Table with 360 Degree Rotation, Approx. 68" Cross Travel, 70" Longitudinal, Approx. 70" Vertical Travel, Built-In Onboard Supports, **HEIDENHAIN** CNC Pendant Control, sn:236, WAUCONDA

**UNIVERSAL 3"** Table Type Horizontal Boring Mill with 32" x 58" Table, Approx. 20" Vertical Travels, sn:T-341, WAUCONDA

### MILLING MACHINES

**GRAY Openside** Planer Mill with 38" x 122" Table, Approx. 40" Under Rail, Variable Speed **BRIDGEPORT** Head, **TRAK 2-Axis DRO**, sn:102710, WAUCONDA

**SHARP KMA2** Vertical Bed Milling Machine with 18" x 75" Worktable, #50 Taper Spindle Speeds to 1,500 RPM, sn:4V207, WAUCONDA

**BRIDGEPORT** Vertical Milling Machine with 9" x 42" Table, Variable Spindle Speeds, 2-Axis DRO, sn:361930681W, WAUCONDA



**UNIVERSAL 3" TABLE TYPE HORIZONTAL BORING MILL**



**GRAY OPENSIDE PLANER MILL**

**Want to Sell Your Shop or Know Someone Who Does?  
Call Us Toll Free at (888) 800-4442!  
We Pay Great Finder's Fees!**





2000

AMADA HA-250W AUTOMATIC HORIZONTAL BANDSAW



GRIEVE ELECTRIC OVEN



2014

KOIKE ARONSON WELDING MANIPULATOR



BRIDGEPORT VERTICAL MILLING MACHINE



DUST COLLECTOR



(3) HANDLING SYSTEMS 2-TON PEDESTAL JIB CRANES

3 AVAIL.

**JIBS, BRIDGE CRANES & MISCELLANEOUS**

**HORIZONTAL BANDSAWS**

AMADA HA-250W Automatic Horizontal Bandsaw with 12" W x 7" H Capacity, Variable Blade Speeds, Auto Barfeed, sn:25350722, mfg.2000, WAUCONDA

STARTRITE HB330MVS Portable Horizontal Bandsaw with 10" x 16" Capacity, sn:152904, mfg.1996, TWO RIVERS

**OVEN & WELDING**

GRIEVE MOD-B1-500 Electric Oven, 54" x 54" x 74"(H) Interior Dimensions, 24kW/500 Degree F Max. Temp, Controls with Digital Gage, sn:411409, WAUCONDA

KOIKE ARONSON 66 12L x 8R Welding Manipulator with Rotating Platform, LINCOLN Electric DC600 Welder, LINCOLN Electric Sub-Arc Control & Feeder, MIGHTY-MAC Flux Recovery System, sn:49695, mfg.2014, TWO RIVERS

**JIB CRANES, MISC. MACHINERY & EQUIPMENT**

(3) HANDLING SYSTEMS 2-Ton Pedestal Jib Cranes with Electric Hoists, WAUCONDA

(2) 3 TON X 45' DELTA Top Running Overhead Bridge Cranes with Pendant Controls

(2) 5 Ton x 45' HARRINGTON & SIEVERT Top Running Overhead Bridge Cranes with Pendant Controls

36" x 60" Granite Surface Table, MILLER Thermal Mogul Arc 400R Thermal Spray, (3) MILLER Welders, Perishable Tooling, #50 Taper Tool Holders, CNC Lathe Tooling, DEWALT & SPEEDAIR Air Compressors, CHALLENGE T-Slot Precision Steel Table, Hydraulic Scissor Electric Manlift, 2-Door Shop Cabinets, Chop Saw, AIRFLOW Smoke Eater, Transformers, GT/SPC Super Finisher, Much More!





# Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane  
Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – [www.asset-sales.com](http://www.asset-sales.com)

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



**WMW 4-AXIS CNC TABLE TYPE HORIZONTAL BORING MILL**

## ABBREVIATED TERMS & CONDITIONS OF AUCTION

***YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.***

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT [WWW.ASSET-SALES.COM](http://WWW.ASSET-SALES.COM). No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer, cashers check, cash or a company check with a bank letter of guarantee. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

***ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.***

# WEBCAST AUCTION

## MAXCESS INTERNATIONAL

LARGE CAPACITY LATHES, BALANCERS, ROLL & CYLINDRICAL GRINDING & MACHINE SHOP  
WAUCONDA, IL

**TUESDAY, AUGUST 24TH @ 10:00 A.M. CDT**