



AUCTION

OWNER RETIRING - PRECISION MACHINE SHOP CLOSING

Featuring: (14) Late Model CNC Lathes, (5) Vertical Machining Centers, Complete Coating Facility, Complete Quality Control Department, Huge Assortment of Machine Shop Accessories, Material Handling Equipment, Rolling Stock & Much More!



CNC

2014

HYUNDAI-WIA MDL. L400C CNC LATHE



CNC

2014

YCM MDL. TV158B 4-AXIS CNC VERTICAL MACHINING CENTER



2014

ZEISS MDL. CONTURA G2 COORDINATE MEASURING MACHINE

At the Premises of
K-6 MACHINE
800 NORTH RICE STREET
HAMILTON, TEXAS 76531

(See Directions on Page 5)

THURS., JAN. 28 • 10:00 A.M.
LIVE ONSITE & WEBCAST

INSPECTION: Tuesday, January 26 &
Wednesday, January 27, 9:00 A.M. to 4:00 P.M.
Wearing Masks & Social Distancing Will Be Required.



2014

PRECISION QUINCY MDL. HD6G-404-6B OVEN



2012

QUINCY MDL. QGD-20 ROTARY SCREW AIR COMPRESSOR



2012

AMADA MDL. HA400W AUTOMATIC HORIZONTAL BANDSAW

FOR ONLINE BIDDING AT THIS AUCTION.
Go to www.pmi-auction.com and click on BidSpotter.com or proxibid on our calendar page for this auction sale.

BUYER'S PREMIUM:
15% ONSITE • 18% WEBCAST

Read Partial Terms & Conditions on Page 5



2017

DOOSAN 4,200-LB. CAP. MDL. G25P-5 FORKLIFT

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401 FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



CNC

2014

HYUNDAI-WIA MDL. L400C CNC LATHE



CNC

2012

HYUNDAI-WIA MDL. L300C CNC LATHE



CNC

2009

DOOSAN PUMA MDL. 300C CNC LATHE



CNC

2011

HYUNDAI-WIA MDL. SKT250 CNC LATHE



CNC

2006

HYUNDAI-KIA MDL. SKT400C CNC LATHE

DOOSAN PUMA MDL. 280 CNC LATHE



CNC

2006

CNC LATHES

HYUNDAI-WIA MDL. L400C, new 2014, Fanuc Series 32i-Model A, Samchully 15" pwr. chuck, 4-1/2" bore, 24.8" max. turning dia., 46.1" max. turning length, 35 HP, 2,000 RPM, 10-pos. turret, chip conveyor, S/N G3729-0173.

HYUNDAI-WIA MDL. L300C, new 2012, Hyundai-Wia Fanuc I Series CNC control, 12" pwr. chuck, 22" max. turning dia., 28.3" max. turning length, 35 HP, 3,000 RPM, 12-pos. turret, chip conveyor, S/N G3158-0458.

DOOSAN PUMA MDL. 300C, new 2009, Fanuc Series 21i-TB CNC control, Samchully 12" pwr. chuck, 15.7" max. turning dia., 24.8" max. turning length, 35 HP, 2,800 RPM, 12-pos. turret, chip conveyor, S/N PM303287.

HYUNDAI-WIA MDL. SKT250, new 2011, Fanuc Series Oi-TD CNC control, Samchully 10" pwr. chuck, 29.5" swing, 28" max. turning length, 12-pos. turret, chip conveyor, S/N G3154-0501.

HYUNDAI-KIA MDL. SKT400C, new 2006, Fanuc 21i-TB CNC control, 15" pwr. chuck, 21.06" max. turning dia., 24.80" max. turning length, 10-pos. turret, chip conveyor, S/N SKT400C0008.

DOOSAN PUMA MDL. 280, new 2006, Fanuc Series 21i-TB CNC control, 10" dia. 3-jaw pwr. chuck, 16.14" max. turning length, 24.8" max turning dia., 30 HP, 3,500 RPM, 12-pos. turret, chip conveyor, S/N PM280028.

HYUNDAI-KIA MDL. SKT300, new 2007, Fanuc Series Oi-TC CNC control, Samchully 12" dia. 3-jaw pwr. chuck, 12-pos. turret, 22.1" max. turning dia., 27" max. turning length, chip conveyor, S/N O222.

HWACHEON MDL. HI-ECO35, new 1999, Fanuc Series 18T CNC control, 10-pos. turret, 12" pwr. chuck, 16.35" max. turning dia., 47.3" max. turning length, chip conveyor, S/N MO63347A1WA.

HWACHEON MDL. HI-ECO31A, new 1999, Fanuc Series 18T CNC control, 12" pwr. chuck, 16.35" max. turning dia., 23.4" max. turning length, 10-pos. turret, S/N MO57347E5LD.

OKUMA HOWA MDL. HL-35, Fanuc Series 18T CNC control, Kitagawa 12" pwr. chuck, 13.78" max. turning dia., 24.02 max. turning length, 12-pos. turret, chip conveyor, S/N 00288.

SAEIL MAGNUM T8/MDL. FTC280, new 1996, Fanuc Series OT CNC control, 8" dia. 3-jaw chuck, 12-pos. turret, chip conveyor, S/N F259.

SAEIL MAGNUM T8/MDL. FTC280, new 1997, Fanuc Series OT CNC control, 10" dia. 3-jaw pwr. chuck, 12-pos. turret, chip conveyor, S/N FT337.



2014

CNC

YCM MDL. TV158B 4-AXIS CNC VERTICAL MACHINING CENTER



2004

CNC

MILTRONICS MDL. RW15 CNC VERTICAL MACHINING CENTER



2005

CNC

DAEWOO MDL. V550 CNC VERTICAL TURNING CENTER



2008

CNC

JOHNFORD MDL. SV-48H SUPER VERTICAL 4-AXIS CNC VERTICAL MACHINING CENTER



2006

CNC

HARDINGE BRIDGEPORT MDL. VMC1000XP-3RD 4-AXIS CNC VERTICAL MACHINING CENTER



2004

CNC

DOOSAN MDL. REV051P CNC VERTICAL MACHINING CENTER

CNC VERTICAL MACHINING CENTERS

YCM MDL. TV158B 4-AXIS, new 2014, Fanuc MXP-200FB CNC control, 4th axis w/12" dia. 3-jaw chuck, 34" x 67" tbl. size, 59" X, 34" Y, 29" Z-axis travels, 25 HP, 6,000 RPM, 30-pos. ATC, CAT-50, chip conveyor.

JOHNFORD MDL. SV-48H SUPER VERTICAL 4-AXIS, new 2008, Fanuc Series Oi-MC CNC control, 28" x 51" tbl. size, 48" X, 28" Y, 25" Z-axis travels, 6,000 RPM, 24-pos. ATC, CAT-50, 4th axis, chip conveyor, spdl. chiller unit, S/N VBD81-80.

HARDINGE BRIDGEPORT MDL. VMC1000XP-3RD 4-AXIS, new 2/2006, Fanuc Series 18-MB CNC control, 23.6" x 47.2" tbl. size, 40" X, 24" Y, 24" Z-axis travels, 12,000 RPM, 25 HP, 30-pos. ATC, CAT-30, chip conveyor, S/N 320C150.

DOOSAN MDL. REV051P, new 2004, Fanuc Series Oi-MB CNC control, 24-pos. ATC, 20.5" x 53.2" tbl. size, 43.3" X, 20.1" Y, 23.2" Z-axis travels, 10,000 RPM, 25 HP, CAT-30, rotary indexer, S/N MVP1119.

MILTRONICS MDL. RW15, new 2004, Centurion 7 CNC control, 14" x 30" tbl. size, 25" X, 15" Y, 20" Z-axis travels, 12 HP, 8,000 RPM, 18-pos. ATC, CAT-40, S/N 8351.

CNC VERTICAL TURNING CENTERS

DAEWOO MDL. V550, new 2005, Fanuc Series 21i-TB CNC control, 18" dia. 3-jaw pwr. chuck, 31.5" swing, 28.7" max. turning dia., 29.5" max. turning length, 50 HP, 2,000 RPM, 10-pos. turret, chip conveyor, S/N PV150455.

DAEWOO MDL. V550, new 1998, Fanuc Series 18T CNC control, 15" dia. Kitagawa 3-jaw pwr. chuck, 31.5" swing, 28.7" max. turning dia., 29.5" max. turning length, 50 HP, 2,000 RPM, 10-pos. turret, chip conveyor, S/N PV150162.

VERTICAL TURRET MILLS

BRIDGEPORT SERIES 1, 9" x 42" tbl., Newall D.R.O., long. pwr. feed, Bridgeport shaping attach., 1-1/2 HP motor.

BRIDGEPORT J-HEAD, 9" x 42" tbl., D.R.O., S/N 186356.

ENCO MDL. 100-1527, new 1996, 9" x 49" tbl., long. pwr. feed, S/N 10875.

AUTOMATIC HORIZONTAL BANDSAWS

AMADA MDL. HA400W, new 2012, 15' band length, 1-1/4" band width, .050 thick, S/N 45732025.

AMADA MDL. HA250W, new 2011, 11'-6" band length, 1-1/4" band width, .042 thick, S/N 65039013.

ENGINE LATHE

MAZAK 18" X 48" MDL. 860, 3-1/2" spdl. bore, spds.: 37-1,500 RPM, 12" 3-jaw chuck.

KEYSEATER

MORRISON MDL. K, 1-1/4" cap., S/N K762939.

GEAR SHAPER

FELLOWS TYPE 6A.

HONE

SUNNEN MDL. MBB-1290D, S/N 16428.

TOOL & CUTTER GRINDER

K.O. LEE MDL. BA960, S/N 19581LB.



MAZAK 18" X 48" MDL. 860 ENGINE LATHE



2012

AMADA MDL. HA400W AUTOMATIC HORIZONTAL BANDSAW



RG HANSON MDL. MBCW24X16-E PASS-THROUGH PARTS CLEANER



SAMPLE VIEW OF Q.C. TOOLS

INSPECTION: Tues., Jan. 26 & Wed., Jan. 27, 9:00 A.M. to 4:00 P.M.



CERTIFIED COMPARATOR PRODUCTS 14" MDL. CCPCC-14L OPTICAL COMPARATOR

SCHMIDT STYLINER MDL. MARK IV PIN STAMP MARKING MACHINE



2014

ZEISS MDL. CONTURA G2 COORDINATE MEASURING MACHINE



GEO. T. SCHMIDT MDL. 175-MPC MARKING MACHINE

2014

COORDINATE MEASURING MACHINE

ZEISS MDL. CONTURA G2, new 2014, recently calibrated, 40" x 53" tbl. size, 27.56" X, 39.37" Y, 23.62" Z-axis travels, Vast XT head, 9-pos. tool changer, assorted touch off tooling, pendant control, Calypso 5.4 software, S/N 201402504200.

OPTICAL COMPARATOR

CERTIFIED COMPARATOR PRODUCTS 14" MDL. CCPCC-14L, new 2014, Q-Chek control, S/N CCP14L1056.

QUALITY CONTROL EQUIPMENT

DIGITAL HEIGHT GAUGES; WILSON ROCKWELL MDL. 3JRO HARDNESS TESTER, Tester No. 4540; VERSATRON ROCKWELL HARDNESS TESTER; 24" X 36" GRANITE SURFACE PLATE; O.D. MICROMETERS; BORE GAUGES; PIN GAUGE SETS; BLOCK GAUGES; V BLOCKS; DIGITAL HEIGHT GAUGES; O.D. MICROMETER SETS; VERNIER CALIPERS; DIGITAL CALIPERS; THREAD GAUGES; AND MORE.

PIN STAMP MARKING MACHINES

TELESIS MDL. TMP6100, rotary indexer.
SCHMIDT STYLINER MDL. MARK IV, rotary indexer.

MARKING MACHINE

GEO. T. SCHMIDT MDL. 175-MPC, new 1992, S/N 10979.

SOLVENT EVAPORATING SYSTEM

48" X 60" X 48" APPROX. TANK SIZE, electric controls.

PASSIVATION TANK

PALM TECHNOLOGY INC., 36" x 24" x 24" dp., (2) 480 v. heaters.

BLUING SYSTEM DIP TANK

BROWNELLS, gas burner.

HOT DIP TANKS

(2) 460 V., 48" x 60" x 48" dp.

PASS-THROUGH PARTS CLEANER

RG HANSON MDL. MBCW24X16-E, 24"W. conveyor belt, 300 gal. wash tank w/36 kW wash heat, 100 gal. rinse tank w/12 kW rinse head, 460 v., 25-lbs. per sq. ft. max. load cap., S/N 95-601R.



2014

PRECISION QUINCY MDL. HD6G-404-6B OVEN

OVEN

PRECISION QUINCY MDL. HD6G-404-6B, new 2014, calibrated in 2020, natural gas fired, dims: 4' x 6', 10 KVA 11.7 full amp load, 5 HP motor, 800,000 BTU per hour @ 10"WC, 500 deg. F. max. temp., S/N 1214.

PORTABLE CURING LIGHTS

INFRA TECH MDL. S-9000-P3, medium wave 9,000-watt Infrared.



INFRA TECH MDL. S-9000-P3 PORTABLE CURING LIGHTS



PALM TECHNOLOGY INC. PASSIVATION TANK



QUINCY MDL. QGD-20 ROTARY SCREW AIR COMPRESSOR

2012



(APPROX. 12) BALDOR DOUBLE END BELT AND DISC GRINDERS



(APPROX. 6) ABELL-HOWE 1/2 T. CAP. WALL MOUNTED JIB CRANES



SAMPLE VIEW OF MACHINE VISES

ROTARY SCREW AIR COMPRESSOR

QUINCY MDL. QGD-20, new 2012, 20 HP motor, S/N BU1203120031.

RECIPROCATING TYPE AIR COMPRESSOR

INGERSOLL RAND, 2-stage, approx. 10 HP motor, S/N 0311170232.

SHOP SUPPORT EQUIPMENT

(APPROX. 12) BALDOR DOUBLE END BELT AND DISC GRINDERS, .5 HP motor; DOUBLE END GRINDER; TBL. SAW; CUT-OFF SAW; SET-UP TOOLING; MACHINE VISES; CAT-50 TOOLING; CAT-40 TOOLING; TOOLBOXES; H.D. WORKTABLES; FIXTURING; CHUCK JAWS; ANGLE PLATES; FLAMMABLE MATERIAL STORAGE CABINETS; PAINT POTS; METAL TOTES; BANDING CARTS; SHELVING; METAL BINS; SHOP FANS; POWERFORMER TRANSFORMER, 120.5 KVA, 480 v./240 v.

ARC WELDER

MILLER MDL. MILLERMATIC 250, wire feeder, S/N KD370112.

RAW MATERIAL

ASSORTED BARSTOCK, up to 6" dia., large quantity.

GANTRY CRANE SYSTEM

GORBEL 4,000-LB. CAP., CM Loadstar 2 T. cap. electric chain hoist, 30'L. x 15'W., approx. 15'H.

MATERIAL HANDLING EQUIPMENT

(APPROX. 6) ABELL-HOWE 1/2 T. CAP. WALL MOUNTED JIB CRANES; (2) CONTRAX CRANES 1 T. CAP. A-FRAME PORTABLE GANTRY CRANES w/500-lb. cap. hoist; ADJUSTABLE PALLET RACKS; BANDING CARTS; PALLET JACKS; (APPROX. 15) DUMP HOPPERS; METAL ROLLER CARTS.

GOOSENECK TRAILER

20'L., dual axle, wood deck, electric brakes, 15,000-LB. GVWR, TX License Plate 15589E.

FORKLIFTS

YALE 8,000-LB. BASE CAP. MDL. GLC080VXNGAE094, new 2014, LPG, box car special, 94" triple stage mast, 200" lift ht., side shift, cushion tires, 4090 H.O.M., 48" forks, S/N F818V02464M.

CLARK 5,000-LB. CAP. MDL. CMP230L, new 2005, LP pwrd., 3-stage mast, side shift, solid tires, 4,837 H.O.M., S/N 0613-9586KF.

DOOSAN 4,200-LB. CAP. MDL. G25P-5, new 2017, LP pwrd., 189" lift ht., solid tires, side shift, S/N FGAOB-1790-05339.

TOYOTA 3,000-LB. BASE CAP. MDL. 8FGCU15, new 2013, LPG, 80" standard mast, cushion tires, 42" forks, S/N 21238.

INSPECTION: Tues., Jan. 26 & Wed., Jan. 27, 9:00 A.M. to 4:00 P.M. Wearing Masks & Social Distancing Will Be Required.

DIRECTIONS

Hamilton Texas is northwest of Temple Texas at the intersection of Texas Highway 36 and U.S. Highway 281.

LODGING

THE INN AT CIRCLE T, 4021 W Highway 36, Hamilton, Texas 76531-2027 (254) 386-3209

At the Premises of

K-6 MACHINE
800 NORTH RICE ST.,
HAMILTON, TX 76531

PARTIAL TERMS & CONDITIONS: A 15% Buyer's Premium Will Apply Onsite. An 18% Buyer's Premium Will Apply Online. Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until March 1, 2021.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

ONLINE REGISTRATION

Register to bid at

BidSpotter.com or **proxibid.**

1. Use the link to Bidspotter.com or Proxibid.com on PMI's website calendar. www.pmi-auction.com DO IT NOW!

2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction.

Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

**THURSDAY, JANUARY 28
LIVE ONSITE & WEBCAST • 10:00 A.M.**

PUBLIC AUCTION



OWNER RETIRING - PRECISION MACHINE SHOP CLOSING

Featuring: (14) Late Model CNC Lathes,
(5) Vertical Machining Centers, Complete
Coating Facility, Complete Quality Control
Department, Huge Assortment of Machine
Shop Accessories, Material Handling
Equipment, Rolling Stock & Much More!

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



2005



CLARK 5,000-LB. CAP. MDL. CMP230L FORKLIFT



GORBEL 4,000-LB. CAP. GANTRY CRANE SYSTEM



20' L. GOOSENECK TRAILER



ASSORTED BARSTOCK



20' SHIPPING CONTAINER

2017



DOOSAN 4,200-LB. CAP. MDL. G25P-5 FORKLIFT

**THURSDAY, JANUARY 28 • 10:00 A.M.
LIVE ONSITE & WEBCAST**