



# AUCTION

## PLANT CLOSING: AMAZING ASSORTMENT OF LARGE CAPACITY MACHINE TOOLS

Featuring: (9) Vert. Turning Centers up to 196" Sw.; (15) CNC Horiz. Boring Mills up to 157" X; CNC Bridge Type Vert. Machining Center w/Shuttles; 4th Axis Rotary Tables & Modular, Facing & Contouring Heads; Milling Machines up to 144" Sw.; Tooling & Consumables; Massive Amada 78" x 78" Cap. Horiz. Bandsaw; Bore Cladding Systems; Manipulators; Positioners; Furnaces; Q.C. Dept.; (4) Overhead Bridge Cranes up to 60 T. x 100' Span; (13) Forklifts up to 30,000-Lb. Cap. new as 2018; Much More!

2012



(1 OF 2) HNK VTC30/40 CNC VERT. TURNING CENTERS



AS NEW AS  
2012

OVERALL VIEW OF CNC HORIZ. BORING MILLS

Live Onsite w/Webcast – At the Premises of  
**ELLWOOD MACHINING & WELDING**  
9031 LEY ROAD, HOUSTON, TEXAS 77078  
(See Directions on Back Page)



AMADA 78" X 78" CAP. HORIZ. BANDSAW

78"  
CAP.

PROSERV 60 T. X 100' SPAN  
OVERHEAD BRIDGE CRANE



TSUDAKOMA H.D.  
ROTARY TABLES

**WEDNESDAY,  
MAY 12  
10:00 A.M.**

### DEMONSTRATED INSPECTION:

Monday & Tuesday,  
May 10 & 11  
9:00 A.M. to 4:00 P.M.  
Wearing Masks and Social  
Distancing will be required.



SAMPLE VIEW OF  
MODULAR FACING AND  
CONTOURING HEADS

FOR ONLINE BIDDING AT THIS AUCTION. Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on  
[BidSpotter.com](http://BidSpotter.com) or [proxibid](http://proxibid) on our calendar page for this auction sale.

**BUYER'S PREMIUM:**  
**15% ONSITE • 18% WEBCAST**

Read Partial Terms &  
Conditions on Back Page

Sale  
Conducted  
By: **PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE  
1304 Langham Creek Drive, Suite 454, Houston, Texas 77084  
PHONE: (713) 691-4401 FAX: (713) 672-7905  
E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com) • WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)  
Ron Moore, TX Lic. #7314  
**HOUSTON • DALLAS • ST. LOUIS**


In Conjunction With:



and With:







# AUCTION

Live Onsite w/Webcast – At the Premises of

## ELLWOOD MACHINING & WELDING

9031 LEY ROAD,  
HOUSTON, TEXAS 77078  
(See Directions on Back Page)

**WEDNESDAY,  
MAY 12  
10:00 A.M.**

FOR ONLINE BIDDING AT THIS AUCTION.  
Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on  
[BidSpotter.com](http://BidSpotter.com) or [proxibid](http://proxibid) on our  
calendar page for this auction sale.

### DEMONSTRATED INSPECTION:

Monday & Tuesday, May 10 & 11,  
9:00 A.M. to 4:00 P.M. Wearing Masks  
and Social Distancing will be required.

### CNC VERTICAL TURNING CENTERS

**HNK MDL. VTC40/50**, new 2012, Fanuc 18i-TB CNC control, 157.4" t.b.l. dia., 196.8" swing, 98.4" turning ht., 12-pos. ATC, live spdl. and 0.001 C-axis t.b.l. indexing, thru spdl. coolant, t.b.l. spds. 2-steps: 1–50 RPM, 59" Z-axis vert. ram travel, CAT-50 taper, milling spdl. spds.: 15–1,500 RPM, 118/154 HP t.b.l. motor, 30/35 HP milling spdl. motor, chip conveyor, S/N 11407, Asset No. CVTL-7.

**(2) HNK MDL. VTC30/40**, new 2012, Fanuc 18i-TB CNC control, 118.1" t.b.l. dia., 157.4" swing, 86.6" turning ht., 12-pos. ATC, live spdl. and 0.001 C-axis t.b.l. indexing, thru spdl. coolant, t.b.l. spds. 2-steps: 1–80 RPM, 51.2" Z-axis vert. ram travel, CAT-50 taper, milling spdl. spds.: 15–1,500 RPM, 80/100 HP t.b.l. motor, 30/35 HP milling spdl. motor, chip conveyor, S/N 12323, Asset No. CVTL-8 and S/N 11319, Asset No. CVTL-9.

**HNK MDL. VTC25/30**, new 2009, Fanuc 18i-TB CNC control, 98.4" t.b.l. dia., 118.1" swing, 78.7" turning ht., 16-pos. ATC, live spdl. and 0.001 C-axis t.b.l. indexing, thru spdl. coolant, chip blaster, t.b.l. spds. 2-steps: 1–100 RPM, 39.3" Z-axis vert. ram travel, CAT-50 taper, milling spdl. spds.: 15–1,500 RPM, 50/60 HP t.b.l. motor, 20/25 HP milling spdl. motor, chip conveyor, S/N 09257, Asset No. CVTL-4.

**HNK MDL. VTC20/25**, new 2007, Fanuc 18i-TB CNC control, 78.7" t.b.l. dia., 98.4" swing, 70.8" turning ht., 16-pos. ATC, live spdl. and 0.001 C-axis t.b.l. indexing, thru spdl. coolant, chip blaster, t.b.l. spds. 2-steps: 1–200 RPM, 39.3" Z-axis vert. ram travel, CAT-50 taper, milling spdl. spds.: 15–1500 RPM, 50/60 HP t.b.l. motor, 20/25 HP milling spdl. motor, chip conveyor, S/N 07223, Asset No. CVTL-3.

**HNK MDL. VTC16/20**, new 2012, Fanuc 31i-Model A CNC control, 63" t.b.l. dia., 78.7" swing, 118.1" turning ht., 16-pos. ATC, live spdl. and 0.001 C-axis t.b.l. indexing, thru spdl. coolant, chip blaster, t.b.l. spds. 2-steps: 1–250 RPM, 49" Z-axis vert. ram travel, CAT-50 taper, milling spdl. spds.: 15–1,500 RPM, 60/74 HP t.b.l. motor, 20/25 HP milling spdl. motor, chip conveyor, S/N 12614, Asset No. CVTL-6.

**(2) HNK MDL. NT-16/20**, new 2007, Fanuc 18i-TB CNC control, 63" t.b.l. dia., 78.7" swing, 63" turning ht., 12-pos. ATC, t.b.l. spds. 2-steps: 1–250 RPM, 35.4" Z-axis vert. ram travel, 50/60 HP t.b.l. motor, chip conveyor, S/N 07134M, Asset No. CVTL-1, S/N 07129, Asset No. CVTL-2.

**DYNAMIC/KDM MDL. M-12/16/F**, new 2009, Fanuc 18i-TB CNC control, 49.2" t.b.l. dia., 65" swing, 63" turning dia., fixed rail, 40.1" t.b.l. to toolholder, 36.2" t.b.l. to milling spdl., 12-pos. ATC, live spdl. 0.001 C-axis t.b.l. indexing, thru spdl. coolant, t.b.l. spds. 2-steps: 1-350 RPM, 2,000 RPM max. milling spds., S/N KTM 120082, Asset No. CVTL-5.



HNK VTC40/50 CNC VERT. TURNING CENTER



(1 OF 2) HNK VTC30/40 CNC VERT. TURNING CENTERS



## CNC BRIDGE TYPE VERTICAL MACHINING CENTER

**SNK MDL. RB-4NM**, Fanuc 18M CNC control, (2) 78.7" x 157" pallets, 114" btwn. columns, 167" X, 114" Y, 23.6" Z, 55" W-axis travels, CAT-50, 6,000 RPM, 30 HP, (Note: this machine is currently inoperable).

## VERTICAL MACHINING CENTERS

**(2) ENSHU MDL. 650VX**, Fanuc Series 15-M CNC control, 78.7" x 25.6" tbl. size, 60" X, 25.2" Y, 26" Z-axis travels, 6,000 RPM, 30-pos. ATC, CAT-50 taper, S/N 218, S/N 290.



HNK VTC16/20 CNC VERT. TURNING CENTER



DYNAMIC/KDM M-12/16 CNC VERT. TURNING CENTER



HNK VTC30/25 CNC VERT. TURNING CENTER



(1 OF 2) HNK NT-16/20 CNC VERT. TURNING CENTER



SNK RB-4NM CNC BRIDGE TYPE VERT. MACHINING CENTER



2012



(1 OF 2) HNK HB-150X CNC HORIZ. BORING MILLS



(1 OF 4) HNK HB-130 CNC HORIZ. BORING MILLS



(1 OF 2) HNK HB-150 CNC HORIZ. BORING MILLS

2011

## CNC HORIZONTAL BORING MILLS

(2) **HNK MDL. HB-150X**, new 2012, Fanuc 31i-Model A CNC control, 60-pos. ATC, 5.9" spdl. dia., 157.4" X, 98.4" Y, 78.7" Z, 27.6" W-axis travels, 78.7" x 86.6" 0.001 deg. B-axis rotary tbl., chip conveyor, chip blaster, thru spdl. coolant, scale feedback, CAT-50 taper, spds.: 5-2,000 RPM, 50/60 HP, S/N N.A., Asset No. BM-14.

(2) **HNK MDL. HB-150**, new 2011, Fanuc 31i-Model A CNC control, 40-pos. ATC, 5.9" spdl. dia., 118.1" X, 90.5" Y, 63" Z, 27.6" W-axis travels, 78.7" x 86.6" 0.001 deg. B-axis rotary tbl., chip conveyor, chip blaster, thru spdl. coolant, scale feedback, CAT-50 taper, spds.: 5-2,000 RPM, 50/60 HP, S/N 11651 Asset No. BM-16 w/Fanuc 31i - Model A CNC control; S/N 11619 Asset No. BM-12 w/Fanuc 18i-TB CNC control and set up to accommodate C-axis rotary tbl.

**HNK MDL. HB-130CX**, new 2008, Fanuc 18i-MB CNC control, 60-pos. ATC, 5.1" spdl. dia., 157.4" X, 90.5" Y, 51.2" Z, 27.6" W-axis travels, 63" x 157.4" T-slotted tbl., 63" x 63" 0.001 deg. built-in B-axis rotary tbl., chip conveyor, chip blaster, thru spdl. coolant, scale feedback, CAT-50 taper, spds.: 5-2,500 RPM, 30/35 HP, set up to accommodate C-axis rotary tbl. S/N 07462, Asset No. BM-3 (Out of service).

(4) **HNK MDL. HB-130**, new as 2011, Fanuc 31i-Model A CNC control, 40-pos. ATC, 5.1" spdl. dia., 118.1" X, 90.5" Y, 51.2" Z, 27.6" W-axis travel, 63" x 70.9" 0.001 deg. B-axis rotary tbl., chip conveyor, chip blaster, thru spdl. coolant, scale feedback, CAT-50 taper, spds.: 5-2,500 RPM, 30/35 HP, [S/N 11577 (2011) Asset No. **BM-17** and S/N 11584 (2011) Asset No. **BM-8**, both have Fanuc 31i-Model A CNC controls;] [S/N 11151 (2011) Asset No. **BM-18** has Fanuc 18i-TB CNC control;] [S/N 08468 (2008) Asset No. **BM-6** has Fanuc 18i-TB and is out of service.]

**GIDDINGS & LEWIS**, retrofitted 2013, Siemens Sinumerik control, 60" x 120" tbl., 6" spdl., (4) outriggers, S/N N.A., Asset No. BM5 (Out of service).

**GIDDINGS & LEWIS MDL. RB1600**, retrofitted 2013, Siemens Sinumerik control, 63" x 98" tbl., 6" spdl., Asset No. BM4, S/N 480-0046 (Out of service).

**GIDDINGS & LEWIS MDL. TX60**, retrofitted 2013, Siemens Sinumerik control, 48" x 72" tbl., 6" spdl., 90-pos. ATC, S/N 50-1694-80, Asset No. BM10 (Out of service).

**GIDDINGS & LEWIS MDL. TX60**, retrofitted 2013, Siemens Sinumerik control, 48" x 72" tbl., 6" spdl., Asset No. BM9 (Out of service).

2011

9 AVAILABLE



NEW AS 2012

PARTIAL VIEW OF CNC HORIZ. BORING MILLS





### CNC FLOOR TYPE HORIZONTAL BORING MILLS

**HNK MDL HFB-180**, new 2011, Fanuc 18i control, approx. travels, X 49', Y 17', Z 47.24", W-47.24", 7.08" spindle dia., 16" x 12" infeeding tbl., right angle head, floor plates. (NOTE: this machine incurred a major headstock crash and is currently inoperable).

**COLLET & ENGELHARDT**, Heidenhain CNC control, approx. travels: X 30', Y 20', Z-96", 33' x 19' floor plate.



### HEAVY DUTY 4TH AXIS ROTARY TABLES


**TSUDAKOMA MDL. RNCV-1501L**, 58-3/4" faceplate, 18,700-lb. horiz. and 37,400-lb. vert. allowable work weight cap., S/N 116886; **TSUDAKOMA MDL. RNCV-1201L**, 49" faceplate, S/N 087364; **TSUDAKOMA MDL. RNCV-1001K**, 39-1/4" faceplate, S/N 086119; **TSUDAKOMA MDL. RNCV-801K**, 32" faceplate, S/N 086806.



### MODULAR, FACING & CONTOURING HEADS

**COGSDILL MDL. MBT75 CONTOURING STYLE**, single slide, Tool No. MBT75-ST-CAT50-0, S/N 52916; **COGSDILL MDL. ZX200-TC FACING AND GENERATING STYLE**, S/N 24240; **COGSDILL MDL. ZX420-TC PROFILING AND CONTOURING STYLE**; **COGSDILL MDL. ZX420-TC-CAT-50-0 PROFILING AND CONTOURING STYLE**.

**HNK 6" REPLACEMENT SPINDLE** (new in box).








### HORIZONTAL BANDSAW

**AMADA 78" X 78" MDL. H-2000**, 3" blade width, 57'6" blade length, .063 blade thickness, Asset No. SAW-3.

### RADIAL ARM DRILL

**CARLTON 10' X 26"**, (2) tbls., pwr. clamping, pwr. elevation and pwr. feed, double end base, spds.: 10-1,000 RPM, S/N 5A5740.



144" KING MDL. 144 VERT. BORING MILL



96" KING MDL. 100 VERT. BORING MILL



84" KING MDL. 84 VERT. BORING MILL



84" X 216" INGERSOLL PLANER MILL

### VERTICAL BORING MILLS

**144" KING MDL. 144**, (2) ram heads, S/N N.A.; **96" KING MDL. 100**, (2) ram heads, floor mount, S/N 3210; **84" KING MDL. 84**, (2) ram heads, (1) side head, floor mount, S/N N.A.; **72" KING MDL. 72**, (2) ram heads, floor mount, S/N 1614; **52" KING MDL. 52**, ram, turret, side head, floor mount, S/N 3118.

### PLANER MILLS

**GRAY**, 64" x 368" tbl., (2) 50 HP vert. and (2) 50 HP horiz. milling heads, pendant controls.

**INGERSOLL**, 84" x 216" tbl., (2) vert. and (2) horiz. milling heads, D.R.O., pendant controls.

**INGERSOLL**, 60" x 216" tbl., (2) horiz. milling heads, (1) vert. milling head.

### PRODUCTION MILLS

**CINCINNATI HYPOWERMATIC**, 24" x 120" tbl. size, duplex production mills, S/N 311452D5V-3; **CINCINNATI HYPOWERMATIC MDL. 550-2612**, 36" x 120" tbl. size, duplex, ram type, S/N 3114.SPE 79-0005.



72" KING MDL. 72 VERT. BORING MILL

FOR ONLINE BIDDING AT THIS AUCTION. Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on [BidSpotter.com](http://BidSpotter.com) or [proxibid](http://proxibid) on our calendar page for this auction sale.





# ELLWOOD AUCTION

**DEMONSTRATED INSPECTION:**


Monday & Tuesday, May 10 & 11,  
9:00 A.M. to 4:00 P.M. Wearing Masks  
and Social Distancing will be required.

Live Onsite w/Webcast – At the Premises of

## ELLWOOD MACHINING & WELDING

9031 LEY ROAD, HOUSTON, TEXAS 77078

**WEDNESDAY,  
MAY 12  
10:00 A.M.**



### TOOLING & CONSUMABLES

CAT. 50 TAP DRIVERS; SHELL MILL HOLDERS; ENDMILL HOLDERS; INSERTED THREAD MILLS; BORING HEADS; TAPPING HEADS; 1-1/2" H.D. TURNING TOOLS; 10"L. SPADE DRILLS; INDEXABLE INSERTED DRILLS; BORING BARS; FACEMILLS; RADIUS CUTTERS; RETENTION KNOBS; REAMERS; CHUCKS; BORING MILL JAW SETS; RIGHT ANGLE HEADS; SET-UP TOOLING; TOOLMEX CORP. MDL. 3295-26, 26" dia. 3-jaw self-centering scroll chuck, plain back, 16" spdl. bore (new in box); **HUGE QUANTITY!**



### QUALITY CONTROL EQUIPMENT

GRANITE SURFACE PLATES, (2) 48" x 96" x 10" thk., 36" x 48" x 6" thk., grade AA; ASSORTED LARGE CAPACITY O.D. MICROMETERS up to 102"; DIGITAL CALIPERS AND VERNIER CALIPERS up to 80"; BORE GAUGES; MITUTOYO 16"-24" DIAL BORE GAUGE; DEPTH GAUGES; GROOVE WIDTH GAUGES; PLUG GAUGES; RING GAUGES.



**DON'T MISS THIS SALE!**





2013



ARC  
SPECIALTIES  
ARC-6G BORE  
CLADDING  
SYSTEM

ARONSON  
288" X 216"  
CAP. SUB ARC  
WELDING  
MANIPULATOR



JETLINE ENGINEERING 5' X 5'  
MIG WELDING MANIPULATOR



15,000-LB. PART UPENDER



ARONSON GE500CS 50,000-LB. CAP. WELDING POSITIONER

GEARED  
ELEVATION



PANDJIRIS HEADSTOCK/TAILOCK STYLE POSITIONER

2  
AVAILABLE

## BORE CLADDER SYSTEM

ARC SPECIALTIES MDL. ARC-6G, new 2013, servo controlled rotary torch head, 96" vertical (mast) travel (counterbalanced), 60" horizontal (boom) travel, 144" linear travel (carriage) Hot 1 hot wire pwr. supply, Miller XMT450 CC/CV, S/N MD190071U, 48" x 57" box tbl., linear guides, S/N 1413-20810.

## SUB ARC PIPE CLADDING SYSTEMS

CONSISTING OF: 20' track, platform, Miller Mdl. XMT450 CC/CV and Miller wire feeder, for welding I.D. of pipe. approx. (6) available.

## WELDING MANIPULATORS

ARONSON MDL. 3SFB24VRA18CL-CK SUB ARC, 1,000-lb. cap. at each end, fixed boom, 288" reach travel, 216" lift travel, approx. 20' cap. traveling weld carriage, Lincoln Idealarc Mdl. DC1000, new 2012, S/N U1120604605, Lincoln NA-3S control, S/N 741.

JETLINE ENGINEERING 5' X 5' MDL. CWF-10A MIG, Jetline control, Jetline Mdl. 9029 wire feed control, S/N 920212.

## WELDING POSITIONERS

ARONSON MDL. GE500CS, 50,000-lb. cap. @ 12", 600,000-lb. in rotation, 1,050,000-lb. in tilt, 84" sq. rotary tbl. geared elevation, S/N 7846.

PANDJIRIS 4,500-LB. CAP. MDL. 45-12ABPOSIT, 48" sq. tbl., S/N 18924E00.

## HEADSTOCK/TAILOCK STYLE POSITIONERS

PANDJIRIS SET, incl.: Mdl. HS-200 headstock, pendant control w/variable spd., 72" center ht. w/16" spacer, 39-1/4" dia. 4-jaw chuck, 64" dia. faceplate, 13-1/2" bore, S/N 18342E00-2, Mdl. TS-200 tailstock, 24-3/4" dia. 3-jaw chuck mtd., 64" dia. faceplate, 9-3/4" bore, S/N 18342E00-1.

PANDJIRIS SET, incl.: Mdl. HS-200 headstock, pendant control w/variable spd., 72" center ht. w/16" spacer, 24-3/4" dia. 3-jaw chuck, 62" dia. faceplate, 9-3/4" spd. bore, S/N 18342E00-1, Mdl. TS-200 tailstock, 24-1/2" dia. 3-jaw chuck, 64" dia. faceplate, 9-3/4" bore, S/N 18342E00-2.

## UPENDER

APPROX. 15,000-LB. CAP., 50" x 54" tbl., chain driven.



Live Onsite w/Webcast – At the Premises of  
**ELLWOOD MACHINING  
& WELDING**

**9031 LEY ROAD, HOUSTON, TEXAS 77078**

(See Directions on Back Page)



**WEDNESDAY, MAY 12 • 10:00 A.M.**



**PANDJIRIS 4,500-LB. CAP. WELDING POSITIONER**



**SAMPLE VIEW OF PORTABLE WELDING BOOMS**

### **WELDING MACHINES**

(3) **MILLER MDL. XMT450 CC/CV**, S/N MD340037U, S/N MD370527U, S/N MD190108U.

(4) **ESAB MDL. MTS-3500I**.

### **PORTABLE WELDING BOOMS**

**MILLER DETLAWELD MDL. 650 MIG PWR. SOURCE**, S/N JF892216, Miller wire feeder, welding boom; **MILLER DELTAWELD MDL. 651 MIG PWR. SOURCE**, welding book, S/N KA826386; **MILLER WIRE FEEDER**, S/N N.A.

### **ROTARY WELDING TABLES**

**PRESTON EASTON 59" MDL. FT400HD**, new 1997, 4,000-lb. cap., S/N FT400HD-17.

**PRESTON EASTON 54" MDL. FT400HD**, new 1995, 4,000-lb. cap., S/N FT400HD-13.

### **ROD OVEN**

**KEEN MDL. KHT-450**.

### **CAR BOTTOM FURNACE**

**ERCO**, dims: 8'W. x 9'L. x approx. 7'H., gas fired, Omega RD9900 Series display, updated controls, 900–1,400 deg. temp. rating.

### **ELECTRIC FURNACES**

**HOTFOIL-EHS**, dims: 60 x 48 x approx. 12'L., Red Lion controls.

**TRENT**, dims: approx. 10'L. x 6'W. x 6'H., 75 kW, 850 deg. F. max. temp, No. 899-550.



**MILLER XMT450 CC/CV WELDING MACHINES**

**DON'T MISS  
THIS SALE!**

**DEMONSTRATED INSPECTION:** Monday & Tuesday, May 10 & 11, 9:00 A.M. to 4:00 P.M.



**HOTFOIL-EHS ELECTRIC FURNACE**



**ERCO GAS FIRED CAR BOTTOM FURNACE**



**TRENT ELECTRIC FURNACE**





**HIPPO HOPPER DUMP HOPPERS**



**QUINCY ROTARY SCREW  
AIR COMPRESSOR**



**SAMPLE VIEW OF  
ROLLER DRAWER  
CABINETS**

### **ROTARY SCREW AIR COMPRESSORS**

**QUINCY MDL. QGD-50**, 50 HP motor, S/N N.A.

**SULLAIR MDL. 3709/A**, 50 HP, new 2007, S/N 200708250042.

### **AIR DRYER**

**QUINCY MDL. QPNC250**, new 2017.

### **MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**

**APPROX. (25) HIPPO HOPPER 1 CU. YD. DUMP HOPPERS; SHOP FANS; TRASH CANS; BANDING CARTS; TBLS.; CHAIRS; FLAMMABLE MATERIAL STORAGE CABINETS; SHOP TOOLS; DOLLIES; TOOLBOXES; CLEANING EQUIPMENT; ROLLER DRAWER CABINETS.**

### **SEA CONTAINERS**

**40'L.** w/contents; **(3) 20'** w/contents.



**SAMPLE VIEW OF SHOP FANS**

**FOR ONLINE BIDDING AT THIS AUCTION.**  
Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on  
[BidSpotter.com](http://BidSpotter.com) or [proxibid](http://proxibid) on our calendar  
page for this auction sale.



**PROSERV 60 T. X 100' SPAN OVERHEAD BRIDGE CRANE**



**PROSERV 30 T. X 100' SPAN OVERHEAD BRIDGE CRANE**


### **OVERHEAD BRIDGE CRANES**

**PROSERV 60 T. X 100' SPAN**, 34' under hook, double girder, top running, R&M hoist, radio controlled.

**PROSERV 30 T. X 100' SPAN**, 31' under hook, double girder, top running, R&M hoist, radio controlled.

**15 T. CAP. X 69' SPAN**, 30' under hook, double girder, top running.

**PROSERV 10 T. X 38' SPAN**, 35' under hook, single girder, top running.



**15 T. X 69' SPAN OVERHEAD BRIDGE CRANE**





ROYAL 30,000-LB. BASE CAP. FORKLIFT

Live Onsite w/Webcast – At the Premises of  
**ELLWOOD MACHINING & WELDING**  
 9031 LEY ROAD, HOUSTON, TEXAS 77078

**WEDNESDAY, MAY 12 • 10:00 A.M.**

**DEMONSTRATED INSPECTION:**

Monday & Tuesday, May 10 & 11,  
 9:00 A.M. to 4:00 P.M. Wearing Masks  
 and Social Distancing will be required.

**DON'T MISS  
 THIS SALE!**

**2015**



(1 OF 2) CATERPILLAR 8,000-LB. BASE CAP. FORKLIFT

**2014**



(1 OF 2) HYSTER 10,000-LB. BASE CAP. FORKLIFT

**2014**



HYSTER 15,500-LB. BASE CAP. FORKLIFT

**FORKLIFTS**

**ROYAL 30,000-LB. BASE CAP. MDL. T300**, LPG, 115" 2-stage mast, 93" lift ht., cushion tires, fork positioner, side shift, 8' forks, S/N L0741.

**TAYLOR 18,800-LB. BASE CAP. MDL. Y-22-WOM**, diesel pwrld., 2-stage mast, S/N S-26-13061 (Out of service).

(2) **HYSTER 15,500-LB. BASE CAP. MDL. S155FT**, new 2014, diesel, 113" 2-stage mast, 172" lift ht., cushion tires, forks, S/N F024V02276M, 5,691 HOM; S/N G024V01503M, 7,778 HOM.

**YALE 12,000-LB. BASE CAP. MDL. GLC120**, new 2014, LPG, 70" 2-stage, mast, 86" lift ht., cushion tires, forks, 4,020 HOM, S/N F81802626M.

(2) **CATERPILLAR 11,000-LB. BASE CAP. MDL. DP50K-D**, diesel pwrld., 3-stage mast, 172" lift ht., S/N AT28B60410 (Out of service), S/N N.A.

(2) **HYSTER 10,000-LB. BASE CAP. MDL. S100FT**, new 2014, LPG, 88" 2-stage mast, 133" lift ht., cushion tires, side shift, forks, S/N H004V2774M, 6,734 HOM; S/N H004V2776M, 8,760 HOM.

(2) **TOYOTA 8,000-LB. BASE CAP. MDL. 8FGCU35U-BCS**, new 2018, LPG, 105" 3-stage mast, 238" lift ht., side shift, cushion tires, 42" forks, S/N 13334, S/N 13336.

(2) **CATERPILLAR 8,000-LB. BASE CAP. MDL. GC40K**, new 2015, LPG, 93" 3-stage mast, 201" lift ht., side shift, cushion tires, 48" forks, S/N AT87B00723, AT87B00753.

**TOYOTA 6,500-LB. BASE. CAP. MDL. 8FGCU32**, new 2016, LPG, 87" 3-stage mast, 187" lift ht., rotating forks, cushion tires, 42" forks, S/N 66307.

**MATERIAL HANDLING  
 EQUIPMENT**

**SLINGS; CHAIN; SHACKLES; (2) 10,000-LB. ERIEZ SAFE HOLD LIFTING MAGNETS.**

**ELECTRIC SCISSOR LIFT**

**ALL AERIALS 700-LB. CAP. MDL. MEC3247ES**, new 2009, 32' max. drive ht., 32' max. platform ht., extended platform, S/N 1001827.

**PEDESTAL JIB CRANE**

**ABELL-HOWE 2 T. CAP.**, CM electric chain hoist.



TAYLOR 18,800-LB. BASE CAP. FORKLIFT



10,000-LB. ERIEZ SAFE HOLD MAGNETS



ALL AERIAL 700-LB. CAP. SCISSORLIFT

**2009**



# PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568  
Houston, TX 77218-8568

**DATED MATERIAL – PLEASE DELIVER**

## PLANT CLOSING: AMAZING ASSORTMENT OF LARGE CAP. MACHINE TOOLS

Featuring: (9) Vert. Turning Centers up to  
196" sw.; (15) CNC Horiz. Boring Mills up to  
157" X; CNC Bridge Type Vert. Machining  
Center w/Shuttles; 4th Axis Rotary Tables &  
Modular, Facing & Contouring Heads; Milling  
Machines up to 144" sw.; Tooling &  
Consumables; Massive Amada 78" x 78" Cap.  
Horiz. Bandsaw; Bore Cladding Systems;  
Manipulators; Positioners; Furnaces; Q.C.  
Dept.; (4) Overhead Bridge Cranes up to 60 T.  
x 100' Span; (13) Forklifts up to 30,000-Lb.  
Cap. new as 2018; Much More!



**PUBLIC INVITED**

**WEDNESDAY, MAY 12 • 10:00 A.M.**



**ATTENTION: PLANT MANAGER  
OR EQUIPMENT BUYER**

Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

### DIRECTIONS

**FROM GEORGE BUSH INTERCONTINENTAL AIRPORT:** Take Will Clayton Pkwy. West for 3 miles to US 59 South, Continue South on US 59 for 11 miles and take Exit 136 E. Crosstimbers Street. Turn left on E. Crosstimbers Street and continue for 5 miles. E. Crosstimbers Street turns into Ley Road at Homestead. Look for auction signs on the left after Mesa Drive.

### LODGING

**HOLIDAY INN EXPRESS HOUSTON EAST**.....(713) 330-3800  
11460 I-10 East, Houston, TX 77029

**HAMPTON INN HOUSTON EAST** ..... (713) 997-8181  
10505 I-10 East Fwy., Houston, TX 77029

**WEDNESDAY, MAY 12  
10:00 A.M.**

**DON'T MISS THIS SALE!**

Live Onsite w/Webcast – At the Premises of

**ELLWOOD MACHINING  
& WELDING**

**9031 LEY ROAD, HOUSTON, TEXAS 77078**

### DEMONSTRATED INSPECTION:

Monday & Tuesday, May 10 & 11  
9:00 A.M. to 4:00 P.M.  
Wearing Masks and Social  
Distancing will be required.

**PARTIAL TERMS & CONDITIONS:** A 15% Buyer's Premium Will Apply Onsite. An 18% Buyer's Premium Will Apply Online.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

**ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until June 14, 2021.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

### ONLINE REGISTRATION

Register to bid at

**BidSpotter.com** or **proxibid**

1. Use the [link to Bidspotter.com](#) or [Proxibid.com](#) on PMI's website calendar. [www.pmi-auction.com](#) **DO IT NOW!**

2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com or Proxibid.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. **DON'T WAIT.** If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**