



# ONLINE TIMED AUCTION

## PRECISION OILFIELD TOOL MANUFACTURING PLANTS CLOSING

Featuring: Late Model Weld Overlay Systems; CNC & Manual Machine Tools & Fab.; Late Model Material Handling Equip.; Shop & Warehouse Equip.; Much More!



2013

ARC SPECIALTIES ROBOTIC WELD OVERLAY SYSTEM



MULTI  
AXIS

MAZAK INTEGREX 70 MULTI-AXIS CHUCKER

## NATIONAL OILWELL VARCO

**LOCATION #1: 501 N GEORGE NIGH EXPY  
MCALESTER, OKLAHOMA 74501**

**LOCATION #2: 401 STEPHEN TAYLOR  
MCALESTER, OKLAHOMA 74501**

**SALE DATE:  
WED., JULY 28  
BIDS START  
CLOSING:  
10:00 A.M.**

### 2 DAY INSPECTION:

Monday & Tuesday,  
July 26 & 27  
9:00 A.M. to 4:00 P.M.

**18% BUYER'S PREMIUM  
WILL APPLY**



GIDDINGS & LEWIS MDL. HMC-230  
HORIZONTAL MACHINING CENTER

2  
AVAILABLE



JOHN DEERE MDL. 4105 TRACTOR W/LOADER  
AND ATTACHMENTS



3  
AVAILABLE

CROWN ORDER PICKERS

NEW  
2013

**ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.**

Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on [BidSpotter.com](http://BidSpotter.com) on our calendar page for this auction sale.

Read Partial Terms and  
Conditions on Page 7

Sale  
Conducted  
By: **PLANT & MACHINERY INC.**  
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE  
1304 Langham Creek Drive, Suite 454, Houston, Texas 77084  
PHONE: (713) 691-4401 FAX: (713) 672-7905

E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com) • WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)

**HOUSTON • DALLAS • ST. LOUIS**

In Conjunction With:



AARON  
INDUSTRIAL  
SOLUTIONS





2013

ARC SPECIALTIES ROBOTIC WELD OVERLAY SYSTEM



LOCATION  
#1

2 DAY  
INSPECTION:  
Monday &  
Tuesday,  
July 26 & 27  
9:00 A.M. to  
4:00 P.M.

MAZAK INTEGREGX 70  
MULTI-AXIS CHUCKER

MULTI  
AXIS



2007

ARC SPECIALTIES MDL. ARC5-HG  
CIRCULAR OVERLAY SYSTEM



NEW AS  
2012

ASSORTED MIG AND TIG WELDERS

## ROBOTIC WELD OVERLAY SYSTEM

ARC SPECIALTIES MDL. GMAW-GTAW ROBOT, new 2013, Fanuc Arcmate Mdl. 120IC 6-axis weld robot, dual Lincoln Cold wire TIG feeders, 36" dia. horiz. platen w/24" dia. 3-jaw chuck and 9-1/2" thru hole, Lincoln Mdl. R350 Powerwave pwr. supply, S/N 1380-20740.

## WELD OVERLAY SYSTEM

ARC SPECIALTIES MDL. ARC5-HG, new 7/2007, dual tbl. manipulator horiz. and vert., 32" horiz. chuck w/8" bore 3-jaw, 24" vert. chuck w/9" bore 3-jaw, ESAB Mdl. 350MPI pwr. supply, hot wired TIG feeder, PLC controls, S/N 1132-20287.

## WELDING MACHINES

MILLER MDL. SYNCROWAVE 350LX TIG WELDER, 350 amps @ 40% duty cycle, running gear, cooler, TIG torch and pedal, S/N MC410031L; MILLER MDL. CP302 MIG WELDER, 300 amps @ 32 v., 100% duty cycle, Mdl. S22A wire feeder, S/N KH378763; (3) MILLER MDL. DIALARC 250 AC/DC WELDERS, 250 amps @ 30 v., 30% duty cycle, S/N KC274922, S/N KH461790, S/N LB065642.

## PORTABLE WELDING POWER SOURCE/GENERATOR

LINCOLN MDL. RANGER 8LPG, 200 amps AC and 180 amps DC output, Onan Performer 16 110 onboard generator, LPG pwr. engine, on portable cart w/oxy./acy. torch set, gas bottles and accessories.

## MULTI-AXIS CNC CHUCKER

MAZAK INTEGREGX MDL. 70, new 2002, PC Fusion Mdl. 640MT CNC control, 36.02" max. swing, 29.97" swing over carriage, 86.81" dist. btwn. spdl. nose and tailstock center, 2,200-lbs. max. workpiece weight, 60 HP spdl. drive motor, 4.65" spdl. hole, 1,300 RPM spdl. spds., 40" Z-axis turret travel, +/- 5.12" Y-axis travel, milling spds: 12-2,000 RPM, 10 HP milling drive motor SMW Autoblock Mdl. ANX680-N78 indexing chuck, 60-pos. ATC filled w/CAT-50 tooling, S/N 159752.

## PART MANIPULATOR SYSTEM

TAURUS 1,500-LB. CAP. MDL. TPA-15 MULTI-AXIS, external grip end-effector, free standing crane structure, 20' span, 80' total runway travel.

## CNC LATHES

MORI SEIKI MDL. SL-75A, Fanuc Mdl. MSC518 CNC control, 35.8" swing, 22" turn dia., 4.1" bar cap., 1,010 RPM, 50 HP, tool presetter, 40" dist. btwn. centers, 12-pos. turret, S/N 604.

MORI SEIKI MDL. SL-45B-1500, Fanuc Mdl. MF-T4 CNC control, 19.3" turn dia., 63.7" btwn. centers, 1,000 RPM, 45 HP, chip conveyor, 15" hyd. chuck, 12-pos. turret, S/N 159.

(4) DAINICHI MDL. F-25, Fanuc Mdl. 18C CNC control, 10" dia. 3-jaw hyd. chuck, 40" center, chip conveyor, S/N 28017, S/N 27008, S/N 26898, S/N 26902.



TARUS  
1,500 LB. PART  
MANIPULATOR  
ON FREE  
STANDING  
CRANE SYSTEM



MORI SEIKI MDL.  
SL-75A CNC LATHE





**LOCATION #1: 501 N GEORGE HIGH EXPRESSWAY  
MCALESTER, OKLAHOMA 74501**

**SALE DATE:  
WEDNESDAY, JULY 28  
BIDS START CLOSING:  
10:00 A.M.**

**48" GIDDINGS & LEWIS  
CNC VERTICAL BORING MILL**

## CNC HORIZONTAL MACHINING CENTERS

**(2) GIDDINGS & LEWIS MDL. HMC-230**, Siemens Mdl. 840D CNC control, 31-1/2" pallets, 47.24" X, 39.37" Y, 47.24" Z-axis travels, CAT-50, 6,000 RPM, rack style ATC w/(2) interchangeable tool changer racks, 2-pallet changer, thru spdl. coolant system, S/N 492-0002, S/N 492-0003.

**OKK MDL. KCH-600**, Neomatic CNC control, 24.8" pallets, 32.28" X, 28.74" Y, 32.28" Z-axis travels, CAT-50, 6,000 RPM, 20 HP, 40-pos. ATC, 2-pallet changer, Mfg. No. 132, S/N MA73235.

## CNC VERTICAL BORING MILL

**GIDDINGS & LEWIS 48"**, Giddings & Lewis Mdl. 800 CNC control, 48" built-in 4-jaw chuck, 12-pos. ATC, 50 HP motor, #60 taper, chip conveyor, assorted toolholders, S/N 512-155-81.

## JIG MILL

**DEVILIEG MDL. 3B-72**, Type E index tbl., end measuring rods, L&W 12" indexer, rotating turret stop bar, Sony 2-axis D.R.O., spds: 25-1,200 RPM, No. 40 NST spdl. taper, assorted DeVlieg microbore tooling, S/N 5-252.

## RADIAL ARM DRILL

**GIDDINGS & LEWIS CHIPMASTER 4' X 9"**, plain box tbl., S/N 951-00677-81.

## TOOL & CUTTER AND DRILL GRINDERS

**CUTTERMASTER ENDMILL GRINDER**, air bearing endmill fixture; **DAREX MDL. SP2500 DRILL GRINDER**; **BALDOR 3/4 HP DOUBLE END GRINDER**; **HAMMOND MDL. WD-6 CARBIDE TOOL GRINDER**, S/N 14882; **K.O. LEE MDL. B6062 TOOL AND CUTTER GRINDER**, tilt spdl., universal fixture, S/N 22106PB; **OLIVER MDL. 600 DRILL GRINDER**, S/N N.A.; **BALDOR HEAVY DUTY DOUBLE END GRINDER**, 2 HP motor, cast iron base; **CINCINNATI NO. 2 TOOL AND CUTTER GRINDER**, S/N N.A.; **K.O. LEE MDL. B2060 TOOL AND CUTTER GRINDER**, universal fixture, S/N 22021PA; **OLIVER MDL. 21HD DRILL GRINDER**, S/N 3664.

## GRINDING ACCESSORIES

**RADIUS TANGENT GRINDER**; **WIDE VARIETY OF GRINDING ACCESSORIES.**

## HORIZONTAL BANDSAWS

**DOALL 9" X 16" MDL. C916**, infeed roller conveyor, S/N 482-91212; **MSC 9" TYPE 09518812**, new 2000.

## VERTICAL BANDSAWS

**KALAMAZOO STARTRITE MDL. 30RE**, S/N 125; **DOALL METALMASTER 16"**, variable spdl., blade welder and grinder, S/N 413142.



**2  
AVAILABLE**

**GIDDINGS & LEWIS MDL. HMC-230  
HORIZONTAL MACHINING CENTER**



**OKK MDL. KCH-600 HORIZONTAL MACHINING CENTER**



**4  
AVAILABLE**

**DAINICHI MDL. F-25 CNC LATHE**



**MORI SEIKI  
MDL. SL-45B  
CNC LATHE**



**DEVILIEG  
MDL. 3B-72  
HORIZONTAL  
JIG MILL**





**NATIONAL MDL. 850PT, 1,000 HP MUD PUMP/HYDROSTATIC TESTER**

## NATIONAL OILWELL VARCO

**LOCATION #1:  
501 N GEORGE HIGH  
EXPRESSWAY  
MCALESTER,  
OKLAHOMA 74501**

### 2 DAY INSPECTION:

Monday & Tuesday,  
July 26 & 27  
9:00 A.M. to 4:00 P.M.



**ENERPAC 200 T. H-FRAME HYDRAULIC PRESS**

## MUD PUMP/HYDROSTATIC TESTER

**NATIONAL OILWELL MDL. 850PT.** Reliance 1,000 HP DC drive motor, (2) Hydrill accumulators, skid frame mtd., Ross-Hill SCR motor drive, transformer, (\*Note: this unit was used for hydrostatic testing and there are several add'l. components for the system that will be offered including feed pumps, valves, piping and controls).

## PRECISION INSTRUMENTS

**STUHR 60" BENCH CENTER**, 12" swing, on fabricated steel stand; **24" X 36" GRANITE SURFACE PLATE**, on roller stand; **MITUTOYO GAUGE BLOCKS**; **END MEASURING SETS**; **(2) DOALL 12" X 18" GRANITE SURFACE PLATES**; **60" X 120" X 12" THK. GRANITE SURFACE PLATE**, on heavy fabricated steel stand.

## H-FRAME HYDRAULIC PRESSES

**ENERPAC**, 200 T. cap. w/cylinder and center position, 150 T. cap. w/cylinder at left or right extreme, adj. height hyd. bed, Mdl. PEM3042A elec. drive pump; **DUTTON-LAINSON 100 T. CAP.**, air hyd., adj. height bed; **NUGIER 60 T. CAP. MDL. H60-T**, air hyd. pump, adj. height bed, S/N 736137; **RAMCO 55 T. CAP. MDL. RP55**, hand pump, adj. height bed, S/N 2006.

## MACHINE SHOP ACCESSORIES

**FORKARDT MDL. ZCHGNRHSZ775 INDEXING CHUCK**; (2) **DUMORE TOOLPOST GRINDER KITS** w/toolbox and accessories; **MATCHED PAIRS OF V-BLOCKS**; **T-SLOTTED TBLs.**; **TROYKE 18" ROTARY TBL.**; **DEVlieg 2 PC. ANGLE BLOCK SET**; **8" HEAVY DUTY MILLING VISES**; (2) **KURT 6" MILLING VISES**; **ASSORTED DRILL PRESS VISES**; **CLAMPING EQUIP.**; **MORE.**

## MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

**EVAPORATIVE COOLERS**: **PORT-A-COOL MDL. PAC2K24HPVS**, S/N 265317-11; **PORT-A-COOL MDL. PAC2K163SFC**, S/N 140120-07; (2) **MAGNETIC BASE DRILLS**; **HAND TOOLS**; **GLOVES**; **DRILLS**; **RIGHT ANGLE DRILLS**; **4" AND 6" RIGHT ANGLE GRINDERS**; **PNEUMATIC IMPACT WRENCHES**; **PNEUMATIC DIE GRINDERS**; **STARRETT PRECISION LEVELS**; **TEMPLATE MACHINES**; **MARSH PRESSES**; **NUMBER AND LETTER STAMPS**; **FLAMMABLE STEEL STORAGE CABINETS**; **HYDRAULIC JACKS**; **ENERPAC FOOT PWRD. POWER SUPPLIES AND HAND PUMP POWER SUPPLIES**; **ASSORTED WIRE** (on reels); **MARATHON 60 HP MOTOR**, totally enclosed, appears unused; **CARTS**; **SHELVES**; **WIRE BASKETS**; **RIDGID PIPE WRENCHES**, up to 60"; **RIDGID PIPE THREADING SET**; **HEAVY DUTY FORGED C-CLAMPS**; **ASSORTED RETRACTABLE HOSE REELS**; **CAT-50 TAPER SPDL. TOOLING**; **INDEXABLE ENDMILLS**; **INDEXABLE BALL ENDMILLS**; **KEYWAY CUTTERS AND BUSHINGS**; **INDEXABLE SHELL MILLS**; **ROLLER DRAWER TOOL CABINETS** w/large qty. of taper shank drills; **1" BENCH MOUNTED BELT SANDER**; **STRONGHOLD HEAVY DUTY CABINETS**.

## EXPENDABLE TOOLING

**KENNAMETAL INDEXABLE BORING BARS** w/interchangeable heads up to 3" dia.; **KENNAMETAL INTERCHANGEABLE HEADS**; **SMITH TOOL TAPMATIC HEAD AND COLLETS**.

## MISCELLANEOUS MACHINERY

**GREENLEE MDL. 855 SMART BENDER**, 1/2" thru 2" conduit, bending dies, roller stand, S/N ZW1165MC; **LECO MDL. 811-000 SAMPLE CUT-OFF SAW**, fully enclosed, S/N 126; **POWERMATIC MDL. 1200 DRILL PRESS**, variable spd., adj. height tbl., S/N 8020V455; **TORIT DUST COLLECTOR**; **JET COMBINATION 1" BELT SANDER AND 6" DISC SANDER**; **DEVlieg MICROPOINT TOOL SETTING GAUGE**, S/N 6163.

## SALE DATE:

**WEDNESDAY, JULY 28**  
**BIDS START CLOSING: 10:00 A.M.**



**1/2 T. FREE STANDING JIB CRANE**



**GRANITE SURFACE PLATE: 5' X 10' X 12" THICK**



**SAMPLE VIEW OF PRECISION MACHINE ACCESSORIES**



**GREENLEE  
POWER CONDUIT BENDER**



2006



HYSTER MDL. H60FT LPG FORKLIFT



JOHN DEERE  
MDL. 4105  
TRACTOR  
W/LOADER AND  
ATTACHMENTS



MARLEY COOLING TOWER



UPRIGHT  
MDL. MX19  
SELF-  
PROPELLED  
ELECTRIC  
SCISSOR LIFT

POWERBOSS  
LPG SCRUBBER



HYSTER NARROW AISLE  
ELECTRIC REACH TRUCKS

6  
AVAILABLE

NEW AS  
2006



5  
AVAILABLE

NEW AS  
2006

HYSTER ELECTRIC ORDER PICKERS

## UTILITY TRACTOR

JOHN DEERE MDL. 4105, diesel pwr'd., Mdl. 300CX front end loader, International 60" brush hog, box blade, sprayer and fork attach. for front end loader, 3 pt. rear hitch, S/N LV4105H110498.

## ZERO TURN LAWNMOWER

GRASSHOPPER MDL. 321D, diesel pwr'd.

## SELF-PROPELLED ELECTRIC SCISSOR LIFT

UPRIGHT MDL. MX19, 19' max. platform ht..

## FLOOR SCRUBBER

POWERBOSS MDL. TSS/82, new 2004, LP pwr'd., S/N 14123034.

## AIR COMPRESSOR

KOBALT MDL. 221580, 80 gal. vert. tank, S/N K17410863A-UV.

## COOLING TOWER

MARLEY MDL. NC8304E1GSNC-222405, new 2002.

## FREE STANDING BRIDGE CRANE SYSTEM

OSBORN INDUSTRIES 3 T. X 28' SPAN, sgl. girder, top running, Shawbox unitized wire rope hoist and trolley.

## JIB CRANES

2 T. CAP. PEDESTAL BASE TYPE, Yale 2 T. cap. air hoist; 1/2 T. CAP. X 14' REACH PEDESTAL BASE TYPE, approx. 8' ht. under rail, Harrington 1/2 T. cap. air hoist; (APPROX. 30) HANDLING SYSTEMS 1 T. X 18' REACH COLUMN MOUNTED TYPE, Harrington 1 T. cap. air hoists; MORE.

## LPG FORKLIFTS

HYSTER 6,000-LB. BASE CAP. MDL. H60FT, new 2006, LPG, 5,450-lb. cap. as equipped, 187.8" max. lift, side shift, large dia. cushion tires, S/N L177B04411D.

(2) TOYOTA 6,000-LB. MDL. 7FGCU30, new as 2005, LPG, 5,600-lb. cap. as equipped, 42" forks, cushion tires, S/N 63967 (2004), S/N 66661 (2005).

## NARROW AISLE ELECTRIC REACH TRUCKS

(6) HYSTER 4,000-LB. BASE CAP. MDL. N40XMR3, new as 2006, 3,700-lb. cap. @ 24" load center, 242" max. lift, 24 v., charger, S/N C470N03241D, S/N C470N0391C, S/N C470N02448B, S/N C470N03092C, S/N C470N03090C, S/N C470N03181D.

HYSTER 4,000-LB. BASE CAP. MDL. N40ZRS, charger, S/N A235N01528E.

RAYMOND 3,000-LB. BASE CAP. MDL. EASIR30TT, 3,000-lb. cap. @ 24" load center, 252" max. lift, 24 v., charger, S/N ET-F-04-13190.

CROWN 3,000-LB. BASE CAP. MDL. RR3010-30, S/N 1A131756 w/charger.

## ELECTRIC FORKLIFT

TOYOTA 4,000-LB. BASE CAP. MDL. 7FBEU20, new 2010, 3,450-lb. cap. @ 24" load center, 189" max. lift, 42" forks, side shift, solid tires, 36 v., charger, S/N 18778.

## ORDER PICKERS

(5) HYSTER 3,000-LB. BASE CAP. MDL. R30XMS2, new as 2006, 213" max. lift, 42" forks, 24 v., charger, S/N D174N03468E, S/N D174N03166D, S/N D174N030191C, S/N D174N03164D, S/N D174N02604B.



2004





# ONLINE TIMED AUCTION

**NATIONAL  
OILWELL VARCO**

**THESE ITEMS IN GREEN ON PAGE 6 & 7 ARE AT A SEPARATE  
LOCATION: 401 STEPHEN TAYLOR BLVD. IN MCALESTER, OK**



**SHARK 55 T. HYDRAULIC IRONWORKER**



**PORT-A-COOL EVAPORATIVE COOLER**



**MTS MDL. 150 FRICTION WELDER**

## IN HOUSTON, TX

**150-TON**



### HYDRAULIC PRESS

LOCATED OFFSITE AT  
4703 CREEKMONT DR.,  
HOUSTON, TX 77091

**MUST MAKE AN  
APPOINTMENT TO INSPECT  
- CALL TOM GORMSEN  
TO SCHEDULE:**

OFFICE: 1-832-424-7830  
CELL: (951) 741-9208

OR EMAIL:

**TOM.GORMSEN@NOV.COM**

**150 T. DAKE MDL. 18-439**, 20" stroke,  
56" daylight, 50" x 30" work area, down-  
acting, S/N 163112.

### FRICTION WELDER

**MTI MDL. 150**, control panel, safety guarding, 60 HP unitized hyd. system, S/N 24J46.

### HYDRAULIC IRONWORKER

**SHARK 55 T. CAP.**, 38mm bar shear, angle shear, S/N 501-109-00.

### INTEGRATED MIG WELDER

**MILLER MDL. MILLERMATIC 250X**, 250 amps @ 28 v., 60% duty cycle, integrated MIG wire feeder, S/N LB009511.

### TIG WELDER

**MILLER MDL. DIALARC HF**, 250 amps @ 40% duty cycle, Miller chiller, foot pedal and TIG torch, S/N JB538781.

### WELDING MANIPULATOR

**STINGER 4' X 4'**, portable base.

### HORIZONTAL BANDSAWS

**HEM MDL. 1200LAR AUTOMATIC**, auto. feed, infeed conveyor and output tbl., S/N 134781; **FEMI MDL. NG160 MITERING**, in/out roller conveyors.

### TABLE SAW

**DELTA UNISAW 10"**, extended miter arm.

### CABINET OVEN

**DESPATCH MDL. RS-2STD**, 500 deg. F. max. temp., dbl. door design, S/N 125528.

### MISCELLANEOUS EQUIPMENT

**DELTA UNISAW 10" TBL. SAW**, extended miter arm.

**JET COMBINATION BELT AND DISC GRINDER**; **OXY/AC. TORCH KIT** w/bottle and cart; **BANDING CARTS** w/banding tools; **PHOENIX MDL. 300 DRY ROD ELECTRODE STABILIZING OVEN**; **RIGID FRAME AND COLLAPSIBLE WIRE BASKETS**; (2) **DAYTON MDL. 1RK74A 15 KW ELECTRIC TURBO HEATERS**; **APPROX. 60" X 60" HYDRAULIC SCISSOR LIFT TBL.** w/controls.

**DON'T MISS  
THIS SALE**



**MILLERMATIC 250 INTEGRATED  
MIG WELDER**



**ASSORTED WIRE BASKETS**



**HYSTER MDL. H60XM LPG FORKLIFT**

**3  
AVAILABLE**



**TOYOTA ELECTRIC FORKLIFTS**



**CROWN ORDER PICKERS**

**3  
AVAILABLE**

**NEW  
2013**

## VERTICAL TURRET MILLING MACHINE

**SELECT**, 1 HP motor, belt driven head, long. pwr. feed.

## PORTABLE AIR COMPRESSOR

**KOBALT**, 30 gal. cap., 1 HP motor, running gear.

## EVAPORATIVE COOLER

**PORT-A-COOL MDL. PAC2K36HPVS**, 36" fan w/water system, S/N 199492-10.

## LPG FLOOR SWEEPER

**TENNANT MDL. S-20**, S/N S20-2130.

## LPG FORKLIFT

**HYSTER 6,000-LB. BASE CAP. MDL. H60XM**, 5,550-lb. cap. @ 24" load center, LPG pwr., 181.9" max. lift, Total Tracks scale, side shift, S/N H177B38122Z.

## ELECTRIC FORKLIFTS

**(3) TOYOTA 4,000-LB. BASE CAP. MDL. 7FBEU20**, 3,450-lb. cap. @ 24" load center, 189" max. lift, 42" forks, side shift, 36 v., battery pwr., S/N 22711, S/N 22700, S/N 11619.

## ELECTRIC ORDER PICKERS

**(3) CROWN 3,000-LB. BASE CAP. MDL. SP3510-30**, new 2013, 2,950-lb. cap. @ 24" load center, 136" max. lift, 24 v., w/charger, S/N 1A396298, S/N 1A396295, S/N 1A396296.

## PARTIAL TERMS & CONDITIONS

ALL BIDS ARE MADE AND RECEIVED UNDER THE TERMS HEREINAFTER SET FORTH TO WHICH TERMS BIDDERS AGREE BY MAKING THEIR BID AT THE SALE. THESE TERMS CANNOT BE ALTERED EXCEPT BY THE AUCTIONEER. NO EMPLOYEE HAS AUTHORITY TO MODIFY SAME. THE OWNER AND/OR AUCTIONEER RESERVE THE RIGHT TO ADD TO OR MODIFY THE TERMS OF THE SALES.

An 18% Buyer's Premium will apply.

This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

Plant & Machinery, Inc. **DOES NOT** take credit cards for auction invoice payments. All payments must be made by Cash, Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should be: [Mr. "Customer Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$ \_\_\_\_\_. This letter is good until August 30, 2021.

By registering, the Bidder hereby expressly authorizes PMI to charge the Credit Card if the Bidder fails to pay any invoice within forty eight (48) hours after each invoice is issued to Bidder.

All bidders are required to give full name, company name, address, phone, fax, email address, and bank information when registering. All bidders must register before bidding.

All bids must be paid in full within two business days after the bids have closed. The Auctioneer shall determine the bidding increments. Some items may be auctioned with reserve.

All purchases must be removed within two weeks after the bids have closed or within the timeframe posted on the sale web page. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Purchaser shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Sites must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level acceptable to Auctioneer and to the Seller.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. All bills must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084 or by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.

THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES. ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABILITY OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase.

The Auctioneer reserves the right to reject any and all bids, after the order of sale, and accept bids made on behalf of the Seller.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute. The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser or its representative will independently inspect the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods "AS IS, WITH ALL FAULTS" and "WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE" and agrees to protect, indemnify and hold harmless the Seller from any and all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING.

## LODGING

**JUST MINUTES AWAY FROM LOCATION #1:**

**HOLIDAY INN EXPRESS & SUITES**

1811 S Peaceable Rd., McAlester, OK 74501

ReservationCounter.com: (844) 208-8482

**COMFORT SUITES**

650 S George Nigh Expy, McAlester, OK 74501

**HAMPTON INN AND SUITES**

711 S. George Nigh Expy, McAlester, OK 74501

## REGISTRATION

Bid on-line at: **BidSpotter.com**

1. Register to bid at BidSpotter.com.  
Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**

2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT.** If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**

## PLANT & MACHINERY INC. APPRAISAL DIVISION

Confidential Industrial Machinery &  
Equipment Appraisals

Call **1-800-282-8466**





# ONLINE TIMED AUCTION

## PRECISION OILFIELD TOOL MANUFACTURING PLANTS CLOSING

Featuring: Late Model Weld Overlay Systems; CNC & Manual Machine Tools & Fab.; Late Model Material Handling Equip.; Shop & Warehouse Equip.; Much More!

**NATIONAL OILWELL VARCO**  
**LOCATION #1: 501 N GEORGE NIGH EXPY**  
**MCALESTER, OKLAHOMA 74501**  
**LOCATION #2: 401 STEPHEN TAYLOR**  
**MCALESTER, OKLAHOMA 74501**

**SALE DATE:**  
**WED., JULY 28**  
**BIDS START**  
**CLOSING:**  
**10:00 A.M.**

**2 DAY INSPECTION:**  
Monday & Tuesday,  
July 26 & 27  
9:00 A.M. to 4:00 P.M.  
**18% BUYER'S PREMIUM**  
**WILL APPLY**

**ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.**

Go to [www.pmi-auction.com](http://www.pmi-auction.com) and click on [BidSpotter.com](http://BidSpotter.com) on our calendar page for this auction sale.



GIDDINGS & LEWIS 4' X 9" RADIAL ARM DRILL



TENNANT MDL. S-20 LPG SWEEPER

**ADDITIONAL PHOTOS**  
**FROM LOCATION #1:**  
**501 N GEORGE NIGH**  
**EXPRESSWAY**  
**MCALESTER,**  
**OKLAHOMA 74501**



LINCOLN RANGER LPG  
PORTABLE WELDER



GRASSHOPPER ZERO TURN DIESEL MOWER



WIDE ARRAY OF ROLLER DRAWER TOOL CABINETS



INDEXABLE CARBIDE BORING BARS



OSBORN IND. 3 T. X 28' FREE STANDING CRANE SYSTEM