

SURPLUS
EQUIPMENT

EVERYTHING
MUST SELL!

Webcast Auction

VOSKY PRECISION MACHINING CORP.

CNC PRECISION MACHINING

70 AIR PARK DRIVE - RONKONKOMA, NY 11779

THURSDAY, NOVEMBER 10TH @ 10:00 A.M. EST



2019

Inspection:
Wednesday,
November 9th
From 8:00 A.M.
- 4:00 P.M. EST



2005

<
DOOSAN PUMA
GT3100L LONG
BED CNC TURNING
CENTER

>
OKK VP400
CNC BRIDGE
TYPE VERTICAL
MACHINING
CENTER



2
AVAIL.



2007

OKK MCV660 CNC VERTICAL MACHINING CENTERS

DOOSAN PUMA 300LC CNC TURNING CENTER



Asset Sales, Inc.

Corporate Headquarters
163 Associates Lane
Indian Trail, NC 28079
Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325
www.asset-sales.com info@asset-sales.com

European Headquarters
6 Hill End Close, Norwood Green
Halifax, West Yorkshire, HX3 8RH
Tel / Fax 07836.347880
peteram@asset-sales.co.uk

BidSpotter





96"
CENTERS

LEADWELL LTC-50BL CNC TURNING CENTER



OKUMA CADET LNC-8 CNC TURNING CENTER



2
AVAIL.

(2) HYUNDAI HIT-160 & HIT-8F CNC TURNING CENTERS



2
AVAIL.

(2) DAINICHI F25 CNC TURNING CENTERS



LION 20" X 60" GAP BED ENGINE LATHE & MAXTURN 16" X 40" ENGINE LATHE



2004

DECKEL MAHO DMU 80 T 5-AXIS CNC VERTICAL MACHINING CENTER

CNC VERTICAL MACHINING CENTERS

OKK VP400 CNC Bridge Type Vertical Machining Center with 35.4" x 16.1" Table, #40 Spindle Speeds to 12,000 RPM, Approx. 23.6" X-Axis Travel, 16.1" Y-Axis, 18.1" Z-Axis, 20 Position ATC, **FANUC** 180iS-MB CNC Control with Remote Pulse Generator, sn:393 MA32793, mfg.2007

OKK MDV55 CNC Vertical Machining Center with 48" x 22" Table, #50 Spindle Speeds to 10,000 RPM, Approx. 40" X-Axis Travel, 22" Y-Axis, 20" Z-Axis, 20 Position ATC, **FANUC** 180iS-MB CNC Control, sn:MA98625, mfg.2005

AWEA YAMA SEIKI AV-610 CNC Vertical Machining Center with 25.5" x 17.7" Table, #40 Spindle Speeds to 10,000 RPM, Approx. 23.9" X-Axis Travel, 17.7" Y-Axis, 17.7" Z-Axis, 24 Position ATC, **FANUC** Oi-MD CNC Control with Remote Pulse Generator, sn:610-13028, mfg.2013

EXCEL PMC-5T18 CNC Vertical Machining Center with 27.5" x 17.1" Table, #40 Spindle Taper to 8,000 RPM, Approx. 20.1" X-Axis Travel, 16.1" Y-Axis, 18.1" Z-Axis, 18 Position ATC, **FANUC** OKK PCV40 CNC Control, sn:1296 MA46220

OKK PCV40 CNC Vertical Machining Center with 28" x 16" Table, BT40 Spindle Speeds to 8,000 RPM, Approx. 22" X-Axis Travel, 16" Y-Axis, 16" Z-Axis, 30 Position ATC, CNC Control, sn:1296 MA46620

(2) **OKK MCV660** CNC Vertical Machining Centers with 66" x 25" Tables, #50 Spindle Speeds to 6,000 RPM, Approx. 59" X-Axis Travel, 26" Y-Axis, 25.5" Z-Axis, 24 Position ATC, **OKK** Neomatic 635 & **MITSUBISHI** CNC Controls with Remote Pulse Generators, sn:190 MA66056 • sn:404 MA66293

DECKEL MAHO DMU 80 T 5-Axis CNC Vertical Machining Center with 49.21" x 27.55" Table, Approx. 28" Built-In Rotary Table, 40 Taper Spindle Speeds to Approx. 12,000 RPM, Approx. 880mm X-Axis Travel, 630mm Y-Axis, 630mm Z-Axis, (2) 16 Position Dual ATC's, Probing **HEIDENHAIN** TNC530 CNC Control, sn:11130002963, mfg.2004

(2) **FANUC** Drill Mate Model T CNC Drill and Tapping Centers with 25.5" x 15" Tables, BT30 Spindle Speeds to 6,000 RPM, Approx. 19.6" X-Axis Travel, 14.9" Y-Axis, 11.8" Z-Axis, 10 Position ATC, **FANUC** O-M CNC Controls, sn:MA811349 • sn:MA710423

CNC TURNING CENTERS & LATHES

DOOSAN Puma GT3100L Long Bed CNC Turning Center with 12" 3-Jaw Hydraulic Chuck x Approx. 48" Center Distance, 12 Position Turret, Tailstock, Tool Presetter, Chip Conveyor, Hydraulic Steady Rest, **FANUC** i CNC Control, sn:ML0313-000277, mfg.2019, Approximately 1782 Power On Hours

DOOSAN Puma 300LC CNC Turning Center with 12" 3-Jaw Hydraulic Chuck x Approx. 48" Center Distance, 12 Position Turret, Tailstock, Tool Presetter, Chip Conveyor, **FANUC** 21i-TB CNC Control, sn:P30L-2806, mfg.2007

LEADWELL LTC-50BL CNC Turning Center with 15" 3-Jaw Hydraulic Chuck x Approx. 96" Center Distance, 12 Position Turret, Tailstock, Chip Conveyor, Hydraulic Steady Rest, **FANUC** O-T CNC Control, sn:E93Y00503

HYUNDAI HIT-160 CNC Turning Center with 6" 3-Jaw Hydraulic Chuck x Approx. 20" Center Distance, 12 Position Turret, Tailstock, Parts Catcher, Chip Conveyor, **FANUC** Oi-T CNC Control, sn:1600C 15, mfg.2002

HYUNDAI HIT-8F CNC Turning Center 6" 3-Jaw Hydraulic Chuck x Approx. 20" Center Distance, 12 Position Turret, Tailstock, Tool Presetter, Chip Conveyor, **FANUC** O-T CNC Control, sn:1600C015

OKUMA Cadet LNC-8 CNC Turning Center with 8" 3-Jaw Hydraulic Chuck x Approx. 24" Center Distance, 12 Position Turret, Tailstock, Chip Conveyor, **OKUMA** OSP5020L CNC Control, sn:0358

DAINICHI BX 45 CNC Turning Center with 10" 3-Jaw Chuck x Approx. 20" Center Distance, 10 Position Turret, Tailstock, Chip Conveyor, **FANUC** 10T CNC Control, sn:22453

DAINICHI F 35 CNC Turning Center with 12" 3-Jaw Hydraulic Chuck x Approx. 48" Center Distance, 12 Position Turret, Tailstock, Chip Conveyor, **FANUC** O-T CNC Control, sn:23742

(2) **DAINICHI F 25** CNC Turning Centers with Approx. 10" 3-Jaw Hydraulic Chucks x Approx. 24" Center Distance, 10 Position Turrets, Tailstocks, Chip Conveyors, **FANUC** 21-T CNC Controls, sn:27131 • sn:28348

HARDINGE CHNC II CNC Chucker Lathe with Collet Chuck x Approx. 14" Swing, 8 Position Turret, CNC Control, sn:CN4251F

STAR STM-38 CNC Screw machine with Hydrostatic Barfeed and **FANUC** 6T CNC Control, sn:005916



OKK PCV40 CNC VERTICAL MACHINING CENTER



AWEA YAMA SEIKI AV-610 CNC VERTICAL MACHINING CENTER



BROWN & SHARPE CMM



TOYOTA 5,000LB CAPACITY LP FORKLIFT



DOALL BANDSAW & BOYER SHULZ SURFACE GRINDER



QUINCY AIR COMPRESSOR



LATHES, KNEE MILLS & MISC. MANUAL MACHINERY

LION 20" x 60" C11T-103 Gap Bed Engine Lathe with approximately 10" 3-Jaw Chuck, Approx. 20" Swing x 60" Centers, 4" Bore, Taper Attachment, Spindle Speeds to 1,400 RPM, Chip Guard, Steady Rests, sn:17775

MAXTURN 16" x 40" Engine Lathe with Approximately 10" 3-Jaw Chuck, Approx. 16" Swing x 40" Centers, 2.25" Bore, Spindle Speeds to 1,800 RPM, sn:111-8508350

HARDINGE DV59 Second Op Toolroom Lathe with 5C Collet Closer, Compound Cross Slide, Tailstock, Variable Spindle Speeds

HARDINGE HCT Turret Lathe with 5C Collet Closer, 8 Station Cross Sliding Turret, Single Point Threading Attachment, Variable Carriage Speed, Chip Guard

BRIDGEPORT Vertical Knee Mill with 9" x 42" Table, Spindle Speeds to 2,720 RPM, Power Feed, DRO, sn:031584

SUNNEN MBB1650 Horizontal Hone with .0600" to 6.5" ID Range, 16" Boring Range, Spindle Speeds to 1,600 RPM, sn:51287

BOYER SHULZ 612 Surface Grinder with 6" x 12" Permanent Magnetic Chuck, sn:FF5223

DOALL Model DBW-15 Vertical Bandsaw with 24" x 24" Tilting Work Table, Variable Blade Speeds, Blade Welder and Grinder, sn:290701429

INSPECTION & QUALITY CONTROL

BROWN & SHARPE Gage 2000 Coordinate Measuring Machine with 29" x 22" Table, Control, Readout & Printer, RefleX Software, sn:0598-1710, mfg.1998

SPI Masterview 14 Benchtop Optical Comparator with 14" Screen

Complete Inspection Department Including Hardness Tester, Pin Gauge Sets, **MITUTOYO** & Other Micrometers, Calipers, Gauge Blocks, Bore Gauges, Height Gauges, Granite Surface Plates, Bench Centers, **MITUTOYO** Surf-Testers, etc.

FORKLIFTS & ROLLING STOCK

TOYOTA 6FGCU50 5,000 lb. Capacity LP Forklift with 42" Forks, Side Shift, 3-Stage Mast, Treaded Front Tires, Headlights, sn:61594

FORD Work Van, Model E-350 with Triton V8 Engine, sn:1FBJ531L8VH08873, mfg.1997

AIR COMPRESSORS & PLANT SUPPORT EQUIPMENT

QUINCY Model QMB25AOA125F 25hp Rotary Screw Air Compressor, Auto-Dual Control with Modulation, sn:87490 • (2) **QUINCY** Model 325, 5hp Vertical Reciprocating Air Compressors, sn:6035262 • sn:362652 • **QUINCY** Air Dryer

Large Selection of **KURT** & Other Vises • Bench Vises • Large Selection of #40, #50 Taper Tool Holders • Carbide & Perishable Tooling • Lathe Tooling • (4) **HAAS** 5C CNC Rotary Indexers & Indexer • **DAREX** Drill Sharpener • Collets • Hand Tools • Portable Tool Carts & Toolboxes • Steel Workbenches • Pallet Racking • Misc. Machine Parts • Plus Much More!



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – www.asset-sales.com

Asset Sales Inc. • Lance Mannion – North Carolina License #6003 & 6625



DOOSAN PUMA GT3100L LONG BED CNC TURNING CENTER

ABBREVIATED TERMS & CONDITIONS OF AUCTION

YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE.

Subject to amendments and modifications announced by Asset Sales, Inc. and Bidspotter at the time of the auction, any person participating in the webcast auction will be bound by the following terms and conditions. Neither Asset Sales, Inc. nor Bidspotter warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein.

All articles will be sold to the highest webcast bidder conforming to the bid process in accordance to the AUCTION COMPANY'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by Asset Sales, Inc.. No item, no matter how small or how far the purchaser has to travel, may be removed until after the online auction is completely closed.

All payments shall be by wire transfer, cashers check, cash or a company check with a bank letter of guarantee. All bidding and invoicing will be in US Dollars (\$).

All bidders are responsible for all applicable taxes, in addition a 18% Buyer's Premium is implemented for all online sales.

Rigging/ Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured.

ALL ONLINE SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.

REGISTRATION & BIDDING ONLINE:

When participating as a buyer via Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions.

ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED.

WEBCAST AUCTION

VOSKY PRECISION MACHINING CORP.

CNC PRECISION MACHINING
RONKONKOMA, NY

THURSDAY, NOVEMBER 10TH @ 10:00 A.M. EST