



# 2-DAY ONLINE AUCTION

## REVERE PACKAGING, LLC

### Prominent Manufacturer of Aluminum and Plastic Packaging Servicing the Food Industry

**FEATURED ASSETS:** Thermoformers, Granulators, Chillers, OBI and C-Frame Punch Presses, Air Compressors, Dryer, Balers, Forklifts, Material Handling, Conveyors, Cranes, Maintenance Area, Plant Support Equipment, Tool Room Equipment and Large Scrap Opportunity

**DAY 1: Wednesday, June 8 at 11:00am EDT (Online Bidding Only – No Onsite Bidding)**

**INSPECTION:** Tuesday, June 7, from 9:00am to 4:00pm EDT

**ASSET LOCATION:** 39 Pearce Industrial Road, Shelbyville, KY 40065



**DAY 2: Thursday, June 9 at 11:00am PDT (Online Bidding Only – No Onsite Bidding)**

**INSPECTION:** Tuesday & Wednesday, June 7 & 8, from 9:00am to 4:00pm PDT

**ASSET LOCATION:** 4600 Beloit Drive, Sacramento, CA 95838



BID ONLINE ONLY VIA: **BidSpotter**



224.927.5320

pplauctions.com



**THERMOFORMERS**

**GNPLASTICS MODEL GN3725DX ROLL-FED VACUUM THERMOFORMER,** S/N 813433241286, (2014), 36" x 25" Maximum Forming Area, 5" Depth of Draw, Knife Length, 413" APET Only and 450" Other Thermoformable Materials, 200-Ton Clamping Force, 38" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 28" Roll Diameter, 30 Cycles/Minute, RSX Robotic Stacker (2014) mdl. 3625 RSX, S/N RS 1411460, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #T12, (Located in Shelbyville, KY)

**GNPLASTICS MODEL GN3725DX ROLL-FED VACUUM THERMOFORMER,** S/N 813333011233, (2015), 36" x 25" Maximum Forming Area, 5" Depth of Draw, Knife Length, 413" APET Only and 450" Other Thermoformable Materials, 200-Ton Clamping Force, 38" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 28" Roll Diameter, 30 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #T11, (Located in Shelbyville, KY)

**GNPLASTICS MODEL GN3625DX ROLL-FED VACUUM THERMOFORMER,** S/N 813231301231, (2013), 36" x 25" Maximum Forming Area, 5" Depth of Draw, Knife Length, 413" APET Only and 450" Other Thermoformable Materials, 200-Ton Clamping Force, 38" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 28" Roll Diameter, 30 Cycles/Minute, RSX Robotic Stacker mdl 3625 (2013) s/n RS 1307434, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #T10, (Located in Shelbyville, KY)

**GNPLASTICS MODEL GN3725D ROLL-FED VACUUM THERMOFORMER,** S/N 812423338866, (2005), 36" x 25" Maximum Forming Area, 5" Depth of Draw, Knife Length, 413" APET Only and 450" Other Thermoformable Materials, 200-Ton Clamping Force, 38" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 28" Roll Diameter, 30 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #13, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 3030D ROLL-FED VACUUM THERMOFORMER,** S/N 81202130736, (2002), 30" x 30" Maximum Forming Area, 5" Depth of Draw, Knife Length, GNPlastics Robotic Stacking Unit MDL 3030RS (2010) S/N RS1007370, 270" APET Only and 450" Other Thermoformable Materials, 200 Ton Clamping Force, 32" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 25 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Static Eliminator, Air and Water Cooling and PLC Control, Winder, Asset #9, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 3021 ROLL-FED VACUUM THERMOFORMER,** S/N 81835159, 30" x 21" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only and 375" Other Thermoformable Materials, 100 Ton Clamping Force, 32" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 25 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #4, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 3021 ROLL-FED VACUUM THERMOFORMER,** S/N 8191009212, (1990), 30" x 21" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only & 375" Other Thermoformable Materials, 100 Ton Clamping Force, 32" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 25 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #6, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 3021 ROLL-FED VACUUM THERMOFORMER,** S/N 818835159, (1990), 30" x 21" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only & 375" Other Thermoformable Materials, 100 Ton Clamping Force, 32" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 25 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #7, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 3021B ROLL-FED VACUUM THERMOFORMER,** S/N 811116249, (1992), 30" x 21" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only & 375" Other Thermoformable Materials, 100 Ton Clamping Force, 32" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 25 Cycles/Minute, Servo Driven Platen, Electric Pre-Heater, Air and Water Cooling and PLC Control, Winder, Asset #8, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 2220 ROLL-FED VACUUM THERMOFORMER,** S/N 816822105, 32" x 20" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only & 375" Other Thermoformable Materials, 24" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 18 Cycles/Minute, 28" Roll Diameter, 18 Cycles/Minute, PLC Controls, Material: PVC, PET, PS BOPS, PP, Wider, Asset #2, (Located in Shelbyville, KY)

**GNPLASTICS MODEL 2220 ROLL-FED VACUUM THERMOFORMER,** S/N 8162282, 32" x 20" Maximum Forming Area, 5" Depth of Draw, Knife Length, 335" APET Only & 375" Other Thermoformable Materials, 24" Maximum Sheet Width, 0.15mm – 1 mm Film Thickness, 18 Cycles/Minute, 28" Roll Diameter, 18 Cycles/Minute, PLC Controls, Material: PVC, PET, PS BOPS, PP, Winder, Asset #3, (Located in Shelbyville, KY)





**THERMOFORMERS (Continued)**



**GNPLASTICS MODEL 3030D ROLL-FED VACUUM THERMOFORMER, WITH GNPLASTICS ROBOTIC STACKER**



**GNPLASTICS MODEL 3021B ROLL-FED VACUUM THERMOFORMER**

**OBI AND C-FRAME PUNCH PRESSES**

**(7) BLISS 60-TON MECHANICAL PUNCH PRESSES**, S/N 49303, Asset #PRESS10, S/N 497858, Asset #PRESS13, S/N 3271003, Asset #PRESS14, S/N 4523-0568, Asset #PRESS26, Asset27, S/N 47034, Asset #PRESS21, S/N H45322, (Located in Shelbyville, KY)

**(3) BLISS 50-TON MECHANICAL PUNCH PRESSES**, S/N 549909, Asset #PRESS23, Asset #24, Asset #25, (Located in Shelbyville, KY)

**(2) PRECISION INDUSTRIES 50-TON MECHANICAL OBI PUNCH PRESSES**, S/N 878089, Asset #PRESS11, S/N 970004, Asset #PRESS15, (Located in Shelbyville, KY)

**FEDERAL 57-TON MECHANICAL OBI PUNCH PRESS**, S/N 6598485, Asset #PRESS22, (Located in Shelbyville, KY)

**FEDERAL 40-TON MECHANICAL OBI PUNCH PRESS**, Asset #PRESS16, (Located in Shelbyville, KY)

**FEDERAL 35-TON MECHANICAL OBI PUNCH PRESS**, S/N 505112, Asset #PRESS12, (Located in Shelbyville, KY)

**JOHNSON 45-TON MECHANICAL OBI PUNCH PRESS**, S/N 820066, Asset #PRESS20, (Located in Shelbyville, KY)



**VIEWS OF OBI & C-FRAME PUNCH PRESSES**



**AIR COMPRESSORS, DRYER AND BALERS**

**INGERSOLL-RAND MODEL SSR-XF 150 ROTARY SCREW AIR COMPRESSOR**, 150 HP, S/NF11124U94354, (Located in Shelbyville, KY)

**SULLAIR MODEL LS25-200 HAC ROTARY SCREW AIR COMPRESSOR**, 200 HP, S/N 003-77470, (Located in Shelbyville, KY)

**MIKIROPOR MODEL MKUS 2000 2,000-SCFM COMPRESSED AIR DRYER**, S/N 4319MA13211 (2020), (Located in Shelbyville, KY)

**GALLAND HENNING NOPAK MODEL REV BALER**, S/N BALERAC, (Located in Shelbyville, KY)

**LOAD KING MODEL 30 VERTICAL CARDBOARD BALER**, S/N 6377, (Located in Shelbyville, KY)

**GRANULATORS & CHILLERS**

**HOSOKAXA MODEL XGS GRANULATOR**, S/N 11205L2344789, (Located in Shelbyville, KY)

**FOREMOST MODEL HD8 GRANULATOR**, S/N 20769, (Located in Shelbyville, KY)

**WHALEY MODEL SERIES COMPA CHILL SAP5-3-2PT 5-TON AIR COOLED CHILLER**, S/N 2537 - Lennox Model SASP-3-2PT Chiller, S/N 215150, (Located in Shelbyville, KY)



**IR SSR-XF 150 ROTARY SCREW AIR COMPRESSOR**



**MIKIROPOR COMPRESSED AIR DRYER**



**GALLAND HENNING NOPAK MODEL REV BALER**



## **FORKLIFTS, MATERIAL HANDLING, CONVEYORS AND CRANES**

**YALE MODEL ERC050QGN48TE084 5,000 LB. ELECTRIC FORKLIFT**, Battery Charger, A.N E108V17909A, (Located in Shelbyville, KY)

**CLARK MODEL S-40-B 4,000 LB. WALK BEHIND ELECTRIC LIFT TRUCK**, Battery Charger, S/N 540-0065 Asset #TDS-17, (Located in Shelbyville, KY)

**WULFTEC INTERNATIONAL MODEL WSML-150-S LOW PROFILE SEMIAUTOMATIC STRETCH WRAP MACHINE**, S/N 4695150518, (Located in Shelbyville, KY)

**WULFTEC INTERNATIONAL MODEL WLP-150 LOW PROFILE SEMIAUTOMATIC STRETCH WRAP MACHINE**, S/N 6259-1-1102, (Located in Shelbyville, KY)

**GENIE MODEL GS-1930 SCISSOR LIFT**, S/N E09045, (Located in Shelbyville, KY)

**KARCHER MODEL F-90-R RIDING TYPE ELECTRIC FLOOR SCRUBBER**, S/N FSD258556, (Located in Shelbyville, KY)

**(12) HYTROL MODEL C-19 CONVEYORS, DORNER MODEL 32EDM36 CONVEYOR 7' & 5', 2-TON JIB CRANE WITH COFFING 2-TON ELECTRIC HOIST, PORTABLE GANTRY CRANE WITH CHAIN HOIST**, (Located in Shelbyville, KY)



**YALE 5,000 LB. ELECTRIC FORKLIFT**



**WULFTEC INTERNATIONAL STRETCH WRAPPER**



**GENIE MODEL GS-1930 SCISSOR LIFT**



**KARCHER RIDING TYPE ELECT. FLOOR SCRUBBER**

## **MAINTENANCE AREA**

**KINGSTON MODEL HD-2260 ENGINE LATHE**, S/N CH02157, (Located in Shelbyville, KY)

**KINGSTON MODEL HJ-1100 ENGINE LATHE**, S/N CH94110, (Located in Shelbyville, KY)

**CLAUSING MODEL 6913 ENGINE LATHE**, S/N 600841, (Located in Shelbyville, KY)

**KALAMAZOO MODEL S10D HEAVY DUTY VERTICAL SANDER**, S/N 210319, (Located in Shelbyville, KY)

**SUPERTEC MODEL STP-618 SURFACE GRINDER**, S/N M86WB103A09, (Located in Shelbyville, KY)

**(2) BRIDGEPORT VERTICAL MILLING MACHINES, BENCH GRINDERS, VERTICAL AND HORIZONTAL BAND SAWS, DRILL PRESSES, MILLER ARC WELDER, ETC.**, (Located in Shelbyville, KY)



**VIEW OF MAINTENANCE AREA**



**KINGSTON MODEL HD-2260 ENGINE LATHE**



**SUPERTEC STP-618 SURFACE GRIDER**

## **LARGE SCRAP OPPORTUNITY AND TOOLING**

**RAW MATERIALS**, Includes 200,000 lbs. Aluminum (est.), 100,000 lbs. Assorted Plastic (est.) and Large Quantity of Assorted Cardboard, (Located in Shelbyville, KY)

**LARGE QUANTITY OF COMPANY OWNED TOOLING, DIES AND MOLDS**, (Located in Shelbyville, KY)



**VIEWES OF LARGE SCRAP OPPORTUNITY AND TOOLING**





**THERMOFORMERS**

**GNPLASTICS MODEL GN3625DX ROLL-FED VACUUM THERMOFORMER,**  
S/N 813434011289, (2015); 915mm x 635mm (36" x 25") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 10,500mm (413") APET Only and 11,430mm (450") Other Thermoformable Materials, 200 Ton Clamping Force, 965mm (38") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 711mm (28") Roll Diameter, 30 Cycles/Minute; with Robotic Stacker; Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL GN3625DX ROLL-FED VACUUM THERMOFORMER,**  
S/N 812120261183, Asset #179, (2012); 37" x 25" Forming Area; with Yushin Model R Alla-150S-HS Robot, S/N 3511071-001, (2008), *(Located in Sacramento, CA)*

**GNPLASTICS MODEL GN3625 ROLL-FED VACUUM THERMOFORMER,**  
S/N 81212228777, Asset #146, (2003); 915mm x 635mm (36" x 25") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 10,500mm (413") APET Only and 11,430mm (450") Other Thermoformable Materials, 200 Ton Clamping Force, 965mm (38") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 711mm (28") Roll Diameter, 30 Cycles/Minute; with Yushin Model RAll-Alpha-150SL-HS-TH Robot, S/N 3702302002, (2002); Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3021C ROLL-FED VACUUM THERMOFORMER,**  
S/N 81252447966, Asset #152, (2006); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Yushin Model RAll-Alpha-150SL-HS-TH Robot, S/N 3702302001, (2009); Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3021R ROLL-FED VACUUM THERMOFORMER,**  
S/N 81252447966, Asset #152, (2006); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Yushin Model RAll-Alpha-150SL-HS-TH Robot, S/N 3702302001, (2009); Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**SENCORP MODEL 3033 VACUUM FORMING MACHINE,** S/N 27061001, (2001); with Roll Stand; Safety Cage; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3022 ROLL-FED VACUUM THERMOFORMER,**  
S/N 81181757576, Asset #133, (1999); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**LYLE MODEL 3030 ROLL-FED THERMOFORMER,** S/N 039139/104020033, Asset #47, (1996); 30" x 30" Forming Area, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL GN3021 ROLL-FED VACUUM THERMOFORMER,**  
S/N 81141402372, Asset #43, (1995); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Yushin Model RAlla-150-HS Robot, S/N 3511071-002, (1995); Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 2220C ROLL-FED VACUUM THERMOFORMER,**  
S/N 81181761580, Asset #134, (1999); 560mm x 508mm (22" x 20") Maximum Forming Area, 125mm (5") Maximum Drawing Depth, 595mm (24") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 711mm (28") Roll Diameter, 18 Cycles/Minute, Materials: PVC, PET, PS, BOPS, PP; with PLC Controls, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 2220 ROLL-FED VACUUM THERMOFORMER,**  
S/N 81111226290, Asset #32, (1993); 560mm x 508mm (22" x 20") Maximum Forming Area, 125mm (5") Maximum Drawing Depth, 595mm (24") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 711mm (28") Roll Diameter, 18 Cycles/Minute, Materials: PVC, PET, PS, BOPS, PP; with PLC Controls, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3021 ROLL-FED VACUUM THERMOFORMER,**  
S/N 81121210302, Asset #34, (1993); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3021 ROLL-FED VACUUM THERMOFORMER,**  
S/N 8111123256, Asset #23, (1992); 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 3021B ROLL-FED VACUUM THERMOFORMER,**  
S/N 81111207271, (1992); M6A 6N Size, 760mm x 530mm (30" x 21") Maximum Forming Area, 125mm (5") Depth of Draw, Knife Length: 8,500mm (335") APET Only and 9,525mm (375") Other Thermoformable Materials, 100 Ton Clamping Force, 815mm (32") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 25 Cycles/Minute; with Servo Driven Platen; Electric Preheater; Static Eliminator; Air and Water Cooling; and PLC Control, *(Located in Sacramento, CA)*

**GNPLASTICS MODEL 2220 ROLL-FED VACUUM THERMOFORMER,** S/N 8178091333, Asset #17, (1988); 560mm x 508mm (22" x 20") Maximum Forming Area, 125mm (5") Maximum Drawing Depth, 595mm (24") Maximum Sheet Width, 0.15mm - 1mm Film Thickness, 711mm (28") Roll Diameter, 18 Cycles/Minute, Materials: PVC, PET, PS, BOPS, PP; with PLC Controls, *(Located in Sacramento, CA)*



**GNPLASTICS MODEL GN3625DX ROLL-FED VACUUM THERMOFORMER, WITH YUSHIN ROBOT**

**GNPLASTICS MODEL GN3625DX ROLL-FED VACUUM THERMOFORMER**



**THERMOFORMERS (Continued)**



**GNPLASTICS MODEL GN3625 ROLL-FED VACUUM THERMOFORMER, WITH YUSHIN ROBOT**



**GNPLASTICS MODEL 3021C ROLL-FED VACUUM THERMOFORMER, WITH YUSHIN ROBOT**

**TOOL ROOM EQUIPMENT**

**YCM MODEL XV-1020A 3-AXIS CNC VERTICAL MACHINING CENTER**, S/N 1000, Asset #151, (2005), 25 hp; 20.47" x 44" Table, 40" X- Axis Travel, 20.4" Y-Axis Travel and 21.3" Z-Axis Travel, 12,000 rpm; with CNC Control, (Located in Sacramento, CA)

**FADAL MODEL VMC15XT 3-AXIS CNC VERTICAL MACHINING CENTER**, S/N 9707324, (1997); 16" x 30" Table, 20" X-Axis Travel, 16" Y-Axis Travel and 20" Z-Axis Travel, Spindle Speeds to 7,500 rpm, 12 hp Spindle Drive; with CNC Controls, (Located in Sacramento, CA)

**FREJOTH MODEL F1-900G 12" X 36" TOOLROOM LATHE**, S/N 863483, (Located in Sacramento, CA)

**SHARP MODEL HMV VERTICAL MILLING MACHINE**, S/N 81113882; with T-Slot Work Table; and Machinists Vise, (Located in Sacramento, CA)

**RONG FU MODEL 128-4000 5" COLUMN X 15" ARM RADIAL ARM DRILL**, S/N 330318, (2003); 280-3,000 rpm Spindle Speed, 15" Throat; with 1.5 hp Motor, (Located in Sacramento, CA)

**ENCO MODEL 1712017 VERTICAL BAND SAW**, S/N B453356, (Located in Sacramento, CA)



**LYLE MODEL 3030 ROLL-FED THERMOFORMER**

**BID ONLINE ONLY VIA: BidSpotter**



**SENCORP MODEL 3033 VACUUM FORMING MACHINE**



**YCM MODEL XV-1020A 3-AXIS CNC VERTICAL MACHINING CENTER**



**FADAL MODEL VMC15XT 3-AXIS CNC VERTICAL MACHINING CENTER**



**PLANT SUPPORT EQUIPMENT**

**(2) QUINCY MODEL QSI370 ROTARY SCREW AIR COMPRESSORS,** S/N 1104270126; and S/N 1104280050, 75 hp, (Located in Sacramento, CA)

**INGERSOLL-RAND MODEL SSR-EPE50 ROTARY SCREW AIR COMPRESSOR,** S/N CA2622403181, 50 hp, (Located in Sacramento, CA)

**QUINCY MODEL QPCD-800 800-SCFM REFRIGERATED AIR DRYER,** S/N 9829211187-01, (2001); with 650-Gallon Air Pressure Tank, (Located in Sacramento, CA)

**(3) TOYOTA MODEL 8FGCU18 3,600-LB. LP GAS LIFT TRUCKS,** S/N 39188, 39185 and 38441 (2018), (Located in Sacramento, CA)

**CUMBERLAND MODEL 2036TF 20" X 36" MEDIUM TANGENTIAL GRANULATOR,** Asset #147; with Tec Model I3519 Inclined Belt Conveyor, S/N 0401053, Estimated 24"W x 14"L, (Located in Sacramento, CA)

**PERKINELMER MODEL DSC4000 MOISTURE ANALYZER,** (2017); with Perkins Elmer Cooler, (Located in Sacramento, CA)

**STRATASYS MODEL FORTUS 250MC 3D PRINTER,** S/N P14031; with Wash Station, (Located in Sacramento, CA)

**(2) PORT-A-COOL MODEL JETSTREAM 260 FLOOR FANS,** S/N 2036238130011; and S/N 2037238130028, (Located in Sacramento, CA)

**WULFTEC INTERNATIONAL MODEL WRP-150 SEMIAUTOMATIC STRETCH WRAP MACHINE,** S/N 20791-1-03-05, (Located in Sacramento, CA)

**ALSO INCLUDED:** Large Quantity of Raw Aluminum, Molds, Pallet Racking, Tool Boxes, Welders, Cabinets, Inspection Equipment and much more, (Located in Sacramento, CA)



1 of 2

QUINCY ROTARY SCREW AIR COMPRESSOR



2018

1 of 3

TOYOTA 3,600-LB. LP GAS LIFT TRUCK



TRIM PRESS



CUMBERLAND MEDIUM TANGENTIAL GRANULATOR



VIEW OF MOLDS



VIEW OF RAW MATERIALS

**AUCTION TERMS & CONDITIONS**

**REGISTRATION & BIDDING:** Everything will be sold to the highest bidders for cash, in accordance with the auctioneer's normal "Terms of Sale", which are available at the site or by request at 224-927-5320. A 18% Buyer's Premium will be added to the final bid price. Your bid is a contract: Place a bid only if you're serious about buying the item. If you are the high bidder, you will enter into a legally binding contract with PPL Auction.

**PAYMENT:** All successful Bidders agree to make full payment to PPL Auctions at the conclusion of the sale. Only Bank wire Transfer, Bank Check or Cashier's Check payable to PPL Auctions or Cash will be accepted. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. If you are using a wire transfer your bank may wire the funds the day after the sale. All sales are subject to sales and/or local taxes unless a signed exemption form is presented at the time of the purchase. Payment will be made in US dollars only.

**VERIFY DESCRIPTIONS:** Note: Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information contained in the auction brochure, lot cat log or sale web pages. **Buyer agrees to accept assets purchased per standard auction terms, "AS IS, WHERE IS, WITH ALL FAULTS" WITHOUT ANY REPRESENTATION OR WARRANTY BY PPL AUCTION OR ANY OTHER PERSON. THERE ARE NO EXPRESSED OR IMPLIED REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ASSETS INCLUDING, WITHOUT LIMITATION, ANY REPRESENTATION OR WARRANTY REGARDING THE MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.**

**REMOVAL & RIGGING:** Removal and Rigging is the responsibility of the buyer. Anyone, either a buyer or a rigger, who uses a powered vehicle to remove anything from the auction site, will be required to present a certificate of insurance. Removal may begin when the auction has completed and payment in full has been made.

**ISSUANCE OF TITLE:** Titles relative to titled assets purchased will be mailed to the purchaser's address on file after payment is received and cleared. **All invoices must be paid in full at end of auction. Any merchandise not paid for at this time will be considered abandoned and may be resold by auctioneer, any loss incurred in the resale to be borne by the original buyer.**

**BID ONLINE ONLY VIA: BidSpotter**