

LIVE WEBCAST ONLINE ONLY AUCTION



**Metal Stamping & Fabrication Facility Surplus
to the Ongoing Operations of Just Manufacturing**

SALE DATE

Thursday, November 30, at 10AM CT

SALE LOCATION

9233 King Ave., Franklin Park, IL 60131

INSPECTION

Wednesday, November 29,
from 9 AM to 4 PM CT, by appt. only

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/justmanufacturing>



AMADA LASMAC LC2 415A4NT LASER



KOMATSU E2G300 STRAIGHT SIDE PRESS

FEATURING: KOMATSU E2G300 Straight Side Press, HPM 800 SL2 Hydraulic Press, HPM 800 SL Hydraulic Press, BLISS S2-300-72-48 Straight Side Press, OBI & Gap-Frame Presses, (2) CINCINNATI 175 CB x 10' Press Brakes, (3) WYSONG 1412 Shears, ROWE Cut-To-Length Line, 2008 AMADA Lasmac LC2 415A4NT Laser, 2014 PANASONIC Robotic Welding Cell, MILLER Maxstar TIG Welders, 2010 RANSOHOFF Pass Through Washer, Vertical & Horizontal Spindle Polishers, HYSTER Fork Lifts, Plant Support Equipment & More



**PERFECTION
Industrial Sales**

Perfection Industrial Sales IL Firm Lic. #444.000438, Steve Kleba IL Auctioneer Lic. #441.001778

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Bidding Available Through

BidSpotter

STRAIGHT SIDE PRESSES, GAP FRAME & OBI PRESSES

STRAIGHT SIDE PRESSES

HPM 800 SL-2 800 TON HYDRAULIC PRESS, s/n 61-54, Speeds: Inches/min - 590" Closing, 590" Return, 380" Return With Cushion; 40" Stroke, 28" Shut Height to Bed, 48" X 48" Bed Area, 48" X 48" X 10" Bolster Area, 600 Ton Cushion, 18" Cushion Stroke, AB PanelView 600 PLC, Refurbished 2005

HPM 800 SL 800 TON HYDRAULIC PRESS, s/n 65-224, Speeds: Inches/min - 600" Closing, 600" Return, 400" Return With Cushion; 36" Stroke, 28" Shut Height to Bed, 60" X 60" Bed Area, 61" X 60" X 9.5" Bolster Area, 600 Ton Cushion, 18" Cushion Stroke, 33"W Windows, Allen-Bradley PanelView 600 Control

KOMATSU E2G300 300 TON STRAIGHT SIDE PRESS, s/n 10024, 15-25 SPM, 17.71" Stroke, 7.8" Slide Adjustment, 82.67" X 53.1" X 7.08" Bolster Area, 37" X 33.5" Windows

BLISS S2-300-72-48 300 TON STRAIGHT SIDE PRESS, s/n H 60974, 25 SPM, 18" Stroke, 10" Slide Adjustment, 43" Shut Height to Bed, 72" X 48" Bed Area



800 TON

HPM 800 SL-2 STRAIGHT SIDE PRESS



330 TON

KOMATSU E2G300 STRAIGHT SIDE PRESS

GAP FRAME & OBI PRESSES

KR WILSON 38-Ton C-Frame Press, s/n 2880; **DENISON FL35 35-Ton C-Frame Press**, s/n 24436; **NIAGARA M-35 OBI Press**, s/n 49239, 35 Ton, 5" Stroke, 13.25" Shut Height, 2.25" Slide Adj, 24" x 15" Bed, 15" x 12" Slide, 57-150 SPM; **ROUSSELLE 40-H OBI Press**, s/n 19524, 40 Ton, 3" Stroke, 105 SPM; **ROUSSELLE NO. 3F OBI Press**, s/n 19504, 25 Ton, 4" Stroke, 135 SPM; **ROUSSELLE NO. 2 OBI Press**, s/n 27030, 15 Ton, 2" Stroke, 160 SPM; (2) **BLISS NO. 41A OBI Press**; **BLISS NO. 25 1/2 OBI Press**, 25 Ton; (2) **KENCO 101-095-200 10 TON OBI Punch Press**, s/n 89-835, 89-830; **ROCKFORD 5 1/2 R OBI Press**; **HEIM 12A OBI Press**, s/n 1877; **WALSH 45X OBI Press**, s/n 12322



36" STROKE

HPM 800 SL STRAIGHT SIDE PRESS



BLISS S2-300-72-48 STRAIGHT SIDE PRESS



DENISON C-FRAME PRESS



35 TON

DENISON FL35 C-FRAME PRESS



KR WILSON 38 TON C-FRAME PRESS



NIAGARA M-35 OBI PRESS



120 TON

HEIM 12A OBI PRESS

PRE-AUCTION OFFERS INVITED ON MAJOR ASSETS

PRESS BRAKES & SHEARS, FABRICATION & WELDING

PRESS BRAKES & SHEARS

(2) CINCINNATI 175CBX10 175 TON HYDRAULIC PRESS BRAKES, s/n 44255, 40649, 12' Overall Length, 10'6" Between Housings, 10" Stroke

CHICAGO D&K 235-F-10 235 TON PRESS BRAKE, s/n H-1523, 10' Overall Length

STEELWELD L8-6 30 TON PRESS BRAKE, s/n M-2225, 10' Overall Length, 8" Stroke

CINCINNATI 1810 SHEAR, s/n 25043, 10' x 1/4" Capacity

(3) WYSONG 1472 SHEARS, s/n na, 6' x 14 Ga Capacity

WYSONG 1072 SHEAR, s/n P119-167X, 6' x 10 Ga Capacity



CHICAGO D&K 235-F-10 235 TON PRESS BRAKE



6' X 10 GA

WYSONG 1072 SHEAR



2 AVAILABLE

CINCINNATI 175CB X 12 175 TON HYDRAULIC PRESS BRAKE

FABRICATION & WELDING

2008 AMADA LASMAC LC2 415A4NT LASER, s/n 45581391, w/ Fanuc Laser C2000, Orion Chiller and Donaldson Torit ADF4 Collection System

2014 PANASONIC ROBOTIC WELDING CELL, Including PANASONIC TA-1600 6-Axis Welding Robot, YA-1 UAR81 Manipulator, YC-300BP4 Welding Power Source, YA-1UAR81UOA Robot Controller, Miller Coolmate 4 Cooler

ALSO: (6) 2022-2017 MILLER MAXSTAR 200/210/280 TIG Welders, s/n MH090894L, MH090898L, MJ480822L, MK420657L, NB440319L, NC210380L, NC210384L, MJ210726L; MILLER AXCESS 300 MIG Welder, s/n MB330016U, w/ Miller Axxcess 40V Wire Feed; MILLER XMT 300 Arc Welder, w/ HF-250D-1 High Freq Arc Starter; (6) MILLER COOLMATE 3 Coolant Systems; TAYLOR WINFIELD ERB-12-150 150 KVA Spot Welder, s/n 54235; TAYLOR WINFIELD NB-36-50A 50 KVA Spot Welder, s/n 61266



3 AVAILABLE

WYSONG 1472 SHEAR



2008

AMADA LASMAC LC2 415A4NT LASER



2014

PANASONIC ROBOTIC WELDING CELL



6 AVAILABLE

MILLER MAXSTAR WELDER



6 AVAILABLE

MILLER COOLMATE 3 TIG TORCH WATER COOLER



MILLER AXCESS 450 MIG WELDER



MILLER XMT 300 CC/CV DC INVERTER ARC WELDER




MILLER SYNCROWAVE 250 DX TIG & STICK WELDER

CUT-TO-LENGTH LINE, TOOLROOM MACHINERY, FINISHING EQUIPMENT

CUT-TO-LENGTH LINE

ROWE CUT-TO-LENGTH LINE, Including 10050 DSV Uncoiler, s/n 14585, 10,000 Lb Capacity, 60"W x 60" OD, BGY-12A Coil Car, s/n 14584, 12,000 Lb Capacity, 60"W x 60"OD, DET-10-50, s/n 14587, .030-.135" Thickness Capacity, HMP SQ-50, s/n 14589, 50"W Capacity, 1060 RKB Shear, s/n 14590, 50" Wide Capacity, CVR-PS50-12 Threading Table, s/n 14591, 50"W



ROWE CUT-TO-LENGTH LINE

TOOLROOM MACHINERY

FLAGLER UR-2510 ROLL FORMER, s/n UR-2510 10/73;
WYSONG NO. 411 Bearer Crimper Sheet Roller;
NIAGARA NO. 11 Bearer Crimper Sheet Roller; **JET JPSG-618M1 Surface Grinder**, s/n 0607042; **TOS SN 45A Engine Lathe**, s/n 04515813; **AMERICAN STEEL LINE 60 Coil Reel**, s/n 7505, 1,000 Lb Cap.; **CHICAGO W31 Finger Brake**, s/n 111081; **RIGID 300-T2 Pipe Threader**, s/n ED871430122; **DEWALT GE Rip Saw**, s/n 71782; **DAYTON 4Z909C 8" Bench Grinder**; **KALAMAZOO 4" Belt Sander**

FINISHING EQUIPMENT

2010 RANSOHOFF PASS THROUGH WASHER, s/n 5145
(10) DREILING MACHINE SIDE & DECK POLISHERS
(2) HI-LITE V28M3-PC-A2-T-30M POLISHERS, s/n 7-971-649-R-9-2089, 7-2380-920R-B46-4-690
(6) BEACH SEAM WELD POLISHERS, (4) Incl. Dust Collectors



DREILING MACHINE DECK POLISHER



DREILING MACHINE SIDE POLISHER



RANSOHOFF LEANVEYOR PASS THROUGH WASHER



BEACH SEAM WELD POLISHER



HI-LITE V28M3 POLISHING MACHINE

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com

Bidding Available Through
BidSpotter

View our current auction schedule at www.perfectionindustrial.com

FORKLIFTS & PLANT SUPPORT

FORKLIFTS & PLANT SUPPORT

HYSTER S80XLBCS 8,250 LB LP FORKLIFT, s/n D004D04160U, Side Shift
HYSTER S50XL 5,200 LB LP FORKLIFT, s/n C187V13445S, Side Shift
HYSTER S50X 5,000 LB LP FORKLIFT, s/n D187V07113U, Side Shift
CROWN SP FORKLIFT, s/n 1A243058
CROWN 30SP36TL FORKLIFT, s/n W-71865

ALSO: SKYJACK Scissor Lift, Pallet Racking, Air Compressors, Air Dryers, Cabinets, Pallet Jacks, Rolling Carts, Work Benches, Rolling Tool Carts, Sanding Equipment, Rolling Gantry Crane, Walk-Behind Floor Scrubbers, Misc. Hand & Power Tools, and more



HYSTER S80XLBCS LP FORKLIFT



CROWN SP ELECTRIC ORDER PICKER FORKLIFT



HYSTER S50XL LP FORKLIFT




HYSTER S50XM LP FORKLIFT



CROWN SC 4020-30 TT190 ELECTRIC FORKLIFT



SULLAIR 3709 AC AIR COMPRESSOR



PALLET JACKS



HEAVY DUTY ADJUSTABLE PALLET RACKING



OVER 130 SECTIONS

FORKLIFTS & PLANT SUPPORT



2 AVAILABLE

SKYJACK SCISSOR LIFT



EAGLE 2000BE SEMI-AUTOMATIC
STRETCH WRAPPER



2020

2 TON ROLLING GANTRY CRANE



SELCO V5-HD VERTICAL
BALER



DOLLIES

For auction inquiries, please contact Jennifer Reiner at
(847) 545-6374 or jennifer@perfectionindustrial.com

Bidding Available Through
BidSpotter

View our current auction schedule at www.perfectionindustrial.com

SALE DATE

Thursday, November 30, at 10AM CT

SALE LOCATION

9233 King Ave.
Franklin Park, IL 60131

INSPECTION

Wednesday, November 29,
from 9 AM to 4 PM CT, by appt. only

REMOVAL

All items must be removed no later than Friday, December 29. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

No Removal Permitted on Holiday

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.

AUCTION LICENSE

Perfection Industrial Sales IL Firm Lic. #444.000438, Steve Kleba IL Auctioneer Lic. #441.001778

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374