

ONLINE AUCTION

SURPLUS TO MAGNA MACHINE & OTHERS



MAGNA
Machine Co.

TUESDAY, FEBRUARY 28TH, 2023 @ 12:00PM ET (11:00AM CT)

Featuring Union PCR-160 CNC Floor Type Horizontal Boring Mill, 2018 Hexram MP 1024 5-Axis CNC Portal Milling Machine, Ibarmia ZVH58 5-Axis Travelling Column CNC Machining Center, Hwacheon and Daewoo CNC Turning Centers, 2022 Huron NX 4222 CNC Bridge Mill, TOS SKIQ Vertical Turning Centers, Giddings & Lewis Horizontal Boring Mills, CNC Milling & Turning Centers, Vertical Boring Mills, Danobat Grinder, Parts Washer and Much More!



2018 5-AXIS
HEXRAM MP 1024 5-AXIS CNC PORTAL MILLING MACHINE



2012
LYMCO RAL-16 CNC VERTICAL TURNING CENTER



2008 5-AXIS
IBARMIA ZVH 58 L4000 5-AXIS CNC TRAVELLING COLUMN VERTICAL MACHINING CENTER



SALE PENDING
LIVE MILLING
TOS SKIQ 20 CNC VERTICAL TURNING CENTER

INSPECTION: By Appointment
ASSETS LOCATION: Cincinnati, Ohio and Multi-Location

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



LOADING TO BUYER'S TRUCK INCLUDED AS NOTED IN LOT CATALOG - EXPORT PACKING AVAILABLE AT ADDITIONAL COST

REGISTER & BID ONLINE: **BidSpotter**

LARGE CAPACITY CNC MACHINING

CNC PORTAL MILLING MACHINE:

HEXRAM MP 1024 5-AXIS CNC PORTAL MILLING MACHINE, Fanuc iH Pro CNC Control, A/C Axis Continuous Milling Head, 120" x 288" X-289.5", Y-131.5", Z-47.5", A-Axis +/- 110 Degrees, Spindle Speeds to 13,000 RPM, HSK-100 Taper, 16-Position Tool Pick Up Station, Coolant Through Spindle, Dual Chip Conveyors, 2018

2018

5-AXIS



HEXRAM MP 1024 5-AXIS CNC PORTAL MILLING MACHINE

CNC BRIDGE MILL:

2022 HURON NX 4222 CNC BRIDGE MILL, Siemens 828 CNC Control with Shop Mill Software, 78.7" x 137.7" T-Slotted Table, X-165.3", Y-108.6", Z-31.5", 98.4" Between Columns, Spindle Speeds to 10,000 RPM, 22,000 Lbs. Table Capacity, HSK-100A Spindle Taper, 24-Position Automatic Tool Changer, Renishaw RMP60 Probe, 25.2" UCAM 4th-Axis Rotary Table & Tailstock, Scales, BRAND NEW IN CRATES [Demo Unit Available for Inspection]

2022

NEW IN CRATES



HURON NX 4222 CNC BRIDGE MILL

2012



UNION PCR160 PLUS CNC FLOOR TYPE HORIZONTAL BORING MILL WITH RAM

CNC FLOOR TYPE HORIZONTAL BORING MILL:

UNION PCR160 PLUS CNC FLOOR TYPE HORIZONTAL BORING MILL WITH RAM, Heidenhain iTNC 530 CNC Controls, 60 ATC, 6.3" Spindle Diameter, 17.7" x 21.6" Ram, Travels: X-590", Y-236", Z (Ram)-59", W-27", Spindle Speeds 5-3500 rpm, Thru Spindle Coolant, 157" x 157" Bost HT-120 MillTurn B-Axis Rotary Table, 118" V-Axis Table Infeeding, 250,000 Lbs. Table Weight Capacity, (Horizontal/Vertical), Emena V4 Auto-Indexing Universal Head, Sempuco FK 5000/90X Right Angle Head, Pickup Station for Head Attachments, Chip Conveyor, 80.46S/N 1400005, 2012
Note: Floor Plates Not Included

CNC VERTICAL TURNING CENTERS



TOS SKIQ 20 CNC VERTICAL TURNING CENTER



TOS SKIQ 16 CNC VERTICAL TURNING CENTER

CNC VERTICAL TURNING CENTERS:

TOS SKIQ 20 CNC VERTICAL TURNING CENTER, Siemens 840Dsl CNC Controls, 78" Table, 86" Max Turning Diameter, 110" Swing, 68" Max Workpiece Height, 2.5-250 RPM Table Speeds, 35,200 Lbs. Table Capacity, C-Axis .001 Degrees, Z-(Ram)-39", W (Crossrail)-31.5", 4-3000 RPM Live Spindle Speeds, 24 HP Live Spindle Motor, 86 HP Table Motor, 15 Position ATC, 2012, S/N 2212-093 **SALE PENDING**

TOS SKIQ 16 CNC VERTICAL TURNING CENTER, Siemens 840Dsl CNC Controls, 63" Table, 71" Max Turning Diameter, 75" Swing, 68" Max Workpiece Height, 3.15-315 RPM Table Speeds, 26,000 Lbs. Table Capacity, C-Axis .001 Degrees, Z-(Ram)-39", W (Crossrail)-31.5", 4-3000 RPM Live Spindle Speeds, 24 HP Live Spindle Motor, 53 HP Table Motor, 15 Position ATC, 2013, S/N 2212-111 **SALE PENDING**

LYMCO RAL-16 CNC VERTICAL TURNING CENTER, Fanuc Oi-TD CNC Control, 63" Table, 78.7" Swing, 39.4" Ram Stroke, 63" Turning Height, Table Speeds to 250 RPM, 12-Station Automatic Tool Changer, Crossrail Travel 39.4" (5 Positions), Chip Conveyor, S/N R16-1204, 2012

192" FARREL CNC VERTICAL BORING MILL, Fanuc 0-M CNC Control, 192" Table, 202" Max Swing, 110" Max Height, (2) Rams, 96" Ram Stroke, 125 Ton Table Weight Capacity, Flush Floor, 100 HP Table Motor, Adjustable Fixed Rail, S/N 69R4440 [Note: Machine Disassembled and Ready for Immediate Shipment] [Located In: Lester, Pennsylvania]



LYMCO RAL-16 CNC VERTICAL TURNING CENTER



192" FARREL CNC VERTICAL BORING MILL

CNC TURNING & MACHINING CENTERS



2008

5-AXIS

IBARMIA ZVH 58 L4000 5-AXIS CNC TRAVELLING COLUMN VERTICAL MACHINING CENTER



2007

KLOPP UFS1000/5000 CNC UNIVERSAL MACHINING CENTER

CNC TURNING & MACHINING CENTERS:

IBARMIA ZVH 58 L4000 5-AXIS CNC TRAVELLING COLUMN VERTICAL MACHINING CENTER, Heidenhain iTNC 530 CNC Control, 181" x 40" T-Slotted Table, X-157", Y-39", Z- 34.5", A-Axis Contouring Head (+/- 105 Degrees), 6,000 RPM, 39.4" Dia. Integrated B-Axis Contouring Table , 40-Position Automatic Tool Changer, High Pressure Coolant Thru Spindle, S/N 07623, 2008

KLOPP UFS1000/5000 CNC UNIVERSAL MACHINING CENTER, Heidenhain iTNC 430 CA CNC Control, A/C Axis Indexing Head (1 Degree), 157" x 59" T-Slotted Table, X-196.8", Y-31.5" Ram In/Out, Z- 43.3", 22,000 Lbs. Table Capacity, 50 Taper Coolant Thru Spindle, Chip Conveyor, 34 HP, S/N 0043, 2007

HERMLE C800V CNC VERTICAL MACHINING CENTER, Heidenhain iTNC 426 CNC Control, 39.4" x 22" Table, X-31.4", Y-23.2", Z-19.7", Spindle Speeds to 8,000 RPM, 40 Taper, Coolant Thru Spindle, 30-Position Automatic Tool Changer, Flood Coolant, S/N 12288



HERMLE C800V CNC VERTICAL MACHINING CENTER



2012

DMG MORI CTX GAMMA 2000 TC CNC MILLING & TURNING CENTER



DAEWOO 400L CNC TURNING CENTER



2016

HWACHEON CUTEX 180A YMC CNC TURNING & MILLING CENTER

DMG MORI CTX GAMMA 2000 TC CNC MILLING & TURNING CENTER, Siemens 840D CNC Control, 8,000 RPM Milling Spindle, 27.6" Max Workpiece Diameter, 78.74" Max Length, 16" Dia. Chuck Main Spindle, Main Spindle Speeds to 2,500 RPM, 13" Dia. Opposed Spindle, Opposed Spindle Speeds to 4,000 RPM, 240 Degrees B-Axis (Milling Spindle) Travel, SMW Autoblock Steady Rest (Fully Programmable), 36-Position Automatic Tool Changer, High Pressure Coolant Thru Spindle, Spindle Chiller System, Chip Conveyor, 2012 [Located In: Plymouth, Indiana]

DAEWOO 400L CNC TURNING CENTER, Fanuc 18i-T CNC Control, 21" 3-Jaw Chuck, 26" Swing, 21" Turning Diameter, 85.4" Between Centers, Spindle Speeds to 3,000 RPM, 10-Station Turret, 4.6" Spindle Bore, Hydraulic Tailstock, 50 HP, S/N P35L0228

HWACHEON CUTEX 180A YMC CNC TURNING & MILLING CENTER, Fanuc Oi-TF CNC Control, 6" 3-Jaw Chuck, 27.6" Swing Over Bed, 11.8" Max Cutting Diameter, 10.96" Max Cutting Length, Spindle Speeds to 6,000 RPM, Y-Axis, Turnmill, 5,000 RPM Live Spindle Speeds, Tool Presetter, Tailstock, Chip Conveyor, S/N M037364GZFA, 2016

CNC HORIZONTAL & VERTICAL BORING MILLS

2008



GIDDINGS & LEWIS FT 3500 CNC FLOOR TYPE HORIZONTAL BORING MILL

CNC HORIZONTAL BORING MILLS:

GIDDINGS & LEWIS FT 3500 CNC FLOOR TYPE HORIZONTAL BORING MILL, Fanuc 310i CNC Control, 6.1" Spindle, X-171", Y-82.6", Z-49.2", Spindle Speeds 10-3500 RPM, CAT 50 Taper, 75 HP Spindle Motor, 60-Position Automatic Tool Changer, Thru Spindle Coolant, Part & Tool Probing, Chip Conveyor, S/N 485-0001-08, 2008 [Located In: Tipp City, Ohio]

GIDDINGS & LEWIS MC60 CNC HORIZONTAL BORING MILL WITH PALLET SHUTTLE, G&L 8000M CNC Control, 6.1" Spindle Diameter, X-96", Y-66", Z-36", W-84", Spindle Speeds 12-2500 RPM, Built-In B-Axis Rotary Table with (4) 48" x 72" Pallets, .001 Degree B-Axis, High Pressure Coolant Thru Spindle, 50 HP Spindle Motor, S/N 450-380-98 [Located In: Plymouth, Indiana]

TOSHIBA BTD-13F.R22 CNC TABLE TYPE HORIZONTAL BORING MILL, Tosnuc 888 CNC, 5.12" Spindle, X-118.11", Y-90.55", Z-63", W-27.55", 70.8" x 86.6" B-Axis Rotary Table, 360,000 Positions, 44,000 Lbs. Table Capacity, 60 ATC, Thru Spindle Coolant, Chip Conveyor, 40 HP, S/N 143880 [Located In: Clarksburg, Pennsylvania]



GIDDINGS & LEWIS MC60 CNC HORIZONTAL BORING MILL



TOSHIBA BTD-13F.R22 CNC TABLE TYPE HORIZONTAL BORING MILL

2007



177"/240" OLYMPIA 180L CNC VERTICAL BORING MILL

CNC VERTICAL BORING MILLS:

177"/240" OLYMPIA 180L CNC VERTICAL BORING MILL WITH MILLING, Fanuc 18i-TB CNC Controls, 177" Table, 240" Swing, Ram w/ ATC, 137.7" Max Work Height, 78.74" Ram Stroke, 110,000 Lbs. Table Capacity, Table Speeds .3-40 RPM, Live Milling [Non Operational], Live Milling Speeds to 1000 RPM, C-Axis Table, CAT #50 Taper, Chip Conveyor, 100 HP Table Motor, 2007 [Located In: Wellsville, New York]

108" BULLARD DYN-AU-TAPE CNC VERTICAL BORING MILL, Fanuc 0-TT CNC Control, (2) Rams, 120" Swing, 78" Under Rail, 66.5" Ram Stroke (LH Ram), 51" Ram Stroke (RH Ram), 84,000 Lbs. Table Capacity, Table Speeds .85-102 RPM, Threading, Chip Conveyor, 75 HP Table Motor, S/N 33501, Retrofit 1999 [Located In: Wellsville, New York]



108" BULLARD DYN-AU-TAPE CNC VERTICAL BORING MILL

ADDITIONAL EQUIPMENT



DANOBAT RTH-4000 CNC WAY & SURFACE GRINDER

PROCECO BELT WASHER, Model BCW 44/55x10-6W-3R-12D-G-SS304, 2000 Gallon Tank 1, 950 Gallon Tank 2, 500 Degrees Dryer Temp, Work Size 10" H, Conveyor 1 – 55" Wide, 2-12 FPM, Conveyor 2 – 44" Wide, 2-12 FPM, 6,700 Lbs. Load Capacity (Both Conveyors), Air Knife and Gas Heating Element Added, S/N 029-0, [Located In: Plymouth, Indiana]

MAZAK INTEGREX E-1060V/8 5-AXIS CNC VERTICAL/HORIZONTAL TURNING & MILLING CENTER, Fusion 640M Pro CNC Control, X- 73.8", Y-41.73", Z-52.95", B-Axis (Spindle Head Tilt) -30/120 Degrees, Spindle Speeds 35-10,000 RPM, 50 HP Spindle Motor, Max Workpiece Size, 49.21" x 49.21", (2) 39.4" Dia. Pallets, C-Axis Table, Table Speeds to 500 RPM, 50 HP Table Motor, (2) APC, 160-Position Automatic Tool Changer, Mazak Superflow V8M (1000 PSI High Pressure Coolant System), E-Machine Die Mold Package, Chip Conveyor, Heidenhain Scales (X/Y/Z), Renishaw Probe, S/N 163467, 2003 [Located In: Burnaby, BC, Canada]

IKEGAI TU26 CNC TURNING CENTER, Fanuc 18i-T CNC Control, 10" 3-Jaw Chuck, 19" Swing Over Bed, 18.5" Max Turning Diameter, 25" Max Machining Length, Spindle Speeds to 4,000 RPM, 12-Station Turret, 3.42" Spindle Bore, Hydraulic Tailstock, S/N 53830V

SIP 600 CNC JIG BORER, GE Fanuc 18-M CNC Control, 33" x 43.5" T-Slotted Table, X-40", Y-28", Z-12", Spindle Speeds to 2,000 RPM, Newall DRO, S/N 612

DANOBAT RTH-4000 CNC WAY & SURFACE GRINDER, 23.6" x 3.9" Grinding Wheel, 157.5" x 39.4" Table, 40" Under Wheel, Swiveling Dovetail-Type Auxiliary Grinding Wheel, 30 HP Grinding Wheel Motor, Chiller, Magnetic Filtration System, Siemens 810D CNC Control, S/N 14 [Located In: Cincinnati, Ohio]



PROCECO BELT WASHER



IKEGAI TU26 CNC TURNING CENTER



SIP 600 CNC JIG BORER



MAZAK INTEGREX E-1060V/8 5-AXIS CNC VERTICAL/HORIZONTAL TURNING & MILLING CENTER

ONLINE AUCTION

SURPLUS TO MAGNA MACHINE & OTHERS



TUESDAY, FEBRUARY 28TH, 2023 @ 12:00PM ET (11:00AM CT)

INSPECTION: By Appointment
ASSETS LOCATION: Cincinnati, Ohio and Multi-Location

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



****LOADING TO BUYER'S TRUCK INCLUDED AS NOTED IN LOT CATALOG - EXPORT PACKING AVAILABLE AT ADDITIONAL COST****

REGISTER & BID ONLINE: BidSpotter