

## *C W Harrison & Son Catalogue 08 May 2024*

- \*1 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*2 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*3 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*4 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*5 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*6 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*7 RKS RD 5 folding e-bike, blue with black, Motor: RKS 250W brushless DC; Screen: S866 LCD (with USB port); Lights: LED front controlled from screen and battery rear; Battery: 36V 10Ah - removable, housed in frame; Charging time: 5-6 hours; Range: 45-60 Km; Top assisted speed: 25 km/h; Top assisted speed: 25 km/h; Wheels: 20" Alloy twin spoke; Tyres: CST 20" \*4.00; Brakes: YX-DB06 Discs front and rear; Frame: Aluminium folding; Suspension front: Telescopic fork (with lock-out); Suspension rear: Single shock (A5 RR1 pneumatic); Saddle: Gel, adjustable height; Accessories: Rear pannier rack, Kick stand; Derailleur: Shimano RD TY300D, 7 speed; Shifter (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys

- (right): Shimano TX50; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 134 kg max.; EN15194:2017 safety standard; complete with battery charger, user manual and two keys
- \*8 RKS RS IV folding e-bike, gloss white, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*9 RKS RS IV folding e-bike, gloss white, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*10 RKS RS IV folding e-bike, gloss white, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*11 RKS RS IV folding e-bike, gloss white, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*12 RKS RS IV folding e-bike, matte black, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*13 RKS RS IV folding e-bike, matte black, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*14 RKS RS IV folding e-bike, matte black, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*15 RKS RS IV folding e-bike, matte black, Motor: 250W 48V brushless DC; Screen: LCD Colour with USB port; Front Light: LED controlled from screen and battery rear; Battery: Samsung 48V 12.5Ah; Charging time: 4-6 hours; Range: 65-80 Km; Top assisted speed: 25 km/h; Tyres: CST 20" \*4.00; Brakes: XOD HD hydraulic discs front and rear; Frame: Aluminium folding; Front fork: Mozo telescopic - with lock-out; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano, 7 speed; Shifter (right): Shimano Altus; Electric cable: Waterproof harness; Power assist levels: 1-5; Nett weight: 27 kg; Rider weight: 127 kg max., EN15194:2017 safety standard, complete with Battery charger, User manual and two keys



- Discs front and rear; Frame: 20" Alloy folding; Forks: Telescopic (with lock-out); Wheels: Alloy twin spoke; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano SP7 speed; Power assist levels: 1-5; Nett weight: 23 kg; Rider weight: 125 kg max; EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*39 2 x bike ponchos - one red, one blue
  - \*40 4 x bike ponchos - two red, two blue
  - \*41 4 x bike ponchos - red
- \*26 RKS TNT 5 Pro folding e-bike, white, Motor: 250W brushless DC; Screen: LCD; Lights: LED front controlled from screen and battery rear; Battery: 36V 10 Ah - removable, housed in frame; Charging time: 4-6 hours; Range: 35-45; Top assisted speed: 25 km/h; Tyres: Kenda 20" \*1.95; Brakes: Discs front and rear; Frame: 20" Alloy folding; Forks: Telescopic (with lock-out); Wheels: Alloy twin spoke; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano SP7 speed; Power assist levels: 1-5; Nett weight: 23 kg; Rider weight: 125 kg max; EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*27 RKS TNT 5 Pro folding e-bike, white, Motor: 250W brushless DC; Screen: LCD; Lights: LED front controlled from screen and battery rear; Battery: 36V 10 Ah - removable, housed in frame; Charging time: 4-6 hours; Range: 35-45; Top assisted speed: 25 km/h; Tyres: Kenda 20" \*1.95; Brakes: Discs front and rear; Frame: 20" Alloy folding; Forks: Telescopic (with lock-out); Wheels: Alloy twin spoke; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano SP7 speed; Power assist levels: 1-5; Nett weight: 23 kg; Rider weight: 125 kg max; EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*27A RKS TNT 5 Pro folding e-bike, white, Motor: 250W brushless DC; Screen: LCD; Lights: LED front controlled from screen and battery rear; Battery: 36V 10 Ah - removable, housed in frame; Charging time: 4-6 hours; Range: 35-45; Top assisted speed: 25 km/h; Tyres: Kenda 20" \*1.95; Brakes: Discs front and rear; Frame: 20" Alloy folding; Forks: Telescopic (with lock-out); Wheels: Alloy twin spoke; Saddle: Gel, height adjustable; Rear pannier rack; Kick stand; Derailleur: Shimano SP7 speed; Power assist levels: 1-5; Nett weight: 23 kg; Rider weight: 125 kg max; EN15194:2017 safety standard, complete with Battery charger, User manual and two keys
- \*28 2 x bike ponchos - one purple, one pink
  - \*29 2 x bike ponchos - one purple, one pink
  - \*30 2 x bike ponchos - one purple, one pink
  - \*31 4 x bike ponchos - two purple, two pink
  - \*32 4 x bike ponchos - two purple, two pink
  - \*33 4 x bike ponchos - two purple, two pink
  - \*34 4 x bike ponchos - two purple, two pink
  - \*35 4 x bike ponchos - two purple, two pink
  - \*36 2 x bike ponchos - one red, one blue
  - \*37 2 x bike ponchos - one red, one blue
  - \*38 2 x bike ponchos - one red, one blue