

GLOBAL WEBCAST AUCTION

Online Only Webcast | No On-Site Bidding

Surplus Assets to the Ongoing Operations of an Electronic Vehicle Manufacturer

PREMIER EV MANUFACTURING COMPANY

FEATURING: 3D Printers • CNC Machining • Metal Fabrication • Woodworking Equipment • Dynamometer • Electrodynamic Shaker & Test Chamber • Parametric Test Station for a Traction Inverter Validation • Ovens / Test Chambers • Chillers • Parts Cleaners • 3D Scanning Arena • Passenger Van • Support Equipment

Thursday, April 10th @ 10am PT

INSPECTION: By Appointment Only

PREVIEW LOCATION: 18455 South Figueroa Street, Gardena, CA 90248

2015



2 Available


STRATASYS F900 Large Industrial 3D Printers

2016



TARUS 5-Axis High Speed Single Column Post Mill

2015



ANDERSON ELECTRIC CONTROLS, INC. Dynamometer

2016



THERMOTRON Electrodynamic Shaker, w/Test Chamber

For Further Information Email: customerservice@maynards.com

SALE CONDUCTED BY:

Maynards
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

17177 N. Laurel Park Drive, Suite 236

Livonia, MI 48152

248.569.9781 | maynards.com

Place your bid now!

Register at:

BidSpotter

3D PRINTERS

- (2) 2015 Stratasys F900 Large Industrial 3D Printer, Part Number: 125-60000, Build Size: 36" x 24" x 36", Layer Thickness: 0.020"
- Stratasys Fortus 900mc Large Industrial 3D Printer, Part Number: 125-00100, Build Size: 36" x 24" x 36", Layer Thickness: 0.020"
- 2014 Stratasys Objet1000 Plus Large Industrial 3D Printer, Build Size: 39.3" x 31.4" x 19.6", Thickness Layer: 0.0006"
- Markforged MARK X7 Carbon Fiber 3D Printer, Build Size: 13" x 10.6" x 7.8"
- Formlabs Form 2 Stereolithography 3D Desktop Printer, Build Size: 5.7" L x 5.7" W x 6.9" H



MARKFORGED MARK X7 Carbon Fiber 3D Printer

CNC MACHINING

- 2016 Tarus 5-Axis High Speed Single Column Post Mill, Model TPTSCHSM2475, In-Ground, Approximately 33' of Rail Travel, 4' x 12' x 31" High Box Table, Suitable for Milling Clay, Foam, and Epoxy, Computer Controlled (Used for Milling Clay Car Models)
- 2015 Haas VF-8/40 3-Axis CNC VMC, 8100-RPM 40-Taper Spindle, X=64", Y=40", Z=30", 36" x 64" Worktable, 40+1 Side-Mount ATC



TARUS 5-Axis High Speed Single Column Post Mill

2015



2 Available

STRATASYS F900 Large Industrial 3D Printers



STRATASYS Fortus 900mc Large Industrial 3D Printer

2014



STRATASYS Objet1000 Plus Industrial 3D Printer

2016



2015



HAAS VF-8/40 3-Axis CNC Vertical Machining Center

For Further Information Email: customerservice@maynards.com

METAL FABRICATION EQUIPMENT

- **Scotchman 50-Ton Ironworker**, Model 5014-TM, 4" Throat Depth, 1" Punch Stroke, 4" x 4" x 3/8" Angle Shear
- **Scotchman 13.75" Cold Saw**, Model CPO-350LT
- **2016 National 16-GA x 6' Box & Pan Brake**, Model U7216
- **Demmeler Bluco Modular Fixturing Table**, (59" x 9'-10")
- **Demmeler Bluco Modular Cart**, w/Fixtures
- **Diversitech Model FRED SR-01 Weld Fume Extractor**, 1.5 HP



SCOTCHMAN 50-Ton Ironworker



SCOTCHMAN 13.75" Cold Saw



DEMMELEER BLUCO Modular Fixturing Table, (59" x 9'-10")



DEMMELEER BLUCO Modular Cart



DIVERSITECH Weld Fume Extractor

WOODWORKING EQUIPMENT

- **2015 Striebig (Type 5168) Vertical Panel Saw**, Model CONTROL 09, Cutting Area: 169" (4300mm) x 66" (1680mm) x 3.14" (80mm), Vertical Interface Spacing: 40", Schneider Electric Magelis Control, Central Machinery 2 HP Dust Collector
- **2014 Martin T75 PreX Sliding Table Saw**, Martin Touch-Screen Control
- **Tannewitz 51" Vertical Band Saw**, Model S1NE, Worktable: 35-3/4" x 37"

2015



STRIEBIG (Type 5168) Vertical Panel Saw

2014



MARTIN T75 PreX Sliding Table Saw



TANNEWITZ 51" Vertical Band Saw

DYNAMOMETER

- 2015 Anderson Electric Controls, Inc. Dynamometer, Burgi Corp. Electric Motor Test Stand Dynamometer w/Burgi Corp. Model Speed Freq EX-300 Series 32S AC Motor, Bay Cast "Level-Tite" 6' x 15' T-Slotted Base, Comes, w/CB TranStation 2,000 Lb. Capacity Freestanding Overhead Crane (Approx. 16' Span x 20' of Runway x 12' High Posts) [Cemented into Ground], Harrington 1-Ton Hoist (Pendant Controlled)

2015



ANDERSON ELECTRIC CONTROLS, INC. Dynamometer

ELECTRODYNAMIC SHAKER AND TEST CHAMBER

- 2015 Thermotron Electrodynamic Shaker, w/Environmental Test Chamber; Model DSX-12000/24-960-5-HV Electrodynamic Shaker, Force Rating: 12,000 LBF, 24" Armature, on Rails, Standalone Rackmount Control Cabinet, w/Thermotron Inverter Modules & Dell Optiplex 7020 PC; Model F-120-CHV-30-30-ADJ Environmental Test Chamber

2015



THERMOTRON Electrodynamic Shaker

PARAMETRIC TEST STATION FOR A TRACTION INVERTER VALIDATION

- Parametric Test Station for a Traction Inverter Validation, Thermotron Model RA-32-CHV-25-25 Environmental Test Chamber, Standalone Rackmount Control Cabinet, w/Dell Optiplex 7020 PC, Ametek SGA 500/50 Programmable DC Power Supply



Parametric Test Station for a Traction Inverter Validation

OVENS / TEST CHAMBERS

- (4) Memmert UF1060 Universal Heating and Drying Ovens, Max. Temperature: 300° C, Interior Dimensions: 40-3/4" (1040mm) Wide x 42-1/4" (1200mm) High x 33-1/2" (850mm)
- 2016 Thermotron Drive-In Temperature/Humidity Test Chamber, WP-2324-THCM4-25-25-MS, Interior Dimensions: 12'-10" W x 18'-3" D x 8'-10" High, Range: -65°C to +85°C, Thermotron 8800 Touch-Screen Control
- TestEquity 107 Benchtop Temperature Chamber, Interior Volume: 0.7 Cu. Ft., Temperature Range: -42°C to +130°C



4 Available

MEMMERT Heating & Drying Ovens



THERMOTRON Drive-In Temperature/Humidity Test Chamber

CHILLER

- Thermo Fisher Scientific Neslab ThermoFlex 10,000 Recirculating Chiller



THERMO FISHER Scientific Neslab Recirculating Chiller

3D SCANNING ARENA

- Aicon stereoSCAN 3D Scanning Arena; Aicon smartSCAN-HE Mobile 3D White Light Scanner, (1) Aicon CFK Scale Bar, (16) Overhead Scanning Cameras, w/Rectangle Scaffolding, In-Ground Scanning Circles, Rittal Control Station, w/Dell Precision Tower 5810 PC



AICON stereoSCAN 3D Scanning Arena



PARTS CLEANERS

- (2) Omegasonics SST4030 8,000-Watt Ultrasonics Parts Cleaners, 187-Gallon Capacity, Tank Size: 40" L x 30" W x 40" D

SUPPORT EQUIPMENT

- 2016 AeroVironment ABC-170 Dual Channel Cycling Station
- Norton Equipment Styling Platform, (Approx. Footprint: 15' x 30')
- 2014 Krumm Model RK 1600 VA High-Pressure Cleaning System
- 2005 Famek Stringo 550 Walk-Behind Vehicle Mover
- 2016 Haimer PC 2006 Comfort NG Power Clamp Shrink Fit Machine
- Toycen Industries Tradesman 3 DC 6" Dual Wheel Tool Grinder
- OTT Power Check2 Pull-Force Measurement System
- Tool Holders and Kurt Machine Vises

PASSENGER VAN

- 2016 Mercedes-Benz Metris Van, VIN: WD4PG2EE0G3126092



OMEGASONICS SST4030 Ultrasonics Parts Cleaner



MERCEDES-BENZ Metris Van



NORTON Equipment Styling Platform, (Approx. Footprint: 15' x 30')



KRUMM RK1600 VA High-Pressure Cleaning System



HAIMER Shrink Fit Machine

TERMS & CONDITIONS | PAYMENT: Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check, or Wire Transfer. No other forms of payments will be accepted. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is". All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Qty. and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Ge uinness of, or Defects in Any Lot and will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview and Inspection Period. Sale Subject to Additions, Deletions and Prior Sales. Please Check Availability of Equipment. Last Date of Removal (No Exceptions) is Friday, March 28th. **AN ONLINE BUYER'S PREMIUM OF 20% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.**