By Order of the Proposed Liquidator of Long Engineering Ltd

Metalworking, Fabrication & Workshop Equipment, Steel stock, Commercial Vehicles, etc

(Subject to availability)



Please be aware that this is a PPE site - visitors must wear adequate PPE at all times

ONLINE AUCTION:	To bid please go to www.lshmachinerysales.co.uk or BidSpotter.co.uk
AT:	Long Engineering, 6 Wood Rd, Kingswood, Bristol BS15 8DX
ON VIEW:	Tuesday 21 st January 2025, 10am to 4pm
BIDDING ENDS:	Wednesday 22 nd January 2025 at 3pm
CLEARANCE:	Monday 27 th to Wednesday 29 th January 2025, 9am and 4pm
FURTHER INFO:	Adam Marx <u>amarx@lsh.co.uk</u>
BID ENQUIRIES:	MBA Accounts 023 8046 1643 aaaccounts@lsh.co.uk
OFFICE ADDRESS:	2nd Floor, 10 Victoria Street, Bristol, BS1 6BN

www.lsh.co.uk/assetadvisory

The property, plant and machinery specialist

NOTICE TO PURCHASERS

VIEWING:

- The lots may be viewed as follows: Tuesday 21st January 2025, 10:00am 4:00pm
- Located at Long Engineering, 6 Wood Rd, Kingswood, Bristol BS15 8DX

BIDDING ENDS:

 Bidding will end from: 3:00pm on Wednesday 22nd January 2025 [subject to the normal 10 min extension] AT WHICH TIME ALL HIGHEST BIDS WILL BE CONSIDERED.

ACCEPTANCE OF FINAL HIGHEST BIDS - IMPORTANT NOTE:

- Acceptance of all final highest bids is subject to approval by our client.
- · Lambert Smith Hampton reserves the right to reject any bids which they feel do not reflect reasonable value
- Successful bidders will be notified by email by 3:00pm on Thursday 23rd January 2025

INSTRUCTIONS FOR BIDDING:

- Access for bidding can be obtained through our website <u>www.lsh.co.uk/assetadvisory</u>.
- Full details including valid email address must be provided in order to receive approval for bidding
- In the event of a bid being received within 10 minutes of the scheduled closing time, the bidding period on that lot will automatically extend by a further 10 minutes and for a further 10mins for any bid received thereafter.
- Staggered end times have been applied to the lots in this sale. Please check the lot you are bidding on for the end time.
- MAXIMUM BIDS: If more than one maximum bid is placed of the same amount, the maximum bid placed first will be considered the highest bid and a further bid will need to be to be placed to take the lead. Bidders are notified by an automated message which appears on their screen
- IMPORTANT: When bidding, do not forget to 'REFRESH' your screen to ensure you are aware of current bids.
- **MAILING:** All approved bidders will automatically have their details placed on our database for notification of futures sales undertaken by Lambert Smith Hampton only. In the event that you wish to have your details excluded from our database, please use the 'unsubscribed' feature within our website (as above) alternatively please notify our Sales Administration Team <u>aaaccounts@lsh.co.uk</u>

BUYERS PREMIUM:

- The purchaser will pay a buyer's premium of 16% plus VAT, which will be charged on all lots.
- The premium is not negotiable and will be paid by all buyers

PAYMENT TERMS:

- All purchases are to be paid for in full, no later than 12:00 noon on Tuesday 28th January 2025
- All queries regarding payment should be directed to our Sales Accounts team, aaaccounts@lsh.co.uk
- Please note that we do not have the facility to accept debit or credit card payments (the details required when signing up are for name and address validation purposes only).

Please refer to the page headed "PAYMENT DETAILS" for acceptable methods of payment

LAMBERT SMITH HAMPTON WILL NOT ACCEPT ANY CASH TRANSACTIONS WHICH EXCEED £7,000 UNDER ANY CIRCUMSTANCES.

CYBER-CRIME AND FRAUD:

Please be aware of the significant increase in cybercrime and fraud. Whenever you receive bank account details from Lambert Smith Hampton by email you are strongly encouraged to verify the authenticity of those details by phoning our Auction Accounts Team on 02380 461643. If you receive an email purporting to be from someone at Lambert Smith Hampton which seeks to direct a payment to a bank, details for which differ from those which we have previously given to you, it is unlikely to be genuine. We do not accept any liability for monies sent to a bank account which is not an authentic Lambert Smith Hampton bank account.

Our account details will always have Lambert Smith Hampton or LSH in the account name. Our Sort Code will always be 51-50-03

VALUE ADDED TAX:

• Purchasers will be charged Value Added Tax on all lots, where applicable, at the current rates

DEPOSITS:

• Purchasers are required to pay a deposit on lots which will cause damage or leave a hole in the fabric of the building after removal. These lots will be specified in the sale catalogue. The deposit will be returned once the purchaser has made good in a satisfactory manner.

RISK:

• The bidder / buyer is at risk once the buyer is notified of his successful purchases and is strongly advised to effect insurance at once, irrespective of whether title has passed. Title does not pass to the purchaser until payment has been received in full.

<u>RECORDED</u> "USEAGE" **READINGS**: The hour and odometer readings on machinery and vehicles in this sale cannot be warranted and should not be relied upon.

COMPUTER SOFTWARE: Due to the Data Protection Act, all software and data will be removed from computers prior to selling.

CLEARANCE TERMS AND ARRANGEMENTS

- All lots must be removed between Monday 27th to Wednesday 29th January 2025 excluding weekends No further access will be available after this time.
- The premises will be open from 9:00am to 4.00pm.

- Please note: Forklift will be available to assist with loading, the securing of the load is the responsibility of the purchaser.
- Please ensure you bring the required tools and manpower and arrive on site in sufficient time to allow for the safe dismantling and loading of
 your lots before the site closes.
- Lambert Smith Hampton does not undertake label printing, packaging, postage, delivery or shipment of goods and the bidder must make his own arrangements to comply with the clearance terms
- Clearance of all lots must be undertaken in accordance with The Health & Safety at Work etc. Act 1974 and, where and as applicable, The Construction (Design and Management) Regulations 2015 and all other summary legislation.
- Risk Assessments and Method Statements (RAMS): If you purchase a lot that requires RAMS to be completed please be aware that you will not be permitted access to site to commence collection of ANY of your lots until the required RAMS has been completed and reviewed by an LSH representative. If you need access to site during the collection period to review equipment for RAMS purposes, or have any further questions please contact Adam Marx on amarx@lsh.co.uk
- Lambert Smith Hampton reserve the right to stop clearance if in their opinion, they believe it is being carried out in an unsafe manner or without an appropriate Method Statement and Risk Assessment.
- The purchaser should ensure that their contractors hold sufficient public liability insurance, copies of which should be made available to Lambert Smith Hampton if demanded.
- Any fluids remaining in any lots purchased MUST be removed from site in conformity with the Control of Substances Hazardous to Health (COSHH) Regulations.

CONDITIONS OF SALE

All lots will be sold subject to the Conditions of Sale as printed on the catalogue cover. Bidders are strongly advised to read them carefully.

TRANSFER OF LOTS:

Lambert Smith Hampton will only accept payment from and permit removal of lots purchased by the successful purchaser or their duly appointed agent.

OVERSEAS PURCHASERS:

Overseas purchasers must, on acceptance of offers, advise of their intentions to export their good immediately and notify our Sales Coordinator, Emma Gaines [aaaccounts@lsh.co.uk]

Overseas purchasers will be required to provide details of :

- (a) Their passport(s)
- (b) One other method confirming their identity, i.e. drivers licence, name,
- address, UK agent (if any), telephone and fax numbers.
- (c) Full details of their national bank and their UK corresponding bank.
- (d) Details from their bank confirming method of payment, etc.

Please also ensure that:

- (e) Your country, or the country to which the items are destined, holds no import restrictions on the goods that you wish to purchase.
- (f) The country has no import licence restrictions or a restriction on currency allocation.
- (g) The country has no prolonged inspection procedure, which might cause excessive delay in allowing your goods to be imported.
- (h) You receive a fully descriptive invoice in order that you may arrange payment as soon as possible with our bank.
- (i) You employ a reputable freight-forwarding organisation. Please note that many of the machinery removal companies in this country are not necessarily freight forwarders. We will be pleased to advise accordingly.
- (j) You have read the Conditions of Sale.

Please Note:

- (a) We will not allow removal of any Lot from the Sale site until our Accounts Department has received notification from our bankers that your payment has been properly cleared in full. Monies must be transferred to ourselves within the time stated in the "Notice to Purchasers"
- (b) If there are any special arrangements that you wish to make with us, you must contact us at least three days before the Sale date.
- (c) Our terms regarding payment of VAT and subsequent refunds.

VAT on Goods Destined for Export:

All purchasers intending to export their purchases will be charged a deposit equal to that of the VAT due on each lot purchased and the Buyer's Premium.

In order to qualify for a refund, the goods must be exported in accordance with regulations under "Indirect Export" and valid evidence of export received by Lambert Smith Hampton within one month of the date of export. Where satisfactory evidence is not provided, goods and services will be subject to UK VAT at the standard rate and the deposit will not be refunded.

Please ensure that the cashier has been notified of your intentions to export prior to removal of goods.

International Bank Charges: Please note LSH will look to recover charges incurred on the transfer of the VAT deposit refunded.

The above information must be supplied in writing to our Sales Co-ordinator, Mrs Emma Gaines, Lambert Smith Hampton, First Floor, 2 Manor Court, Barnes Wallis Road, Fareham, PO15 5TH, on your official company notepaper and signed by the contact name quoted.

If you intend to export your purchases using your own transport (either by sea, rail or air), then VAT will be levied and refunded upon receipt of satisfactory documentation, supporting removal of the goods purchased.

Lambert Smith Hampton reserve the right to refuse to accept the bid of any bidder should they be unable to satisfy Lambert Smith Hampton on any of the above.

PAYMENT DETAILS

- Purchasers should note that GOODS MAY ONLY BE REMOVED FROM SITE UPON RECEIPT OF PAYMENT IN FULL IN <u>CLEARED FUNDS</u>
- For the avoidance of doubt, <u>CLEARED FUNDS</u> is: Cash [see note 1]

Telegraphic Transfer / BACS [see note 2]

Credit / Debit cards / Cheques / Bankers Drafts CANNOT be accepted

PURCHASERS WHO MAKE OVER THE COUNTER PAYMENTS AT THE BANK <u>WILL</u> HAVE THEIR COLLECTION STALLED UNTIL THE BANK HAVE CONFIRMED IT IS A LEGITIMATE <u>CASH</u> PAYMENT.


(1) CASH	 Lambert Smith Hampton (LSH) operates within the guidelines in respect of Money Laundering as set out in the Proceeds of Crime Act 2002. In this instance onsite cash payments will be restricted to £0.00
(2) Telegraphic Transfers / BACS payments	 Purchasers who wish to make direct payments into our bank account can obtain bank details from the office following notification of successful bids. Please note timescales for payment, as follows Telegraphic payments : up to 24hrs BACS payments : 3 day Payments direct into our bank account will not be accepted by any other method. For the avoidance of doubt over the counter credits are not an acceptable method of payment and is in breach of Lambert Smith Hampton payment terms particularly those that relate to the Money Laundering Act 2017

MONEY LAUNDERING REGULATIONS


Services provided by Lambert Smith Hampton in relation to the sale of assets fall under the Proceeds of Crime Act 2002. Accordingly we have put in place policies and procedures which are designed to prevent, forestall and identify acts of money laundering.


Lambert Smith Hampton will not accept transactions in cash which exceed £7,000 under any circumstances and Lambert Smith Hampton will take any action necessary to ensure that it does not contravene its obligations under the Money Laundering Regulations 2017. In the event that a purchaser entering into a business relationship with Lambert Smith Hampton, knowingly or unwittingly fails to comply with our policy Lambert Smith Hampton will have no choice than to treat this as a breach of the regulations. Where necessary ID will be sought by the company and consider a report to NCIS (National Criminal Intelligence Service)

Should you have any queries on the above, please contact our Asset Advisory Accounts Team on +44(0)2380 461643



Long Engineering, 6 Wood Rd, Kingswood, Bristol BS15 8DX





Lir Lir Sy Ke 32 AE no <i>Ele</i> <i>ch</i> <i>ch</i> <i>co</i> <i>Fin</i>	erf RUR 2500P UltraSharp travelling bridge type plasma cutter erial no. 02190 (2023), table dimensions 2100 x 4150mm incoln Electric Burney 10 LCD Plus CNC incoln Electric 170 HDCE Fineline high definition plasma cutting estem, Sno U1221100327 emper Plasma FII welding fume extraction unit, Type 23016510 serial no. 230100510 (2023) BAC SPINN 11E270 receiver mounted air compressor, serial b. ITJ646604 ectrical Disconnection Charge: A mandatory electrical disconnection arge of £50 plus VAT applies to this lot and will be added to the irchaser's invoice. AMS: A work Method Statement and Risk Assessment must be viewed and approved by the Auctioneer prior to any removal work mmencing on this lot.
	eka Hydrocrop 80/A ironworker, serial no. 8283, with Wander ot control
ch Pu	ectrical Disconnection Charge: A mandatory electrical disconnection arge of £20 plus VAT applies to this lot and will be added to the rrchaser's invoice.
rei	AMS: A work Method Statement and Risk Assessment must be viewed and approved by the Auctioneer prior to any removal work mmencing on this lot.
	DS Trencin SN40-50B gap bed lathe with 3 & 4 jaw chucks and nick change tool post, serial no. 225
ch	ectrical Disconnection Charge: A mandatory electrical disconnection arge of £20 plus VAT applies to this lot and will be added to the rchaser's invoice.
rei	AMS: A work Method Statement and Risk Assessment must be viewed and approved by the Auctioneer prior to any removal work mmencing on this lot.
(19	ennjaeger PMC 12-N circular cold saw, machine no. 477 990) pneumatic clamping, with infeed and outfeed roller nveyors and additional saw blades located on adjacent wall
ch	ectrical Disconnection Charge: A mandatory electrical disconnection arge of £20 plus VAT applies to this lot and will be added to the rrchaser's invoice.
rei	AMS: A work Method Statement and Risk Assessment must be viewed and approved by the Auctioneer prior to any removal work mmencing on this lot.
	M Multimatrix Phoenix Puls MM FDW mig welder with EWM 3.71A wire feeder, serial no. 0000484840
	erlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 TL, serial no. 217-488-5851
	erlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 IL, serial no. 217-488-5872
	erlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004
	ΓL , serial no. 217-488-5871

	CTL, serial no. 217-488-5858
10	Oerlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 CTL, serial no. 217-488-5867
11	Oerlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 CTL, serial no. 217-488-5873
12	Oerlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 CTL, serial no. 217-488-5865
13	Oerlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 CTL, serial no. 217-488-5875
14	Oerlikon Citoline 4500TS Air mig welder with Oerlikon DV 4004 CTL, serial no. 217-488-5854
15	Oerlikon Citoline 4500TS (W) mig welder with Oerlikon DV 4004 CTL wire feeder, serial no. 2114678921
16	Citoarc TAC 250 welder
17	Four welders cutting torches & assorted hosing
18	ABAC Pro B5900B 200 FT5.5 UK receiver mounted air compressor L07 ITR1557041, code 4116019759 (2021), wall mounted
	Electrical Disconnection Charge: A mandatory electrical disconnection charge of £20 plus VAT applies to this lot and will be added to the Purchaser's invoice.
	RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.
19	Clear 02 W 200 vacuum, serial no. 08202257011 (2022)
	Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company.
20	Clear 02 W 200 vacuum, serial no. 0820225710 (2022)
	Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company.
21	Clear 02 W 200 vacuum, serial no. 0820225712 (2022)
	Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company.
22	Fumex P-001 MF-Filter mobile fume extraction unit with flexi- hose, serial no. 202007770 (2020)
23	Fumex P-001 MF-Filter mobile fume extraction unit with flexi- hose, serial no. 202007764 (2020)
24	Fumex P-001 MF-Filter mobile fume extraction unit with flexi- hose, serial no. 202007769 (2020)
25	Almi AL 100U belt linisher (2001)
26	Sweeney & Blocksidge No 8 bench mounted fly press
27	Clarke Strongarm CMF24B metal folder, serial no. 7630067
28	Armor Gard Tuff bank site box, 600 x 1200mm - with key
29	Circa 600 x 1290mm mobile site box - <i>no key</i>
L	

30 Stephill Generators 2.7kva generator, serial no. 801913, with Honda GX160 engine 31 2000kg pallet truck 32 Two welders gas bottle trollies 33 Two assorted transport trollies 34 Kingfisher BAO-15 gas space heater, serial no. 202305120297 35 Hitachi 110v angle grinder 36 Hitachi 110v angle grinder 37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent		
32 Two welders gas bottle trollies 33 Two assorted transport trollies 34 Kingfisher BAO-15 gas space heater, serial no. 202305120297 35 Hitachi 110v angle grinder 36 Hitachi 110v angle grinder 37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 49 Un-named pe	30	
33 Two assorted transport trollies 34 Kingfisher BAO-15 gas space heater, serial no. 202305120297 35 Hitachi 110v angle grinder 36 Hitachi 110v angle grinder 37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior for first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender <td>31</td> <td>2000kg pallet truck</td>	31	2000kg pallet truck
34 Kingfisher BAO-15 gas space heater, serial no. 202305120297 35 Hitachi 110v angle grinder 36 Hitachi 110v angle grinder 37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three d clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51	32	Two welders gas bottle trollies
 Hitachi 110v angle grinder Hitachi 110v angle grinder Hitachi 110v angle grinder Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill Flex L1503VR polisher, 110v Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads Quantity of assorted steel turners etc Britool tool chest, socket set, allen keys, squares etc. Three G clamps, pulling kit and machine vice Three G clamps, pulling kit and machine vice Two boxes of Kaliburn torch coolit Gallon Quantity of assorted welder's respirator masks & carry case Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. Werner 150kg platform step Un-named pedestal mounted metal bender Werner 5 rung step ladder Cantents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver Pacific PLS 5 laser level 	33	Two assorted transport trollies
36 Hitachi 110v angle grinder 37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 </td <td>34</td> <td>Kingfisher BAO-15 gas space heater, serial no. 202305120297</td>	34	Kingfisher BAO-15 gas space heater, serial no. 202305120297
37 Hitachi G13SB3 and a Bosch GW512-125 CL, 110v angle grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, s	35	Hitachi 110v angle grinder
grinders and a Hitachi DV20VB2 110v drill 38 Flex L1503VR polisher, 110v 39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include	36	Hitachi 110v angle grinder
39 Carroll & Meynell 1.5 kva, 110v transformer and quantity of assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53B Topcon AT-G7 aut	37	
assorted extension leads 40 Quantity of assorted steel turners etc 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver	38	Flex L1503VR polisher, 110v
 41 Britool tool chest, socket set, allen keys, squares etc. 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53C Pacific PLS 5 laser level 	39	
 42 Three reels of assorted welding wire 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	40	Quantity of assorted steel turners etc
 43 Three G clamps, pulling kit and machine vice 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	41	Britool tool chest, socket set, allen keys, squares etc.
 44 Three assorted letter and hard steps 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) <i>LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.</i> 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	42	Three reels of assorted welding wire
 45 Two boxes of Kaliburn torch coolit Gallon 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	43	Three G clamps, pulling kit and machine vice
 46 Quantity of assorted welder's respirator masks & carry case 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	44	Three assorted letter and hard steps
 47 Lifting Gear lifting magnet, max capacity 3000kg, serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. 48 Werner 150kg platform step 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53 Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53 Topcon AT-G7 auto level 53 Pacific PLS 5 laser level 	45	Two boxes of Kaliburn torch coolit Gallon
 serial no. 220619084 (2023) LOLER: This lot has no record of Thorough Examination. The purchaser must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement. Werner 150kg platform step Un-named pedestal mounted metal bender Three 400mm width grinding rollers, steel framed, floor bolted Werner 5 rung step ladder Aluminium 17 rung extension ladder and a 11 rung aluminium ladder Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver Pacific PLS 5 laser level 	46	Quantity of assorted welder's respirator masks & carry case
must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an undertaking confirming their agreement.48Werner 150kg platform step49Un-named pedestal mounted metal bender50Three 400mm width grinding rollers, steel framed, floor bolted51Werner 5 rung step ladder52Aluminium 17 rung extension ladder and a 11 rung aluminium ladder53Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc.53ATopcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver53BTopcon AT-G7 auto level53CPacific PLS 5 laser level	47	
 49 Un-named pedestal mounted metal bender 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 		must ensure a Thorough Examination is carried out by a competent person prior to first use. The purchaser will be required to sign an
 50 Three 400mm width grinding rollers, steel framed, floor bolted 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	48	Werner 150kg platform step
 51 Werner 5 rung step ladder 52 Aluminium 17 rung extension ladder and a 11 rung aluminium ladder 53 Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	49	Un-named pedestal mounted metal bender
52Aluminium 17 rung extension ladder and a 11 rung aluminium ladder53Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc.53ATopcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver53BTopcon AT-G7 auto level53CPacific PLS 5 laser level	50	Three 400mm width grinding rollers, steel framed, floor bolted
Iadder53Contents of stores room to include 12 assorted bays of racking, shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc.53ATopcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver53BTopcon AT-G7 auto level53CPacific PLS 5 laser level	51	Werner 5 rung step ladder
 shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods, beading, ducting pipe etc. 53A Topcon RL-H5A Class 2 self-levelling laser and Topcon LS-80L receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level 	52	
receiver 53B Topcon AT-G7 auto level 53C Pacific PLS 5 laser level	53	shelving unit, 6 steel bays of picking bin racks, and stock to include nuts, bolts, screws, washers, caps, fittings, welding rods,
53C Pacific PLS 5 laser level	53A	
	53B	Topcon AT-G7 auto level
53D Two surveyor's laser level tripods and measuring staff	53C	Pacific PLS 5 laser level
	53D	Two surveyor's laser level tripods and measuring staff

54 Quantity of assorted aluminium lengths and steel painted tube 55 Pallet of machined galvanised steel plates, circa 580 x 350mm 56 2500 x 1250 steel plates, circa 20m thick (part-used) 57 Nine assorted size steel plates ranging from 2100 x 1000mm t 58 Seven assorted circa 4m length steel bar 59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1250mm steinless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to	53E	Hilti PD20 laser, serial no. 24100028 (2000)
55 Pallet of machined galvanised steel plates, circa 580 x 350mm 56 2500 x 1250 steel plates, circa 20m thick (part-used) 57 Nine assorted size steel plates ranging from 2100 x 1000mm t 58 Seven assorted circa 4m length steel bar 59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single		
56 2500 x 1250 steel plates, circa 20m thick (part-used) 57 Nine assorted size steel plates ranging from 2100 x 1000mm to 2500 x 1250mm, assorted thicknesses from 8 to 20mm 58 Seven assorted circa 4m length steel bar 59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8		
57 Nine assorted size steel plates ranging from 2100 x 1000mm t 58 Seven assorted circa 4m length steel bar 59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> 70 Three 5-shelf single sided steel storage racks, approx. 8 71 Please note: uprights bolted to floor 72 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel tube, H & U beam lengths, circa 2800mm lengths		
2500 x 1250mm, assorted thicknesses from 8 to 20mm 58 Seven assorted circa 4m length steel bar 59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents Please note: uprights boited to floor</i> RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents Please note: uprights boited to floor</i> RAMS: A work Method Statement and Risk Assessment must be reviewed		
59 Five Pro Pro-Railing round buckets 60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H &	01	
60 Steel 2000 x 1000mm metal workbench and small quantity of steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thicknes ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - excludes rack 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate	58	Seven assorted circa 4m length steel bar
steel profiles on floor 61 Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73	59	Five Pro Pro-Railing round buckets
ranging from 5 to 15m 62 Quantity of assorted steel plate offcuts 63 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - excludes rack 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts <td>60</td> <td></td>	60	
 Two 1360 x 1360mm stainless steel plates and two assorted offcuts 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts Quantity of assorted steel offcuts as lotted and steel trestle Assorted quantity of steel scrap and steel stillage, 1650 x 950r Quantity of assorted steel as lotted Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> Quantity of assorted steel tube, H & U beam lengths and flat plate Quantity of assorted steel H & U beam lengths, circa 2800mm lengths Six steel trestles Two steel workbenches, 4" bench vice, surface plate & offcuts 	61	Fourteen assorted steel plates, circa 2000mm length, thickness ranging from 5 to 15m
offcuts 64 2000 x 1250mm steel workbenches, steel rack, steel trestles a assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - excludes rack 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - excludes contents <i>Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents <i>Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts	62	Quantity of assorted steel plate offcuts
assorted offcuts 65 Quantity of assorted steel offcuts as lotted and steel trestle 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - excludes rack 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74	63	
 66 Assorted quantity of steel scrap and steel stillage, 1650 x 950r 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts 	64	2000 x 1250mm steel workbenches, steel rack, steel trestles and assorted offcuts
 67 Quantity of assorted steel as lotted 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 71 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.</i> 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts 	65	Quantity of assorted steel offcuts as lotted and steel trestle
 68 Contents of storage rack to include assorted steel lengths, please see photographs - <i>excludes rack</i> 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be</i> reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be</i> reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - <i>excludes contents</i> <i>Please note: uprights bolted to floor</i> <i>RAMS: A work Method Statement and Risk Assessment must be</i> reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts 	66	Assorted quantity of steel scrap and steel stillage, 1650 x 950mm
please see photographs - excludes rack 69 Eleven 5-shelf single sided steel storage rack, approx. 14m length - excludes contents <i>Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be</i> reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents <i>Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be</i> reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts	67	Quantity of assorted steel as lotted
Iength - excludes contentsPlease note: uprights bolted to floorRAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.70Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contentsPlease note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.71Quantity of assorted steel tube, H & U beam lengths and flat plate72Quantity of assorted steel H & U beam lengths, circa 2800mm lengths73Six steel trestles74Two steel workbenches, 4" bench vice, surface plate & offcuts	68	
 RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. Quantity of assorted steel tube, H & U beam lengths and flat plate Quantity of assorted steel H & U beam lengths, circa 2800mm lengths Six steel trestles Two steel workbenches, 4" bench vice, surface plate & offcuts 	69	
 reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 70 Three 5-shelf single sided steel stock storage racks, approx. 8 length - excludes contents Please note: uprights bolted to floor RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. 71 Quantity of assorted steel tube, H & U beam lengths and flat plate 72 Quantity of assorted steel H & U beam lengths, circa 2800mm lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts 		Please note: uprights bolted to floor
length - excludes contentsPlease note: uprights bolted to floorRAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot.71Quantity of assorted steel tube, H & U beam lengths and flat plate72Quantity of assorted steel H & U beam lengths, circa 2800mm lengths73Six steel trestles74Two steel workbenches, 4" bench vice, surface plate & offcuts		reviewed and approved by the Auctioneer prior to any removal work
 RAMS: A work Method Statement and Risk Assessment must be reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. Quantity of assorted steel tube, H & U beam lengths and flat plate Quantity of assorted steel H & U beam lengths, circa 2800mm lengths Six steel trestles Two steel workbenches, 4" bench vice, surface plate & offcuts 	70	Three 5-shelf single sided steel stock storage racks, approx. 8m length - <i>excludes contents</i>
 reviewed and approved by the Auctioneer prior to any removal work commencing on this lot. Quantity of assorted steel tube, H & U beam lengths and flat plate Quantity of assorted steel H & U beam lengths, circa 2800mm lengths Six steel trestles Two steel workbenches, 4" bench vice, surface plate & offcuts 		Please note: uprights bolted to floor
plate72Quantity of assorted steel H & U beam lengths, circa 2800mm lengths73Six steel trestles74Two steel workbenches, 4" bench vice, surface plate & offcuts		reviewed and approved by the Auctioneer prior to any removal work
lengths 73 Six steel trestles 74 Two steel workbenches, 4" bench vice, surface plate & offcuts	71	
74 Two steel workbenches, 4" bench vice, surface plate & offcuts	72	Quantity of assorted steel H & U beam lengths, circa 2800mm lengths
	73	Six steel trestles
	74	Two steel workbenches, 4" bench vice, surface plate & offcuts
75 Quantity of assorted steel lengths to include square tube and l beams, circa 3m lengths	75	Quantity of assorted steel lengths to include square tube and U beams, circa 3m lengths

76	Steel workbench, approx. 1670 x 1160mm, assorted steel lengths and twin door cabinet
77	Seven assorted steel trestles and fabricated platform
78	Pinder Versatool twin door and twin drawer tool cabinet
79	Two assorted steel workbenches and 4" bench vice and twin assorted steel lengths
80	Two steel fabricated railings
81	Steel workbench and vice, two trestles and six assorted steel stands - <i>excludes contents on trestles</i>
82	Steel framed forklift mounting stillage and assorted scrap metal, approx. 1500 x 900 x 700mm
83	Four steel framed trestles - excludes contents
84	Quantity of assorted steel lengths and tube, as lotted
85	Steel workbench, approx. 1830 x 900mm
86	Two assorted steel workbenches and 5" bench vice
87	Steel framed workbench, approx. 3300 x 1250mm
88	Steel surface plate mounted on pedestal, approx. 460 x 460mm
89	Steel workbench and assorted steel scrap lengths
90	Four steel trestles and chequered plate
91	Four steel trestles and two steel fabricated U beams
92	Steel workbench and 4" bench vice - excludes contents
93	Steel workbench, steel trestles and miscellaneous steel stock to include tube, plate and angle plates
94	Quantity of assorted steel tube, bar and sheet stock, three assorted trestles and scrap metal bin
95	Steel workbench, approx. 2400 x 1250mm
96	Steel workbench and steel shelf, table dimensions approx. 2500 x 750mm
97	Steel workbench, approx. 2000 x 860mm
98	Twenty assorted welding screens
99	Logik upright domestic refrigerator
100	Prestige G525 microwave
101	Sharp R-202 microwave, Murphy Richards kettle and Prestige toaster
102	3-drawer filing cabinet
103	Five light wood laminated tables and seven assorted chairs
104	Eight twin door personal lockers and a twin door Silverline filing cabinet
107	Expobar G-10 stainless steel twin head coffee machine
108	Comfee KWH-TD602E-S dishwasher

109	Schneider 800W microwave oven
110	Domestic fridge freezer
113	Twelve assorted steel cable lengths
130	Mercedes Benz Sprinter 314CDi Medium Diesel panel van, 3.5 ton Registration: KX67 ZKA 9 Recorded mileage 93,371 MOT: 31/08/2025 DOR: 01/09/2017
131	Citroën Berlingo L1 625 LH1 1.6LX Vti petrol car derived van Registration: WU67 ODR Recorded mileage: 55,727 MOT: 23/09/2025 DOR: 22/09/2017
132	Mercedes Sprinter 314 2.2Cdi 3.5t high roof panel van, 3.5t Hi Van. Registration:. KY19 CTB recorded mileage 108,635 MOT: 18/02/2025 DOR: 28/06/2019 <i>Financed Lot: Acceptance of the final highest bid price on this lot is subject to</i> <i>approval and acceptance by the Finance Company.</i>
133	Mercedes Sprinter 314 2.2CDI 3.5t dropside Registration: WM17 PMU Recorded mileage 70,294 MOT: 04/04/2025 DOR: 31/08/2017 <i>Financed Lot: Acceptance of the final highest bid price on this lot is subject to</i> <i>approval and acceptance by the Finance Company.</i>
134	Ford Fiesta Titanium X Auto Nav 3dr 1.0 petrol hatchback Registration. ET66 ZVU Recorded mileage 34,218 MOT: 11/10/2025 DOR: 27/01/2017 <i>Financed Lot: Acceptance of the final highest bid price on this lot is subject to approval and acceptance by the Finance Company.</i>



1: Conditions

These conditions, together with any 'Special Conditions' or 'Notices to Purchasers', are the only terms and conditions subject to which Lambert Smith Hampton (LSH) (the "Auctioneer") acting as agents for the Vendor (the "Vendor") will contract with buyers (the "Buyer"). Bidding for any lot shall be deemed to be an acceptance of these conditions and any conditions in the Notices to Purchasers. If there is any inconsistency between any of these conditions and anything in the Notices to Purchasers, then those in the Notices to Purchasers shall prevail.

2: Inspection and Description

- 2.1 Buyers have a responsibility to make their own inspection and investigation of the lots at the time(s) and at the premises specified, and to satisfy themselves on all matters affecting the lots, and to inspect and satisfy themselves prior to the sale, as to the condition and description of a lot, its fitness and suitability for purpose.
- 2.2 Goods are believed to be correctly described but all goods are sold with faults, imperfections and errors of description.
- 2.3 Neither the Vendor nor the Auctioneers, their servants or agents makes or gives, nor has any person in the employment of the Auctioneers any authority to make or give, any representation or warranty in relation to any lots.

3: Limitation of Liability

- 3.1 Neither the Vendor nor the Auctioneers, their servants or agents shall be liable for any loss or damage suffered by the Buyer arising out of or in connection with any defects or deficiencies in any lots purchased, errors of description in the auction catalogue, any mis-statements as to any matter affecting the lots or the failure of the lots to fulfill the functions for which they were intended
- 3.2 The Auctioneer's and the Vendor's total liability for breach of contract or negligence is limited to the Bid Price.
- 3.3 Neither the Auctioneers nor the Vendor shall be liable for any indirect or consequential loss or damage (whether for loss of profit, loss of business or otherwise) incurred by the Buyer whatsoever.
- 3.4 Nothing in these conditions excludes or limits the liability of the Auctioneers or Vendor for death or personal injury caused by their negligence or fraudulent misrepresentation.
- 3.5 Nothing in these conditions shall prejudice the statutory rights of a consumer who shall be bound by these conditions only insofar as they are consistent with such statutory rights.

4: Conduct of Sale

- 4.1 The Auctioneers reserve the right in their absolute discretion to refuse admission to the premises and grounds to any person.
- 4.2 The conduct of the sale shall be at the Auctioneer's sole discretion and the Auctioneers reserve the right to refuse any bids without giving any reason. If any dispute of whatsoever nature relating to a bid shall arise, such dispute shall be determined by the Auctioneers in their absolute discretion and whose decision shall be final and binding on all parties.
- 4.3 Each bidder must register prior to submitting any bids in Online Sales. The Auctioneer reserves the right to reject any registration at its sole discretion.
- 4.4 The Vendor and the Auctioneers reserve the right to fix a reserve price for any lot.
- 4.5 No bid may be withdrawn after the close of bidding.
- 4.6 The Vendor or the Auctioneers have absolute discretion to withdraw consolidate or divide at any time any lot.
- 4.7 The highest bidder for each lot at the close of bidding shall be the Buyer, subject to approval by the Auctioneers and the Vendor. The Sale Price is exclusive of the buyer's premium and VAT. The highest bid at the close of bidding subject to approval by the Auctioneers and Vendor also marks a conclusion of a contract of sale between the Vendor and the Buyer.
- 4.8 In making a bid for any lots, the Buyer does so as principal. The Buyer will be held personally and solely liable for a bid unless the Auctioneers have previously agreed in writing with the Buyer that the bidder will do so on behalf of an identified third party acceptable to the Auctioneers. In circumstances where the Auctioneers have so agreed, the Buyer and the third party will jointly and severally be liable for all obligations arising from the bid where a third party shall be bound by these conditions by the individual bidding as his agent in the same way as if he were bidding personally.

5: Price

The price payable by the Buyer for the purchase of the lots secured shall be the sale price, being the highest bid and accepted by the Auctioneer in accordance with condition plus the buyers premium and any other associated costs (if any) and VAT applicable at the prevailing rate.

6: VAT

The price of the goods purchased is exclusive of Value Added Tax (VAT), which where applicable, the Buyer shall be additionally liable to pay to the Auctioneer

7: Risk and Title

- 7.1 <u>Insurance:</u> As from the date and time the Buyer is declared, all risks in and relating to the Goods purchased, shall pass to the Buyer and the Buyer is strongly advised to effect insurance for these risks at once. In no circumstances will the Auctioneers or the Vendor be responsible if any Goods or part thereof be lost, stolen, damaged or destroyed after the Buyer is declared.
- 7.2 <u>Title:</u> The Vendor shall only sell such title to the Goods as he may have. Neither the Auctioneers nor the Vendor warrants the Vendor's good title to any of the Goods and if it is found that the Vendor does not have title or unencumbered title to any of the Goods purported to be sold under these conditions the Buyer expressly agrees that it shall have no right either to rescind the contract or to claim damages or a reduction in the consideration paid or payable under the contract.
- 7.3 Title to each of the Goods will not pass until:-
 - (a) all debts owed by the Buyer to the Auctioneers (whether partpaid secured or otherwise) are settled, for the avoidance of doubt the debts shall not be settled until (where payment or part payment is made by cheque) all cheque(s) in question have been cleared; and
 - (b) such Goods have been removed from the premises at which the sale is held or where the Goods are being stored in their entirety.

8: Removal

- 8.1 No lot or part thereof can be removed until payment in cleared funds (cash, approved Bankers Draft, BACS or Chaps) has been made in full or (where any part of the payment was made by cheque) the cheque has cleared in the Auctioneer's account. No lot shall be removed without the authority of the Auctioneer and unless under the supervision of the Auctioneer's servants or agents.
- 8.2 Removal shall take place only up to 5.00 pm and must be completed no later than the dates and times specified and published within the Notice to Purchasers or any date and time specifically declared thereafter, in writing, by the Auctioneer or written authority is obtained from the Auctioneers for clearance after that time.
- 8.3 The Buyer has no right to anything not described in the auction catalogue.
- 8.4 Delivery of lots sold will be made only to the declared Buyer and no transfer of any lot or part of a lot to any other person will be recognised.
- 8.5 Prior to the removal of any lot the Vendor may rescind the contract for the sale of that lot and refund to the Buyer any money paid by the Buyer for the lot should any third party claim title to or possession of any part of the lot.
- 8.6 The Buyer will be responsible for removal of lots at his own expense and must provide his own labour, and equipment.
- 8.7 The Auctioneers require that in pursuit of safe working practice all equipment used for lifting and transportation should be covered by appropriate insurance, safety documentation set out by current Health & Safety legislation at the time and registration documents (in particular, but not limited, to cranes, lifting equipment, tackle and fork lift trucks). Such documentation shall be produced to the Auctioneers and if the Buyer fails to produce such documentation on request for inspection the Auctioneers reserve the right to refuse to release the lot and/or rescind the sale in which event the provisions of condition 8 will apply. Equipment may only be used by operatives who have the valid and appropriate licences to use such equipment
- 8.8 Appropriate Personal Protective Equipment (PPE) must be worn during these activities and due regard paid to safe material handling practices.



9: Damage to Premises

The Buyer shall be responsible for the removal of all goods purchased at his own expense and risk and such removal must be carried out safely and lawfully and in accordance with any conditions of sale of which the Buyer is notified. For the avoidance of doubt removal includes where applicable disconnection from the mains electricity supply and the detachment of any lots which are fixed. All electrical installations must be carried out by a Certified electrician and left in a safe condition during and after the removal and the use of explosives or flame cutting equipment or any other potentially hazardous or inflammatory process shall not be permissible on the site without the express written consent of the Auctioneers. The Buyer shall be responsible to insure against and to make good any injury or damage to persons or property caused by the Buyer, their carriers, servants or agents detaching, disconnecting or removing any goods purchased by the Buyer. The Buyer shall produce his insurance documentation to the Auctioneers on request and if the Buyer fails to produce such documentation the Auctioneers reserve the right to refuse to clear the lot and/or rescind the sale. The Buyer shall indemnify the Auctioneers for any damage or loss which the Auctioneers may suffer in respect of loss, damage or injury suffered by the Buyer's agents or employees or any third party arising from the removal. At its discretion the Auctioneers may require the payment of a deposit to the Auctioneers prior to and/or during the removal which will be refunded on the removal being completed to the Auctioneer's satisfaction. If the Buyer refuses to deposit such monies, the Vendor or the Auctioneers may refuse the Buyer access to the premises for the purposes of removing the lot purchased by them and/or rescind the sale in which event the provisions of condition 8 will apply. The Auctioneers reserve the right to stop the removal of a lot by a Buyer, his agents or employees, if it appears to the Auctioneers or its agents or employees that the removal is being carried out in an unsafe or unsatisfactory way.

10: Default by Buyer

Upon failure by the Buyer for whatsoever reason:-

- to pay a deposit in full if required under the Conditions of Sale or special notices; or
- (ii) to pay the purchase price in full on the due date; or
- (iii) to provide any documentation required under these conditions; or
- (iv) to remove the goods in a safe or satisfactory way; or
- to remove any lot from the premises on or before the date specified for removal,

The Vendor will be entitled to rescind the contract forthwith without incurring any liabilities to the Buyer and, without prejudice to any claims of the Vendor and/or the Auctioneers against the Buyer arising from breach of contract or otherwise, upon rescission as aforesaid the following provisions apply:

- (a) all monies deposited in part payment will be forfeited and used to pay the Vendor's and/or Auctioneer's expenses referred to in paragraph (d) below;
- (b) if the lots have been removed in breach of these conditions, the Vendor and/or the Auctioneers, their servants or agents may enter the premises of the Buyer to recover such lots;
- (c) lots may be re-sold or otherwise disposed of by the Auctioneers in the manner they feel appropriate at their sole discretion and any deficiency arising upon the resale together with the expenses of it shall be due as a debt from the Buyer in default upon the first sale. The Buyer consents to such a resale on the Auctioneer's conditions of business applicable at the time of resale. Neither the Auctioneers nor the Vendor shall be liable to account to the Buyer in the event of a re-sale at a higher price than the price contracted to be paid by the Buyer. The Buyer waives any claim in such a case that he may have title to the lot and agreed that any re-sale price shall be deemed commercially reasonable;
- (d) the Buyer will be responsible from the specified time for final removal for all losses and expense incurred by the Vendor and/or the Auctioneers including storage, security and removal expenses, the costs of re-selling or disposing of lots and Auctioneer's commission.

11: Auctioneer as Agent

The Auctioneers act only as Agents for and on behalf of the Vendor and shall not be held responsible for any action or default on the part of either the Vendor, bidders or the Buyer. Any concluded contract of sale is made directly between the Vendor and the Buyer.

12: Accident or Damage

Neither the Auctioneers nor the Vendor will accept any responsibility for any accident, (except for that arising out of its negligence, or the

negligence of its agents or employees, resulting in death or personal injury) howsoever caused to any person which may occur whilst on the Auctioneer's premises, the Vendor's premises or such other premises used to hold the auction or to store the lots before during or after the sale and any person entering the premises does so at his own risk and is deemed to have notice of the condition of the premises and their contents.

13: The Consumer Protection Act 1987

No lots are sold as new.

14: Health & Safety At Work

It is expressly brought to the Buyer's attention and that of potential buyers, at the time of sale, any item of plant, machinery or equipment contained in the goods may not necessarily comply with the Health and Safety at Work Act 1974; the Environmental Protection Act 1990; Construction Design and Management Regulations 2015 or any other Act of Parliament or regulations thereunder governing the use of that plant, machinery or equipment in a working environment. Buyers of any such plant, machinery or equipment are hereby required to ensure so far as reasonably practicable that such item will be safe and without risk to health and that the use of any such items at a place of work within the EEC & the United Kingdom does not contravene any such Act of Parliament or regulation applicable to such use.

15: Dangerous Substances

It is expressly brought to the attention of Buyers (and potential buyers) that certain types of plant or main service installations could contain blue and white asbestos, dangerous chemicals and hazardous waste which if not handled correctly during their removal from the premises could be in breach of the Health and Safety at Work Act 1974, Sections 2-13 Control of Substances Hazardous to Health Regulations 2002 (COSHH) or other current legislation regulating the use of such substances in a working environment. The Buyer shall ensure so far as is reasonably practicable that they comply with the Health and Safety at WorkAct 1974, COSHH and other current legislation in connection with the removal, handling and transport of such dangerous substances and or hazardous waste or shall employ a specialist contractor to remove them. The Buyer shall, on request, satisfy the Auctioneers in relation to its removal procedures, and the removal of waste materials must be undertaken by an approved and licensed contractor. The Buyer will indemnify the Vendor, their servants or agents against any loss, damages or expenses suffered by them as a result of the Buyer's or a sub-contractor's failure to comply with this legislation.

16: Notices

Any notices or other communications shall be in writing and, if sent by post, shall be deemed to have been received by the addressee on the second working day after posting or, if the addressee is outside the United Kingdom, on the fifth working day after positing. If any written notice is delivered by hand, it shall be treated as having been received at that time. Any notice sent to the Auctioneer's shall be sent to the Auctioneer's address as set out in the auction catalogue, or displayed on the auctioneer's web site on the notice specific to that sale. Any notice which the Auctioneers send to the Buyer may be sent to the Buyer's last address known to the Auctioneer.

17: Third Party Rights

Save as expressly provided in these conditions, no term of these conditions shall be enforceable under The Contracts (Rights of Third Parties) Act 2001 by a third party.

18: Governing Law

These Conditions and any Conditions contained in the Notices to Purchasers, along with all associated transactions and all connected matters shall be governed and construed in accordance with English Law

19: Severability

In the event that any provisions of these conditions shall be held unenforceable for any reason, the remaining conditions shall remain in full force and effect.