

# Online Auction

**\*\*\* PLEASE SEE \*\*\*  
\*\* PAYMENT SECTION FOR \*\*  
\*\* NEW BANK DETAILS \*\***

On the instructions of Directors of Saturn Super Distribution Ltd,  
following their retirement and the sale of the property

Piecemeal (subject to General Conditions and Special Conditions unless previously sold)

## Lighting Stocks & Components (incl. LED), 40ft & 20ft Cargo Containers, Warehouse & Office Furniture and Equipment (circa 750 lots)

**BUYERS OF STOCK LOTS - Vendor will assist with packing and sending by courier stock lots at extra cost to the purchaser, please make contact should you require further assistance**

Photographs & online auction bidding via [sw.co.uk/auctions](http://sw.co.uk/auctions)

**Bidding:** Closes from 11am Wednesday 26 February 2025

**View:** Strictly by appointment with the Auctioneers  
Any person wishing to access site must have full PPE  
Failure to comply with the above is likely to result in refusal of access

**At:** Saturn Super Distribution Ltd, Saturn House, Stone Hill Road, Express Trading Estate, Farnworth, Bolton, Greater Manchester, BL4 9TP, UK

The Chancery, 58 Spring Gardens, Manchester, M2 1EW Tel: 0161 259 7050  
[auctions@sw.co.uk](mailto:auctions@sw.co.uk)  
[sw.co.uk/auctions](http://sw.co.uk/auctions)

**Misrepresentation:** Whilst every effort has been made to provide reliable information, Sanderson Weatherall LLP do not warrant the information contained herein and prospective purchasers must satisfy themselves by inspection as to its correctness.

## GENERAL CONDITIONS OF SALE

### 1. Interpretation

1.1. In these General Conditions the following words and expressions shall have the meanings set opposite:

"Auction"	any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions;
"Auctioneer"	the person conducting the Auction or to whom the conduct of the Auction is delegated under General Condition 4.10 below;
"Bidder"	any person who offers to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender;
"Bid"	an offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender, and "Bids" and "Bidding" shall be construed accordingly;
"Buyer"	any person who agrees to purchase any Lot whether at Auction or by private treaty or tender and as determined under General condition 4.13 below;
"Buyer's Premium"	a commission payable by the Buyer on the completion of a Sale the amount of which is set out in the Special Conditions; The Auctioneer, when acting as Agent for the Seller, may also receive commission from the Seller.
"Catalogue"	the catalogue incorporating these General Conditions and the Special Conditions;
"Clearance Date and Time"	the scheduled date and time on which all Lots must be removed by the Buyer from the Location as specified in the Special Conditions;
"The Company"	Sanderson Weatherall LLP (company number OC 344 770) whose registered office is at 6 <sup>th</sup> Floor, Central Square, 29 Wellington Street, Leeds LS1 4DL;
"Conditions of Sale"	the General Conditions and the Catalogue together with any Special Conditions;
"Consumer"	an individual Buyer who purchases any Lot wholly or mainly for their personal use (not for use in connection with their trade, business, craft or possession)
"Data Protection Law"	all applicable laws and regulations, in each case pertaining to the security, confidentiality, protection or privacy of Personal Data, as amended or re-enacted from time to time, including (and to the extent applicable) the GDPR, the Data Protection Act 2018, the Data Protection, Privacy and Electronic Communications (EU Exit) Regulations 2019 (if applicable) and/ or any similar Legislation applicable to i) the Location of a Lot or ii) the Location of the Buyer's business activities;
"Deposit"	the sum payable by the Buyer to the Company as set out in the Special Conditions;
"GDPR"	European General Data Protection Regulation, name Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the process of personal data and on the free movement of such data, and repealing Directive 95/46/EC;
"General Conditions"	these General Conditions which shall be applicable to all Auctions conducted by the Company;
"Legislation"	all laws, statutes, regulations, codes of practice, guidance, orders, rules and other requirements of any relevant government or governmental agency or authority (whether Parliamentary, statutory, parochial, regional or local) as amended or re-enacted from time to time;
"Live Auction"	any auction conducted at the Location or at such other location(s) as shall be notified by the Company in the Special Conditions or in the Catalogue;
"Location"	the premises at which the Lots are located, details of which are set out in the Special Conditions;
"Lot"	any Lot described in the Catalogue, on the Website or on the Company's invoice;
"Online Auction"	any auction conducted over the internet via the Website pursuant to these General Conditions and the Special Conditions;
"Personal Data"	has the meaning ascribed to it under the GDPR;
"Sale"	the sale of any Lot by Auction, private treaty or tender and as determined under General Condition 4.12 below;
"Seller"	the person upon whose instructions the Company is conducting the Sale, details of whom are set out in the Special Conditions;
"Special Conditions"	any additions to these General Conditions set out or referred to in the Catalogue, announced at Auction or otherwise specified by the Company;
"Websites"	the websites at: <a href="http://www.bidspotter.co.uk">www.bidspotter.co.uk</a> ; <a href="http://www.ibidder.com">www.ibidder.com</a> ; <a href="http://www.sw.co.uk">www.sw.co.uk</a> ; and <a href="http://www.sw.atgportals.net">www.sw.atgportals.net</a> ;

## "VAT"

value added tax chargeable under English Law for the time being and/or any similar additional tax in an applicable jurisdiction.

### 2. Application of these General Conditions

- 2.1. These General Conditions apply to the Sale of assets (including but not limited to plant, machinery, vehicles, chattels and trade stocks) conducted by the Company.
- 2.2. These General Conditions, the Special Conditions and any terms set out in the Catalogue shall together comprise the "Conditions of Sale".
- 2.3. To the extent that these General Conditions are inconsistent with any Special Conditions, the General Conditions shall prevail.
- 2.4. Bidding for any Lot shall be deemed to be an acceptance by the Bidder of these General Conditions and the Special Conditions.
- 2.5. Unless there is a provision to the contrary in this document, the Conditions of Sale shall be governed construed and enforced in accordance with the laws of England and Wales unless the Location is in:-
  - 2.5.1 Scotland in which case the laws of Scotland shall apply; or
  - 2.5.2 Northern Ireland in which case the laws of Northern Ireland shall apply.
- 2.6. A reference to writing or written shall include e-mail.
- 2.7. Any word or phrase having a meaning defined in these General Conditions shall have the same meaning when used in the Special Conditions.

### 3. Identity of the Parties

- 3.1. The Company offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Catalogue.
- 3.2. The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Catalogue.
- 3.3. The identity of the Seller is set out in the Special Conditions.
- 3.4. Unless the Company has previously acknowledged in writing that the Bidder Bids as agent on behalf of a named principal, every Bidder shall be taken to Bid on his own behalf as principal.
- 3.5. Any Bidder acting as agent on behalf of a named principal shall remain liable to the Seller and the Company for all obligations and liabilities of his principal jointly and severally with the principal. The Bidder warrants that he has the authority of his principal to make each Bid made.
- 3.6. Every Bidder is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:
  - 3.6.1 a Live Auction by the completion of a registration form;
  - 3.6.2 an Online Auction by online registration at the Website; and
  - 3.6.3 a private treaty or tender by prior registration or notification of details, as and when requested by the Company.
- 3.7. The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.
- 3.8. On registration for an Online Auction Bidders will be added to the Company's mailing list for the purposes of notification of future sales by email. If a Bidder wishes to stop receiving such notifications they can unsubscribe at any time by clicking on the link provided at the bottom of each email.
- 3.9. On registration in accordance with General Condition 3.6 the Bidder acknowledges that only adults aged 18 years and over are entitled to enter into a legally binding contract and as a result they are the only people entitled to register for the Auction. By registering the Bidder warrants that he is aged 18 years or older and is capable of forming a legally binding contract.

### 4. Conduct of Auctions

#### 4.1 Physical Inspection of Lots

- 4.1.1 The Buyer will be provided with the opportunity to attend all Auctions (including Live Auctions and Online Auctions) in person with a view to inspecting the Lot.
  - 4.1.1.1 Where the Auction is a Live Auction, the Buyer will be given the opportunity to inspect the Lot immediately prior to the opening of Bids in respect of the relevant Lot; and
  - 4.1.1.2 Where the Auction is an Online Auction, the Seller will inform the Buyer of the date, time and venue of the physical inspection of the relevant Lot.
- 4.2. Any Lot may be subject to a minimum bid or reserve price. The Seller is entitled to change these at any time before the conclusion of the Sale.
- 4.3. The Seller, Auctioneer or any representative, agent or person acting on behalf of the Seller may Bid for any Lot. Persons entitled to Bid pursuant to this condition 4.2 shall be entitled to place Bids on any Lot up to the reserve price including by placing Bids in response to other Bidders.
- 4.4. Lot descriptions will be amended as appropriate as and when information becomes available to the Company. Prospective Bidders must read Lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular Lot.
- 4.5. The Auctioneer may at any time before the conclusion of the Sale withdraw or divide any Lot or combine any Lots.
- 4.6. The Company may sell any Lot by private treaty or tender before or after the Auction. The Auctioneer may reject any Bid at his sole discretion and without being required to give a reason.
- 4.7. No Bid shall be retracted without the consent of the Auctioneer.
- 4.8. The Auctioneer may where there is a dispute between Bidders, summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.
- 4.9. The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

- 4.10 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent with the conduct of the Auction in accordance with these General Conditions.
- 4.11 The Auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special Conditions.
- 4.12 A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition 4.12 below) when:
- 4.12.1 in the case of a Live Auction, on the fall of the Auctioneer's hammer; and/or,
- 4.12.2 in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition 4.18.3 below or;
- 4.12.3 in the case of a private treaty or tender, when the Bidders Bid is accepted by the Company, such acceptance to be communicated to the Bidder in writing by way of receipt of the Company's invoice.
- 4.13 The Buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition 4.12 above subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other Bidder as the Auctioneer and/ or the Company may declare to be the Buyer without being required to give a reason. The Auctioneer and/ or the Company and/ or the Seller is not bound to accept the highest Bid or any other Bid placed in the course of the Auction.
- 4.14 In the case of an Online Auction the Buyer, as determined under General Condition 4.13 above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.
- 4.15 In the event that the reserve price is not met, the Company may consider the Bids received below the reserve price with the Seller who at its sole discretion may accept, reject or place a counteroffer.
- 4.16 On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions 4.12 and 4.13 above, the Buyer acknowledges and agrees that he has entered into a contract with the Seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.
- 4.17 The Buyer may not remove any Lot he has bought until after the end of the Auction.
- 4.18 In relation to an Online Auction:
- 4.18.1 the Company cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;
- 4.18.2 the Auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed Online Auction in accordance with General Condition 4.18.3 below);
- 4.18.3 the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by an additional ten minutes. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Every time a Bid is placed within ten minutes or less left in the Online Auction an additional ten minutes Bidding time is added until there are no more Bids. Such time shall then be deemed to be the close of the timed Online Auction.
- 4.19 In the event that the Auctioneer unknowingly sells a Lot that was not eligible for Sale (i.e. there is a third party interest that comes to light) then the Auctioneer shall be entitled to immediately rescind that Sale without any further liability to the Auctioneer and/or Company or the Seller.
- 4.20 Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the Company's and/or the Auctioneer's principal place of business.
- 5. Sale and Payment**
- 5.1 The Buyer shall pay the following sums to the Company in full and without set off: -
- 5.1.1 immediately upon the Sale of any Lot the Deposit, if requested by the Company; and
- 5.1.2 the balance of the price of the Lot purchased, together with the Buyer's Premium by no later than 48 hours after conclusion of the Sale or, in the case of an Online Auction, after receipt of an invoice in respect of the purchased Lot(s) pursuant to General Condition 4.13 above, or such other time and date as may be specified in the Special Conditions; and
- 5.1.3 any other payment or amount due to the Seller and/or the Company pursuant to these General Conditions or the Special Conditions on demand.
- 5.2 In every case time for payment shall be of the essence.
- 5.3 In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash. Payments in cash of more than £7,500 will not, in any circumstances, be accepted.
- 5.4 If the Buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the Seller, the Buyer shall pay to the Company interest (both before and after any judgment) on the amount unpaid at the rate of 1.5% above the bank base rate of Barclays Bank Plc per month or any part thereof until payment in full is made.
- 5.5 Until the Buyer has fully complied with its obligations in this General Condition 5: -
- 5.5.1 title to any Lot bought shall not pass to the Buyer;
- 5.5.2 the Seller shall have a lien over any Lot bought by the Buyer in the Auction;
- 5.5.3 if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Seller.
- 5.6 All sums payable under these General Conditions and the Special Conditions are exclusive of any applicable VAT for which the Buyer shall be additionally liable to pay to the Company. On written request by the Buyer the Company will provide a VAT invoice.
- 5.7 The Company will only accept payment under this General Condition 5 from the Buyer or its authorised agents.
- 6. Removal of Lots**
- 6.1 Risk of damage to or loss of the Lot shall pass to the Buyer immediately upon the conclusion of the Sale.
- 6.2 The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the Company.
- 6.3 Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs including but not limited to:
- 6.3.1 costs and expenses associated with clean-up, repair of damage and/ or personal injury or death caused by or associated with the removal of Lots; and
- 6.3.2 any applicable import or export tariffs.
- 6.4 The Buyer may not remove any Lot until the Buyer has:-
- 6.4.1 paid by cleared funds all amounts payable pursuant to General Condition 5 above in full; and
- 6.4.2 if requested by the Company produced satisfactory evidence to the Company that the Buyer has adequate public liability insurance in respect of the indemnity set out in General Condition 8 below and/or deposited with the Company, by way of security for the costs of making good any damage likely to occur, such sum as the Company may stipulate.
- 6.5 The Company will only permit the removal of Lots purchased by the Buyer or its authorised agents.
- 6.6 The Buyer must remove each Lot purchased by the Clearance Date and Time for which time shall be of the essence. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions. No clearance on Bank or Public Holidays. In the absence of co-operation the Company and/or the Auctioneer reserves the right to insist on the order of the removal of Lots or parts thereof.
- 6.7 Buyers should co-operate regarding order of removal of Lots in order to comply with the Clearance Date and Time. If it transpires that a Buyer makes no effort to commence dismantling and the particular Lot is preventing other buyers from removing purchased Lots, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the specified Clearance Date and Time. In the event the Buyer does not comply with its obligations under this General Condition 6.7, then the Auctioneer reserves the right to arrange for the removal and/or storage of the Lot and charge any attendant costs to the Buyer.
- 6.8 If any Lot is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the Buyer of the relevant Lot(s).
- 6.9 Title to computer software sold pursuant to the Sale of a Lot is not transferred under any Sale to the Buyer and use is subject to any licence or copyright restrictions and user conditions. The Sellers, Company and/or Auctioneers reserve the right to erase any private or sensitive information prior to the Sale or at any later date.
- 6.10 Prior to commencing dismantling/removal of a Lot from the Location, the Buyer and/or his removal contractor must:
- 6.10.1 liaise with the Company's site representative; and
- 6.10.2 carry out a full assessment of the Lot, the Location and the land or buildings to which the Lots is fixed to:
- 6.10.2.1 assess the risks associated with detaching/ removing the Lot; and
- 6.10.2.2 fully satisfy themselves that they will be able to detach/ remove the Lots in compliance with any requirements imposed by all relevant legislation in accordance with General Condition 7.
- 6.11 The Buyer shall be required to repair holes or voids exposed by the removal of Lots and any other damage caused as a result of that removal. The Buyer shall replace any cladding taken off buildings during the removal of plant & equipment, unless otherwise specified by the Company;
- 6.12 The Buyer must ensure that it safely and lawfully detaches any Lot fixed to land or buildings and may not use flame cutters, explosives or any other dangerous equipment or process without first obtaining written consent of the Company.
- 6.13 The Company shall be entitled to halt the clearance of any Lot if in its absolute discretion the removal of a Lot is being carried out in an unsatisfactory manner. Where the clearance is halted by the Company, the Buyer must liaise with the Company's site representative as to how the Lot should be removed from the Location provided that the Buyer shall at all times ensure that it complies with its obligations under General Condition 7 and the Company shall have no liability in this regard.
- 6.14 Electric, gas, water, steam and waste disconnections are the responsibility of the Buyer and **MUST** be carried out by an approved contractor following consultation with the site representative.
- 6.15 Any fluids, gases and/ or waste remaining in plant and machinery are the responsibility of the Buyer and **MUST** be removed from the Location strictly in accordance with any applicable statutory requirements.



- 6.16 Unless otherwise agreed, all Lots are sold on the understanding that the Seller does not represent that the Lot is in a condition which makes that Lot suitable for domestic use.
- 6.17 It is the Buyers or their removal contractors responsibility (i.e. Police, Ministry of Transport, Local Authority) to transport off site long/ wide loads, within sufficient time prior to the commencement of clearance period as stated in the Special Notes & Conditions.
- 6.18 The Buyer must ensure that:
- 6.18.1 It undertakes any waste removal by use of an approved and licensed contractor who must dispose of such waste at an approved waste management site; and
- 6.18.2 If required by the Company, it satisfies the Company's waste removal procedures.
- 7. Removal of Lots – Statutory Compliance**
- 7.1 When removing any Lot from the Location the Buyer shall ensure that it and its removal contractors:
- 7.1.1 Complies at all times with all Legislation applicable to the Location, including, but not limited to, all relevant health & safety, waste disposal, hazardous substances and environmental Legislation, in particular where Lots are composed of or incorporate any asbestos-containing materials ("ACM"), and/or other dangerous chemicals or material which could cause harm if not handled correctly during the Lot removal;
- 7.1.2 Obtains all relevant permits, permissions, consents and/ or licenses required in the Location;
- 7.2 In addition, where the Location is within the United Kingdom, the Buyer shall:
- 7.2.1 Comply with all relevant Legislation including, but not limited to, (without limitation) the Health & Safety at Work Act 1974, the Environmental Protection Act 1990, the Construction (Design and Management) Regulations 2015, the Control of Asbestos at Work Regulations 2002, the Control of Asbestos at Work Regulations 2002, the Asbestos (Licensing) Regulations, the Control of Substances Hazardous to Health Regulations 2002 (COSHH), the Road Vehicle (Construction and Use) Regulations 1986 and all other health and safety and environmental Legislation in existence at the time of the Sale;
- 7.2.2 provide a written undertaking pursuant to section 6(8) of the Health & Safety at Work Act 1974 when required to do so.
- 7.2.3 Provide to the Company a Risk Assessment & Method Statement complying with The Construction (Design & Management) Regulations 2015, COSHH or with any subsequent amendments thereof or such other legislation as shall from time to time be in force; and
- 7.2.4 If necessary, comply with the requirements of the Furniture & Furnishings (Fire) (Safety) Regulations 1988 and any subsequent amendments thereof or such other relevant statutory requirements or regulations as shall from time to time be in force.
- 7.3 Where Legislation is advisory in nature, rather than mandatory, the Buyer must comply with such advisory Legislation in accordance with best industry practice.
- 7.4 In all cases arising under General Condition 7, the costs of compliance shall be borne by the Buyer and the Buyer hereby indemnifies the Company and the Seller against all losses, costs, expenses, damages, liabilities, demands, claims, actions and proceedings which the Company and/or the Seller may incur arising directly or indirectly out of any breach by the Buyer to the provisions of this General Condition 7 and the Buyer shall make good any damage caused to (without limitation) other lots, the Location or to any property belonging to third parties, in removing any Lot under this General Condition 7.
- 8. Insurance and Indemnity**
- 8.1 The Buyer shall indemnify the Company and the Seller against any loss, damages, expenses, claims or liabilities arising directly or indirectly from the possession or use of any Lot;
- 8.1.1 After title to such Lot has passed to the Buyer but before it is removed from the Location; and
- 8.1.2 During the removal of any Lot.
- 8.2 The Buyer shall maintain adequate insurance at all times and shall provide written evidence as and when requested by the Company of the Buyer's insurance policies in respect of the following insurances and at a minimum level of:
- 8.2.1 Public Liability Cover – limit Two Million Pounds (£2,000,000); and
- 8.2.2 Employers Liability Cover – limit Ten Million Pounds (£10,000,000)
- 8.3 The Company reserves the right to vary the level of insurance cover stated above at any time, as and when required.
- 9. Liability**
- 9.1 Nothing in the Conditions of Sale will limit or exclude liability for:
- 9.1.1 Death or personal injury caused by negligence, or the negligence of a party's employees, agents or subcontractors;
- 9.1.2 Fraud or fraudulent misrepresentation; or
- 9.1.3 Any other liability which cannot be limited or excluded by applicable law.
- 9.2 The Company will not be liable to the Buyer, whether in contract, tort (including negligence), for breach of statutory duty, or otherwise, arising under or in connection with the Conditions of Sale for:
- 9.2.1 Loss of profits;
- 9.2.2 Loss of sales or business;
- 9.2.3 Loss of agreements or contracts;
- 9.2.4 Loss of anticipated savings;
- 9.2.5 Loss of use or corruption of software, data or information;
- 9.2.6 Loss of or damage to goodwill; or
- 9.2.7 Any indirect or consequential loss.
- 9.3 Subject to Condition 9.1, the Company's total liability to the Buyer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, arising under or in connection with the Conditions of Sale will be limited to the Buyer's Premium paid to the Company.
- 9.4 Where applicable, the terms implied by sections 13, 14 and 15 of the Supply of Goods and Services Act 1982 are, to the fullest extent permitted by law, excluded from the Conditions of Sale.
- 10. Data Protection**
- Where the Buyer processes, receives or obtains any Personal Data in relation to the activity contemplated by the Conditions of Sale, the Buyer undertakes to comply with:
- 10.1 the provisions of all applicable Legislation pertaining to the security, confidentiality, processing, protection or privacy of Personal Data, including the Data Protection Law; and
- 10.2 any data-related policies placed on the Company's website or provided by the Company from time to time.
- 11. Default by the Buyer**
- 11.1 If at any time the Buyer has failed to pay the sums specified in General Condition 5 above in full by the due date for payment, or to remove any Lot purchased by the Clearance Date and Time specified in the Special Conditions the Seller may rescind the Sale of that Lot, in which case any Deposit shall be forfeit, and that Lot may be resold.
- 11.2 If the Seller has rescinded the Sale but the Buyer has removed the Lot purchased, the Seller shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it
- 11.3 If the Seller has rescinded the Sale and the Lot has been resold by the Auctioneer and/or the Company or by the Seller, the Buyer shall reimburse the Seller with any shortfall where: - the resale price less the Sale price; and
- 11.3.2 the costs incurred by the Seller incidental to the resale.
- 11.4 If the Buyer fails to remove any Lot by the Clearance Date and Time specified: -
- 11.4.1 the Seller may remove the Lot from the Location and leave it outside at the Buyer's risk in all respects;
- 11.4.2 the Seller may charge the Buyer for the reasonable costs of storage;
- 11.4.3 the Seller may charge the Buyer rent, taxes, men's wages and expenses incurred as a result of the Lot(s) remaining at the Location; and
- 11.4.4 the Buyer shall indemnify the Seller against any loss, damages, expenses, claims or liabilities incurred by the Seller arising from the Buyer's failure to remove the Lot from the Location.
- 12. Acknowledgements and Exclusion of Warranties**
- 12.1 The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Company or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.
- 12.2 The Buyer further acknowledges that neither the Sellers nor the Company shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.
- 12.3 The Buyer also acknowledges that: -
- 12.3.1 On purchase, the Lots may be subject to encumbrances including claims, liens, distraint, writs of execution, leases, hire agreements, hire purchase agreements and reservation of title claims;
- 12.3.2 if it shall be found that the Seller does not have title to all or any of the Lots, the Buyer shall have no right to rescind, avoid or vary these Conditions of Sale or to claim damages or a reduction in the price paid or payable;
- 12.3.3 anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;
- 12.3.4 any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Company may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.
- 12.4 The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove Company logos and lettering from vehicles. Odometer readings are not warranted.
- 12.5 The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Company shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.
- 12.6 The Buyer acknowledges and agrees that the Company is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall

- fall on the Company and the Buyer shall indemnify the Company against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including Administrative Receiver(s), Administrator(s) and Liquidator(s) act as agent(s) for the Seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.
- 12.7 The Buyer acknowledges and agrees that the Auctioneer does not represent any lot as being in a condition which makes it suitable for domestic use.
- 12.8 The Buyer acknowledges and agrees that the Auctioneer does not have nor professes to have any expert or other knowledge of any Lots sold.
- 12.9 The Buyer acknowledges and agrees that the Auctioneer is hereby excluded from any liability the Auctioneer might otherwise incur.
- 12.10 The Buyer acknowledges and agrees that no liability shall attach to the Auctioneer either in contract or in tort for loss of injury or damage legal or otherwise sustained by the Seller, any bidder, the Buyer or any other person by reason of any defect in any Lot sold, latent or otherwise, or any defect or danger of the premises where the Auction is held.
- 12.11 The Buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-
- 12.11.1 the Buyer must rely absolutely on the Buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the Lots any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the Buyer may not acquire title and the fact that the Buyer would have no remedy under this Agreement should that happen;
- 12.11.2 the Buyer has available to it skilled professional advice and on that basis agrees to purchase a Lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as being fully effective by the Courts and the Seller making it clear that it would not have agreed to sell any Lot on any other basis except for a higher consideration;
- 12.11.3 the Buyer has been given every opportunity which might reasonably be expected to examine and inspect the Lots.
- 12.12 Notwithstanding anything else in these General Conditions, the Seller's and the Company's total liability under or in connection with the Sale of any Lot, whether in respect of breach of contract, tort (including negligence), breach of statutory duty or otherwise, including consequential loss, shall be limited in aggregate to the price paid for the Lot or if no price has been paid then the higher of the market value or reserve price for the Lot. This General Condition 12.12 does not apply to liability for death or personal injury.
- 13. Consumer Protection – this applies only where the Buyer is a Consumer**
- 13.1 The Buyer acknowledges that a Sale by Auction of second-hand goods is not a consumer sale for the purposes of Part 1 of the Consumer Rights Act 2015, except as set out in Section 2 of the Act and the Buyer shall not seek to rely upon any conditions or warranties implied thereby or by any other Legislation.
- 13.2 The Buyer acknowledges that there are no cancellation rights under the Consumer Contracts (Information, Cancellation and Additional Payments) Regulations 2013 (the "Consumer Contracts Regulations") in respect of goods sold at a Sale by Auction where the individual is provided with an opportunity to attend and inspect the goods in person as set out in clause 14.1.
- 13.3 Should it be the case that the Seller is not able to provide the Buyer with an opportunity to attend in person as set out in clause 14.1, the Buyer may exercise its rights in terms of the Consumer Contracts Regulations. For more information on how to exercise rights under Consumer Contracts Regulations, the Buyer may refer to the Company's Compliance with Consumer Legislation Policy found at ([Sanderson Weatherall Compliance Policy](#))
- 14. Entire Agreement**
- 14.1 The parties agree that these General Conditions, the Special Conditions and the Catalogue constitute the entire agreement between them and supersedes all previous drafts agreements arrangements and understandings between them, whether oral or written.
- 15. Jurisdiction**
- 15.1 Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with these General Conditions or its subject matter or formation (including non-contractual disputes or claim).

## SPECIAL CONDITIONS OF SALE

### **Seller:**

On the instructions of Directors of Saturn Super Distribution Ltd, following their retirement and the sale of the property.

### **Location:**

Saturn Super Distribution Ltd, Saturn House, Stone Hill Road, Express Trading Estate, Farnworth, Bolton, Greater Manchester, BL4 9TP, UK

### **Directions:**

<https://w3w.co/duke.levels.pill>

This 3 word address refers to an exact 3m x 3m location. Tap the link or enter the 3 words into the free what3words app to find it.

### **Viewing:**

Strictly by appointment with the Auctioneers.

Access to the Location is allowed on the understanding that all persons attend the Location entirely at their own risk and are responsible for and will indemnify the Seller and the Company against any losses damage or claims occasioned by their presence at the Location.

Children under the age of 16 will not be allowed access to the Location.

### **Registration:**

All bidders must register their details with the Company and provide identification where required. In the case of Live Auctions by way of the registration form provided at the Live Auction or in the Catalogue and in the case of Online Auctions, online at the Website [www.bidspotter.co.uk](http://www.bidspotter.co.uk) and [sw.co.uk/auctions](http://sw.co.uk/auctions)

### **Administration Fee:**

We reserve the right to charge a fee of £25.00 plus VAT to change name and address details on invoices. To avoid this fee please ensure that the information is correct at point of registration on Bidspotter.

### **Bidding:**

The General Conditions and the Special Conditions apply to all Sales by way of Auction, private treaty and tender and in the case of any Bids placed by way of an Online Auction stress that all Bidders must read and understand Bidspotter's terms and conditions of registration at [www.bidspotter.co.uk](http://www.bidspotter.co.uk) and [sw.co.uk/auctions](http://sw.co.uk/auctions).

At the close of the timed Online Auction Sale, final Bid figures will be submitted to the Seller for approval and any Bid shall be subject to approval and acceptance by the Company and/or the Seller. Bid acceptance may be subject to the bidder passing relevant identity/ due diligence checks performed by the Company and/ or the seller. No Bid may be withdrawn and the Company/Seller does not bind himself to accept the highest Bid or any other Bid placed in the course of the Online Auction Sale.

All lots are sold as seen and where lying. It is assumed that all bidders have viewed lots to their satisfaction prior to bidding. No allowance of any kinds whatsoever will be made as a result of failure to view. We strongly advise bidders not to bid on any lot if they have not viewed to their satisfaction first. Our descriptions, dimensions and photographs are not sufficient to wholly rely upon for the purposes of bidding.

### **Buyer's Premium:**

Buyers will pay a Buyer's premium of 15% (plus VAT) of the purchase price for each Lot purchased whether by Auction or, private treaty or tender. The Buyer's Premium is payable by the Buyer to the Company in accordance with the General Conditions and, for the avoidance of doubt is payable in addition to the purchase price for the Lot. The Buyer's Premium is not negotiable and is payable by all Buyers.

### **Deposit:**

Buyers shall pay a deposit of 25% (plus VAT) of the purchase price for each Lot purchased as requested by the Company pursuant to the General Conditions and these Special Conditions.

### **Payment:**

All Lots shall be paid for in full within **48 hours (two working days) of the invoice date** and shall be at the Buyer's risk immediately upon the conclusion of the sale.

**\*\*\* PLEASE NOTE NEW BANK DETAILS BELOW \*\*\***

Telegraphic Transfer - Bank details for telegraphic transfer:

Account: Sanderson Weatherall LLP P & M Clients Account

Bank: Barclays Bank, Albion Street, Leeds

Sort Code: 20-48-46

Account Number: 10931950

SWIFT CODE – BARCGB22

IBANGB84BARC20484610931950

Cash - In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash. Payments in cash of more than £7,500 will not, in any circumstances, be accepted.

Bankers Draft/ Cheques: (made payable to Sanderson Weatherall LLP) will only be accepted on the basis that any Lots are not removed until cleared funds are in the Company's client account.

**Debit Cards:** The Company accepts debit cards for payment of invoices (maximum £2,500). The Company does not accept credit cards for payment of invoices.

All sums payable under the General Conditions and these Special Conditions are exclusive of any applicable VAT for which the Buyer shall be additionally liable to pay to the Company.

#### **Registrations / Licenses / Transfer Fees:**

Purchaser is responsible for ongoing / transfer costs.

#### **Clearance:**

**All lots must be cleared without fail by 4pm FRIDAY 7 MARCH 2025, such date and time being the Clearance Date and Time as referred to in the General Conditions, REMOVAL OF ALL LOTS WILL BE STRICTLY BY APPOINTMENT, please see the Company's invoice for contact details.**

Collection from site is the Buyer's responsibility, the Company/Seller do not provide a packing/ delivery service.

#### **Reserve Removal:**

Lots sold subject to a reserve removal will either be indicated in the Catalogue with the date of availability or will be identified by the Auctioneer at the point of Sale. A Deposit will be payable as with other lots but in this instance payment in full can be left until five (5) working days prior to availability. Unless specified to the contrary such Lots must be removed from the Location not later than the Clearance Date and Time specified for final removal in these Special Conditions.

#### **Fire Alarm:**

In case of a fire alarm all visitors and contractors are to exit buildings and report to the Muster Point.

#### **Smoking:**

No smoking on site. Food and Drink is only to be consumed in designated areas.

#### **Safety:**

All persons including Buyers, their employees, agents, representatives and contractors are reminded that they are responsible for their own safety on site and enter at their own risk and should take the precaution of wearing protective clothing as appropriate.

#### **Finance:**

If Buyers wish to purchase Lots with the help of a finance company they should make arrangements well in advance of the Sale to ensure that they are able to make payment in accordance with the General Conditions.

#### **Overseas Buyers:**

Overseas Buyers should ensure that the country to which the items are destined: -

- holds no import restrictions on the goods to be purchased;
- has no import licence restrictions or a restriction on currency allocation;
- has no prolonged inspection procedure which might cause excess delay or refusal in allowing your goods to be imported.

Overseas Buyers will receive a fully descriptive invoice in order that they may arrange payment as soon as possible with the Company's bank, Barclays Bank, Albion Street, Leeds.

Overseas Buyers should employ a suitable freight forwarding organisation. Please note that many of the machinery removal companies in the United Kingdom are not necessarily freight forwarders. The [Seller and/or Company] will be pleased to advise accordingly.

The Company makes no representation and accepts no liability whatsoever to any Buyer in respect of the issuance or validity of any exportation or importation permits or the existence and exercise of exportation or importation regulations or any compulsory purchasing regimes.

#### **VAT Payments and Returns:**

All overseas Buyers (EU and non-EU) will be charged VAT at the current rate on each Lot purchased. This will be refunded to the overseas Buyer as soon as the Seller receives a copy of the bill of lading or certificate of shipment (showing descriptive detailed information of goods exported) as proof of export, providing this documentation is received within 3 months of the sale date. The Seller is unable to refund the VAT on the Buyer's Premium. Buyers are responsible for the payment of any export or import duties or tariffs that may apply.

SW LLP Economic Operator Registration and Identification (EORI) GB945674483000 - XI945674483000.

All lots are sold Ex Works (EXW) from collection address stated on invoice & / or collection note.

Neither Sanderson Weatherall LLP or the Vendor are responsible for any VAT, duties, goods and services tax, or other sales or import taxes or duties arising on the exportation of the goods from Great Britain and the importation of the goods into any country by the Purchaser or their agent. All overseas buyers are advised to engage the services of a freight forwarding agent, who should arrange and effect the appropriate export documentation.

Any phytosanitary certification and other documentation that may be required to export lots overseas are strictly the sole responsibility of the purchaser.

Access to site is subject to current government & local guidelines. Any person wishing to access any site must have full PPE and an appropriate mask / face covering. Failure to comply with the above is likely to result in refusal of access.

V.11.07.24



Lot Number	Lot Description	Lot Number	Lot Description
	<b>All lots are sold as seen and where lying. It is assumed that all bidders have viewed lots to their satisfaction prior to bidding. No allowance of any kind whatsoever will be made as a result of failure to view. We strongly advise bidders not to bid on any lot if they have not viewed to their satisfaction first. Our descriptions and photographs are not sufficient to wholly rely upon for the purposes of bidding</b>	7	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
1	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	8	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
2	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	9	<b>STEEL CARGO CONTAINER</b> , approx. 6m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 20ft 33.0cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
3	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	10	<b>STEEL CARGO CONTAINER</b> , approx. 6m long internal (reserve collection until contents cleared) VENDORS COMMENTS 20ft ISO Shipping Container, 20ft 30.0cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
4	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	11	<b>STEEL CARGO CONTAINER</b> , approx. 6m long internal (reserve collection until contents cleared) VENDORS COMMENTS 20ft ISO Shipping Container, 20ft 30.0cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
5	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	12	<b>STEEL CARGO CONTAINER</b> , approx. 6m long internal (reserve collection until contents cleared) VENDORS COMMENTS 20ft ISO Shipping Container, 20ft 30.0cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors
6	<b>STEEL CARGO CONTAINER</b> , approx. 12m long internal (reserve collection until contents cleared) VENDORS COMMENTS 40ft ISO Shipping Container, 40ft 67.3cbm One Trip Only, PSSU Watertight Shipping Container, as new inside with lock box, multiple air vents, Cor-Ten steel, marine ply floors	13	<b>Aluminium Framed Container Loading / Loading Gravity Roller Mobile Conveyor System</b> , comprising interconnecting conveyor sections, one x approx. 6m, three x approx. 2.5m long, 400mm wide on alloy framing, with mobile steel framed bench
		14	<b>Youngman MINIMAX 7.8m ALUMINIUM SCAFFOLD TOWER</b> , with extension pack



Lot Number	Lot Description	Lot Number	Lot Description
15	<b>Ford TRANSIT 125 T350 L4H4 LWB HIGH ROOF DIESEL PANEL VAN</b> , registration no. YF53 HBJ, date first registered 30/11/2003, test expired 14/01/25, indicated miles 136,714 (at time of listing), with side load door, timber bulkhead, timber lined rear, rear step, vendors comments: serviced every year (some service history in book)	30	<b>TEC 3150-43</b> Hand Operated Hot Melt Gun, serial no. 11532, 230V
16	<b>Ford FOCUS 6W5DAA FIVE DOOR HATCHBACK</b> , registration no. BP16 KND, date first registered 16/06/2016, test to 06/11/25, indicated miles 191,773 (at time of listing) (no service history booklet)	31	<b>Chillington</b> Case Truck
17	<b>Jungheinrich TFG 20 AK 1800kg cap. GAS COUNTER BALANCE FORK LIFT TRUCK</b> , serial no. 100031513, lift height 4000mm max., indicated hours 07,438 (at time of listing), with duplex mast 2.5m high, side shift and solid tyres (reserve collection until 28/03/25 or sooner if available)	32	<b>Adam</b> CPW Plus 150 150kg max. Loadcell Scales, with scale approx. 300mm x 300mm
18	<b>Lansing Linde E16 1600kg cap. BATTERY ELECTRIC FORK LIFT TRUCK</b> , serial no. 335G07002716, year of manufacture 1996, indicated hours 9922.3 (at time of listing), with duplex mast approx. 2.1m high, side shift (known to require attention – won't move backwards or forwards), with <b>Chloride</b> One Overnight 48V465 battery charger <b><u>CABLE CUTTING ROOM</u></b>	33	<b>Ingersoll-Rand SS3 Horizontal Receiver Mounted Air Compressor</b> , serial no. 00059877, 240V
19	<b>Schleuniger ECOSTRIP 9300 AUTOMATIC WIRE CUTTING &amp; STRIPPING MACHINE</b> , with cable unwinding stand, plastic box and contents (excluding work-in-progress)	34	<b>Ingersoll-Rand QC2 Horizontal Receiver Mounted Air Compressor</b> , serial no. SCD952131, year of manufacture 1995, indicated hours 00686 (at time of listing)
20	<b>EUBANKS 06215.05</b> Winding Machine, serial no. 1290.213 <b><u>WAREHOUSE</u></b>	35	<b>Sofralub</b> Air Dryer, serial no. 15 87/04/140, 240V
21	180mm Jaw Hand Lever Operated Bench Cropper	36	Seven Rise Folding Alloy Stepladder
22	<b>Evolution 210mm dia.</b> Mitre Cut-Off Saw, serial no. F3S-K1623UK00181, 240V	37	2T Hydraulic Pallet Truck, approx. 530mm x 1.15m (reserve collection until 28/03/25 or sooner if available)
23	<b>Scheppach</b> Bench Grinder & Linisher, 240V	38	<b>DeWalt 310mm</b> deep-in-throat Vertical Bandsaw, 240V, with steel framed bench
24	<b>Hilka 6in.</b> Bench Grinder, 240V	39	Strap Banding Equipment, as set out
25	<b>Clarke MBS600D</b> Mitre Saw, serial no. 6461516	40	<b>DeWalt</b> Abrasive Disc Cut-Off Saw, 240V
26	<b>Clarke CDP5DD</b> Bench Pillar Drill, serial no. 002176, 240V, with bench vice	41	<b>Blizzer 2200kg</b> Hand Hydraulic Pallet Truck, with forks 530mm x 1.14m
27	Soldering Irons, in box	42	Hand Hydraulic Pallet Truck, with forks 430mm x 1.1m
28	14 Rise Double Alloy Extension Ladder	43	Eight Rise Folding Alloy Stepladder
29	160mm Jaw Hand Lever Operated Bench Cropper	44	Draughting Board & Stand
		45	Three Bay Three Tier Stock Rack, approx. 5.6m x 900mm x 1.86m high, with timber shelving and rack to rear, 460mm wide (excluding contents) (reserve removal until contents cleared)
		46	Two Bay Four Tier Stock Rack, approx. 2.7m x 900mm x 2.3m high, with timber shelving (excluding contents) (reserve removal until contents cleared)
		47	Ten Tier Single Bay Angle Steel Rack, 840mm x 400mm x 1.55m high, with 25 plastic bins
		48	<b>Intellectual Property, including Aquamax, Preslite &amp; Prestronic tradenames</b> , sales contact telephone numbers, customer database and <a href="http://www.saturnlighting.co.uk">www.saturnlighting.co.uk</a> website, for further information please contact the auctioneers
		49	<b>Link51M Three Bay Two Tier Pallet Rack</b> , 8.3m x 900mm x approx. 6m high (excluding contents) (reserve removal until contents cleared)
		50	Three Single Bay Five Tier Steel Racks, each approx. 1.24m x 490mm x 1.8m high (excluding contents) (reserve removal until contents cleared)

Lot Number	Lot Description	Lot Number	Lot Description
51	Five Bay Multi-Tier Pallet Rack, approx. 12m x 1.1m x 4.5m high, with timber shelving panels and shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	64	Single Bay Four Tier Angle Steel Rack, approx. 1.24m x 480mm x 1.83m high (excluding contents) (reserve removal until contents cleared)
52	Six Bay Three Tier Pallet Rack, approx. 14m x 1.1m x 4.5m high, with timber shelf panels and steel shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	65	Three Two Bay Perforated Angle Steel Racks, assorted sizes (excluding contents) (reserve removal until contents cleared)
53	<b>Dexion</b> SpeedlockM Four Bay Multi-Tier Pallet Rack, approx. 11m x 1.1m x 4.26m high (excluding contents) (reserve removal until contents cleared)	<b><u>UPSTAIRS STOREROOM</u></b>	
54	<b>Dexion</b> SpeedlockM Four Bay Three Tier Pallet Rack, approx. 11m long x 1.1m x 4.26m high (excluding contents) (reserve removal until contents cleared)	66	Three Single Bay Five Tier Steel Racks, each 0.22m x 480mm x 1.83m high (excluding contents) (reserve removal until contents cleared)
55	<b>Link51M</b> Four Bay Three Tier Pallet Rack, approx. 11m long x 900mm x approx. 5.8m high (excluding contents) (reserve removal until contents cleared)	67	Three Bay Five Tier Perforated Angle Steel Rack, approx. 2.72m x 480mm x 2.2m high (excluding contents) (reserve removal until contents cleared)
56	Mainly <b>Dexion</b> Speedlock Five Bay Three Tier Pallet Rack, approx. 7.5m x 900mm x 4.35m high, with timber shelving panels as fitted (excluding contents) (reserve removal until contents cleared)	<b><u>WAREHOUSE</u></b>	
57	<b>Dexion</b> Speedlock Four Bay Multi-Tier Pallet Rack, approx. 6m x 1.1m x 4.35m, with timber shelf panels as fitted (excluding contents) (reserve removal until contents cleared)	68	Single Bay Four Tier Perorated Angle Steel Rack, approx. 920mm x 310mm x 970mm high
58	Two Bay Multi-Tier Pallet Rack, approx. 5.55m x 900mm x 3.7m high, with shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	69	Two Timber Benches, approx. 4.9m long overall, with back boards, electrical and compressed air fittings
59	Two Bay Multi-Tier Pallet Rack, approx. 5.6m long x 900mm x 3.7m high, with timber shelf panels & shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	70	Two Timber Benches, approx. 4.9m long overall, with back boards, electrical and compressed air fittings
60	Two Bay Multi-Tier Pallet Rack, approx. 5.55m x 900mm x 3.7m high, with shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	71	Single Timber Bench, approx. 2.45m long, with back board, electrical and compressed air fittings as appropriate (excluding contents) (reserve removal until contents cleared)
61	Two Bay Multi-Tier Pallet Rack, approx. 5.6m long x 900mm x 3.7m high, with timber shelf panels and shelf support bars as fitted (excluding contents) (reserve removal until contents cleared)	72	Steel Framed Bench, approx. 1.35m long, with back board, electrical and compressed air fittings and engineers bench vice (excluding contents) (reserve removal until contents cleared)
62	Four Bay Multi-Tier Pallet Rack, approx. 11m x 900mm x 3.7m high, with steel shelf panels as fitted (excluding contents) (reserve removal until contents cleared)	73	Timber Bench, approx. 2.5m long, with back board (excluding contents) (reserve removal until contents cleared)
63	Three Single Bay Steel Racks, each approx. 900/ 1000mm x 300mm x 1.9m/2.2m high (excluding contents) (reserve removal until contents cleared)	73A	<b>Hoselock</b> 2436 Hosepipe Reel
		74	Bolt Cutter
		75	<b>Cabrio</b> 246 25cc Petrol Engined Brush Cutter
		76	<b>Titan</b> TTK587GDO 25cc Petrol Four in One Multi-Tool
		77	<b>Clarke</b> XR103 Portable Space Heater, 240V
		78	Two Safety Lanyards
		79	Two Down Draught Fans, with electric cable and chain in box
		80	Two <b>Ridgegear</b> Safety Harnesses
		81	Steel Framed Tug Lift
		82	Platform Truck

Lot Number	Lot Description	Lot Number	Lot Description
83	<b>Eubanks</b> Cable Stripper (known to require attention)	103	Yellow Crimp Connectors 6mm Comprising Rings, Bullets Spades, Push Ons etc. qty 12100 location US3
84	<b>Hayter</b> Hunter 46 Petrol Engined Mower	104	Silver Crimp Non insulated End connectors, qty 4300 location US3
85	Hand Screw Fly Press	105	NEXLUX (ECO LITE) - 3Watt, LED Lamp, GU10 NLGU48 120°Flood 6000K Cool White. Qty 151 location US2
86	Blank	106	NEXLUX - 24 Watt, LED Street Lamp E40, 4500K Bridglux LED's. QTY 21 Location US2
87	Shelving Panels, as set out	107	NEXLUX - 3 Watt, LED Lamp, 4000K White NLGU10, QTY 200 Location US2
88	<b>Fork Lift Truck Snow Plough Attachment</b> , 1m wide	108	NEXLUX - 3Watt, LED Dimmable Lamp, GU10 120° Flood, 4,00 K White Qty 155 location US2
89	<b>Abru</b> Four Rise Folding Alloy Stepladder	109	NEXLUX - 2W LED Lamp, MR11 8XSMD 5050 120° Flood 35MM AC\DC 12V 4000K White, NLMR8 Qty 215 location US2
90	<b>Abru</b> Three Way Alloy Ladder	110	NEXLUX - 4.5 Watt LED Lamp, MR16 120° Flood, 24 SMD, 5050 3000K Warm White. NLMR24 Qty 400 location US2
91	Perforated Angle Steel Racking Uprights, with shelves on two pallets, shelves mainly approx. 900mm x 600mm and 900mm x 380mm	111	NEXLUX - 4.5 Watts, LED Lamp, MR16, 120° Flood, Dimmable, Glass front. 4000K White, NLMR48, Qty 50 Location US2
92	Plastic Cased Multi-Outlet Low Voltage Transformer, 3300VA	112	NEXLUX - 3Watt LED Lamp, MR16, 120° Flood, 48 SMD, 3528, 4000K White, NLMR48, Qty 400 Location US2
93	Plastic Cased Multi-Outlet Low Voltage Transformer, output 110V	113	NEXLUX - 3Watt, LED Lamp, MR16, 120° Flood, 48SMD, 3528, 4000K White, Glass Front, NLMR48, Qty 90 Location US2
94	Plastic Cased Single Outlet Low Voltage Transformer, 1.0kVA	114	NEXLUX - 4.5Watt, LED Lamp, MR16, 120° Flood, 24 SMD 5050, 3000K Warm White, Glass Front, NLMR24, Qty 126 Location US2
95	Ten Assorted Pneumatic Drills	115	NEXLUX - NLMR24, 3Watt LED, GU10 120° Flood, 5200K, Cool White, Glass Front, NLMR24, Qty 89 Location US2
96	Assorted Pneumatic Equipment, including spray gun, orbital sander, corking gun, cut-off tool and nozzle	116	NEXLUX - 3Watt LED Lamp, MR16, 120° Flood, 48 SMD 3528, 4000K White, NLMR48, Qty 400 Location US2
97	Approx. Ten mainly <b>Clarke</b> Pneumatic Pop Riveters	117	NEXLUX - , 3Watt LED Lamp, MR16, 120° Flood, 48 SMD 3528, 4000K White, 5200K Cool White, 3000K Warm White, NLMR48 Qty 40 CW 12W 100WW Location US2
98	Four Assorted Pneumatic Drills	118	GREENLAMP - 3Watt LED, GU10, 1 X 3 Watt, 60° Spot, Aluminium 3000K Warm White. NLGU3, Qty 115 Location US2
99	Seven Pneumatic Screw Drivers	119	NEXLUX - 3Watt, LED Lamp, MR16 120° Flood, 48 SMD 3528, 4000K, White. NLMR48, Qty 400 Location US2
100	Assorted Hand Tools & Equipment, as set out on bench	120	NEXLUX - 1.2 Watt, LED Lamp, G4, 20mm Dia, 6 x SMD 5050, ACDC 12V, 4,000K White, NLG4 Qty 913Location US2
100A	Two Pneumatic Screw Drivers	121	GREENLAMP - 8Watt, LED Lamp BW LED PL, G24, 160°Replacement Lamp, NLPL8, Qty 83 Location US2
100B	<b>Clarke</b> Angle Grinder, 240V, 115mm		
100C	<b>Black &amp; Decker</b> BD562 Drill, 240V		
100D	Double Door Wood Cabinet, with residual contents		
100E	Assorted Plywood, as set out against wall in container no. 8, understood to comprise approx. 17 sheets 8ft x 4ft x 7/8in., with assorted off cuts approx. 13, and 3 no. sheets 8ft x 3ft x 7/8		
	<b><u>THE LIGHTING STOCK &amp; COMPONENTS</u></b>		
	<b>BUYERS OF STOCK LOTS - Vendor will assist with packing and sending by courier stock lots at extra cost to the purchaser, please make contact should you require further assistance</b>		
101	Red Crimp Connectors 1.5mm Comprising Rings, Bullets Spades, Push On's etc. qty - 18200 Location - US3		
102	Blue Crimp Connectors 2.5mmComprising Rings, Bullets Spades, Push Ons etc. qty 6,500 Location US3		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
122	NEXLUX - 3Watt, LED Lamp, GU10 120° Flood 280LM 3000K Warm White, NLGU48 Qty 99 Location US2	139	NEXLUX - 4.5 Watt, LED Lamp, MR16 120° Flood 24 SMD 5050 4000K White, Glass Front. NLMR24 Qty 200 Location US2
123	GREENLAMP - 6Wat, LED Lamp, G24, 160° PLC, 4000K Colour 840, Replacement Lamp. White Qty 187 Location US2	140	NEXLUX - 3Watt, LED Lamp, MR16 120° Flood 48 SMD 3528 5200K Cool White, Glass Front, NLMR48 Qty 538 Location US2
124	NEXLUX - 5Watt, LED MR16, Power adapter-Transformer. Input AC100 V - 240 V to Output 12 V, DC, 5W, Low Voltage, NLMRTR Qty 500 Location US2	141	NEXLUX - 3Watt, LED Lamp, MR16 120° Flood 48 SMD 3528 5200K Cool White Colour 860, NLMR48 Qty 500 Location US2
125	NEXLUX - 5W LED, MR16, Power adapter-Transformer. Input AC100 V - 240 V to Output 12 V, DC, 5W, Low Voltage, NLMRTR - Qty 500 Location US2	142	GREENLAMP - 3Watt, LED Lamp, MR16 1X3W 60° Spot G5.3 5200K, Cool White Colour 860, NLMR16-3 Qty 172 Location US2
126	NEXLUX - 5W LED, MR16, Power adapter-Transformer. Input AC100 V - 240 V to Output 12 V, DC, 5W, Low Voltage, NLMRTR - Qty 567 Location US2	143	NEXLUX - 3Watt, LED Lamp, BC-B22D, Candle 220LM 4000K White NLCB22 Qty 180 Location US2
127	NEXLUX - 5W LED, MR16, Power adapter-Transformer. Input AC100 V - 240 V to Output 12 V, DC, 5W, Low Voltage, NLMRTR - Qty 600 Location US2	144	GREENLAMP - 3Watt, LED Lamp, GU10 120° Flood 3000K Warm White NLGU48 Qty 200 Location US2
128	NEXLUX - 4.5watt, LED Lamp, GU10, 120° Flood 3000K, Warm White, Glass Front, NLGU24 Qty 134 Location US2	145	NEXLUX - 3Watt, LED Lamp, SES-E14, Candle 220LM 4000K White NLCB22
129	GREENLAMP - 3watt, LED Lamp, 1 x 3w 60° Spot G5.3 4000K White, 5200K Cool White, MR16 NLMR16-3 Qty 432 W 65 CW Location US2	146	PRESLITE - LED Adaptor, ES E27 to GU10 Conversion Adaptor NLESGU Qty 133 Location US2
130	NEXLUX (NEX-ECO) - 3watt, LED Lamp, GU10 120° 60 DIP 3000K Warm White, Glass Front. NLGU60 Qty 300 Location US2	148	PRESLITE – LED Adapter, BC B22d to GU10 Conversion Adaption . NLBCGU
131	GREENLAMP - 3watt, LED Lamp, MR16 1 X 3W 60° Spot G5.3 4000K White, Colour 840, Aluminium body. NLMR 16-3 Qty 452 Location US2	147	NEXLUX - 3Watt, LED Candle Lamp, BC-22d, NLCSES Qty 400 Location US2
132	NEXLUX - 4.5watt LED Lamp, GU10 120° Flood 4000K White. NLGU24 Qty 100 Location US2	149	NEXLUX - 5Watt, LED Lamp, BC-B22d GLS Style, 400LM, 4000K White NLB22-5 Qty 202 Location US2
133	GREENLAMP - 3Watt LED Lamp, MR16 1X3W, 60° SPOT G5.3, 3000K Warm White, Colour 835, Aluminium Body, NLMR163 Qty 368 Location US2	150	NEXLUX - 5Watt, LED Lamp, BC-B22d GLS Style Dimmable, 4000K White NLED1GDIM Qty 160 Location US2
134	NEXLUX - 3Watt LED Lamp, GU10 120° Flood Red Colour, NLGU48-RD Qty 51R Location US2	151	GU10 Lampholder and Terminal, NLMRGUCONV Qty 150 Location US2
135	NEXLUX - 3Watt LED Lamp, GU10 120° Green and Blue Coloured, NLGU48GR-BL Qty 24GR 9BL Location US2	152	NEXLUX -5Watt, LED Lamp, BC-B22d GLS Style 400LM 3000K Warm White. NLB22-5 Qty 174 Location US2
136	NEXLUX - 3Watt LED Lamp, MR16 120° Flood 48 SMD 3528 NLMR48 Qty 500 Location US2	153	GU10 Lampholder and Terminal, NLMRGUCONV Qty 200 Location US2
137	NEXLUX - 3Watt LED Lamp Dimmable, GU10 120° Flood Dimmable 4000K White, NLGU48W DIMM Qty 100 Location US2	154	NEXLUX (NEX-eco) – 3 Watt, LED LAMP, GU10 120 degree Flood 60 4000K White NLGU60W
138	NEXLUX - 3Watt, LED Lamp, MR16 120° Flood 48 SMD 3528 3000K Warm White, Glass Front NLMR48 Qty 500 Location US2	155	NEXLUX (NEX-ECO) - 3Watt, LED Lamp, GU10, 120° Flood, 260LM, 3000K, Warm White, NLGU60 Qty 250 Location US2
		156	NEXLUX (NEX-ECO) - 3Watt, LED Lamp, GU10, 120° Flood, 260LM, 5200K Cool White, NLGU60 Qty 273 Location US2
		157	NEXLUX (NEX-ECO) - 3Watt, LED Lamp, GU10 120° Flood, 260LM, 3000K, Warm White, NLGU60 Qty 240 Location US2



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
158	NEXLUX (NEX-ECO) - 3Watt, LED Lamp, GU10 120° Flood 260LM, 5200K, Cool White, NLGU60 Qty 240 Location US2	175	2 x 26Watt Signlight Black, DF226 Qty 90 Location CONT 5
159	PRESLITE - SES E14 to GU10 Conversion Adaptor, NLE14GU Qty 366 Location US2	176	2 x 26Watt Signlight Black, DF226 Qty 70 Location CONT 5
160	Assorted LED Lamps Various Bases. Qty 70 Location US2	177	DFBody, Type B Wall Pack, E27, Empty, Black Body, Security Fitting, (Height 42cm, Width 32.5cm, Depth 33cm) Qty 24 Location CONT 5
161	Various Assorted Lamps. Discharge, Son & HQI Qty 12 Location US2	178	DFBody, Type B Wall Pack, E27, Empty, Black Body, Security Fitting, (Height 42cm, Width 32.5cm, Depth 33cm) Qty 36 Location CONT 5
162	UNIQUE ORIGINAL DESIGN CANTILEVER LED LUMINAIRE. Designed and originally sold for Casion Card Table, Illumination and also for Boardroom Tables etc. Specification: 10cm Square Steel Construction, Gold Painted, 2mtr High, 2.5mtr Arm, Complete with Floor Plate and Non-Trip Design Overhead arm contains 75Watt High Specification, Branded Non Glare LED's, 2395 Lumens, Colour 3000k Dali Dimmable. (Height 200cm, Width 250cm, Depth 250cm) Qty 2 Location B30	179	PRESLITE AQUAMAX - 2ft Single LED Non/Corrosive, IP65, Grey, (Height 69.5cm, Width 23.5cm, Depth 33cm) LDNCC2 Qty 2 Location CONT 6
163	EXTRALUX - 200Watt High Frequency Ballasts CFH200 Qty 638 Location CONT 3	180	PRESLITE AQUAMAX - 5FT Twin 64/70Watt, GREY, IP65, (Height 150cm, Depth 23cm, Depth 33cm) LDNCC25 Qty 3 Location CONT 6
164	EXTRALUX - 200Watt, PL Lamp, E40, 6400K, Blue FPL200B Qty 240 BI Location CONT 3	181	PRESLITE AQUAMAX - 4FT Twin, LED Ready, Non Corrosive, IP65, Grey, (Height 120cm, Width 23cm, Depth 33cm) LDNCCB24 Qty 63 Location CONT 6
165	EXTRALUX - 200Watt, PL Lamp, E40, 2700K RED, FPL200R Qty 207 Red Location CONT 3	182	PRESLITE AQUAMAX - 6FT Single, LED Ready, Non Corrosive, IP65, Grey, (Height 190.5cm, Width 23.5cm, Depth 24cm) LDNCCB6 Qty 100 Location CONT 6
166	EXTRALUX - 200Watt, PL Lamp, E40, 2700K RED, FPL200R Qty 201 Red Location CONT 3	183	PRESLITE AQUAMAX 6FT Single LED Ready, Non Corrosive, IP65, Grey, (Height 190.5cm, Width 23.5cm, Depth 24cm) LDNCCB6 Qty 103 Location CONT 6
167	EXTRALUX - 200Watt, PL Lamp, E40, Self Ballasted, 2700K RED, FPL200B/R Qty 35 Red Location CONT 3	184	PRESLITE AQUAMAX - 5FT Single 32Wstt, LED Non/Corrosive, IP65, Grey, (Height 160cm, Width 23cm, Depth 4.5cm) LDNCC5 Qty 28 Location CONT 6
168	Assorted Screws, Nuts, Bolts, Washers. Screws - M4X16,M6X25,MM5X12,M4X20,M5X35,M6X30, M4X25,M4X35,M4.2X95,M6X35, M5 Washers - M4,M5 Qty 97000+ (1 LOT) Location K1 K2 K3	185	PRESLITE AQUAMAX - 2FT Single, LED Ready, Non-Corrosive, (Height 69cm, Width 23.5cm, Depth 38cm) CMLDNCCB2 Qty 140 Location CONT 6
169	600X600 4 X 14W T5 HF REC/MOD+CAT2 (Height 60cm Width 60cm Depth 5cm) MFCC414 Qty 42 Location CONT 5	186	HILLCLARE - 5FT Twin, LED Ready, Non Corrosive, Grey, (Height 160.5cm) LDNCCB5 Qty 57 Location CONT 6
170	600X600 4 x 14W T5 HF REC/MOD+CAT2 (Height 60cm, Width 60cm, Depth 5cm) MFCC414 Qty 42 Location CONT 5	187	5FT 70W Twin, Economy, Non Corrosive, Grey, IP65, 6000 Lumens, 4000K, LDNCC25EC Qty 48 Location CONT 6
171	595 x 595 4 x 14Watt T5 HF Recess + Diff, (Height 60cm, Width 60cm, Depth 5cm) MFDC414 Qty 42 Location CONT 5	188	High Bay Refractor Kit Qty 81 Location CONT 6
172	2 x 26Watt Signlight Black, DF226 Qty 102 Location CONT 5	189	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7
173	2 x 26Watt Signlight Black, DF226 Qty 102 Location CONT 5	190	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7
174	2 x 26Watt Signlight Black, DF226 Qty 102 Location CONT 5		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
191	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7	206	Discharge Lamp igniters. 150 to 600 Watts Qty 200 + Location R2
192	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7	207	PRESLITE - Mini Photocell, Dawn to Dusk control, 70Lux, 10 Amp, 16mm dia thread, (Height 6cm, Width 5cm, Depth 4cm) Part No CPC1, Qty 242 Location H2
193	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7	208	PRESLITE - Two part remote Photocell, Dawn to Dusk Control, 70Lux, 6 Amp, 20mm dia thread, Part No CPCR1, Qty 121 Location H2
194	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 102 Location CONT 7	209	PRESLITE - SS4 type Photocell Kit, Complete with wall bracket, 70lux on - 105lux off. 5Amp 1000w, Part No CPCK. Qty 108 Location H2
195	5FT Single, LED Ready, Non Corrosive, Grey, (Height 160.5cm, Width 23.5cm, Depth 24cm) LDNCCB5 Qty 66 Location CONT 7	210	Assorted PL Lamp Holders, Watts 8 to 26, Qty 1000 Location H1
196	6FT Twin, LED, Non Corrosive, Grey, IP65, (Height 190cm, Width 18cm, Depth 31cm) LDNCC26 Qty 26 Location CONT 7	211	LED Boards, Including, VOSSLOH, SCHWABE, LEE+PHILIPS IN 4K, 5K + 6500K Linear and COB. Approx amount 1000 Mixed. Qty Approx. 1000 Mixed, Location Asy
197	4FT Twin LED Non Corrosive, Grey, IP65, (Height 120cm, Width 18cm, Depth 44cm) LDNCC24 Qty 89 Location CONT 7	212	Assorted sizes, Cable ties in White Qty 2000+ Location H4 Qty 2000+ Location H4
198	5FT Single, High Output, LED, Non Corrosive, Grey, IP65, (Height 160cm, Width 23cm, Depth 34cm) LDNCC5HO Qty 60 Location CONT 7	213	Microwave Sensors, PIR + Daylight, Hytronik Brand and IP Rated Remote Housings. Approx 1200 Mixed. Qty Approx 1200 Mixed Location Asy
199	5FT Single, High Output, LED, Non Corrosive, Grey, IP65, (Height 160cm, Width 23cm, Depth 34cm) LDNCC5HO Qty 46 Location CONT 7	214	Constant Current, LED Drivers:- VOSSLOH, SCHWABE, PHILLIPS, TRIDONIC, Compact & Linear. Approx 750pcs Mixed. B17 Qty Approx. 750 Mixed Location Asy
200	SIGNLIGHTS, 2ft Pictorial set black, 4ft black, 5ft white, 5no. 5ft black, 2no 2ft black, 2no 8ft white, 6ft black, 3 no pictorial bracket set black, location corner adjacent B1 & A21	215	E40 GES Porcelain Lamp Holders, No 304 CQC White, Complete with mounting bracket, Qty 200 Location H8
201	Assorted High Frequency electronic Ballasts, PL, T5 T8, 11 to 80 Watt Qty 1000+ Location F1-F10 + G1-G10	216	E40 GES Porcelain Lamp Holders, No 304 CQC White, Complete with mounting bracket Qty 180 Location H8
202	PRESLITE AQUAMAX - IP65, Stainless Steel Single, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 24 Location C3	217	E40 GES Porcelain Lamp Holders, No 304 CQC White, Complete with mounting bracket, Qty 100 Location R8
203	Single Cable 0.5mm Twin Cable 1.0mm Three core cable 1.5mm Qty 3000 Mtrs Location R1 + R4	218	E40 GES Porcelain Lamp Holders, No 304 CQC White, Complete with mounting bracket, Qty 100 Location R8
204	T5,T8, PL Lamp Holders, Starter switch holder and Terminal blocks. Qty 20000+ Location B30	219	E40 GES Porcelain Lamp Holders, No 304 CQC White, Complete with mounting bracket, Qty 100 Location R8
205	Assorted sundries. Lampholders, Clips, Chain, U Bolts, Cable, Bolts, Qty 1 Batch Location J1 - J41	220	PRESLITE - Mini Photocell, Dawn to Dusk control, 70Lux, 10 Amp, 16mm dia thread, (Height 6cm, Width 5cm, Depth 4cm) Part No CPC1,Lux, Qty 200 Location H3
		221	PRESLITE - Two part remote Photocell, Dawn to Dusk Control, 70Lux, 6 Amp, 20mm dia thread, Part No CPCR1, Qty 100 Location H3
		222	PRESLITE - Two part remote Photocell, Dawn to Dusk Control, 70Lux, 6 Amp, 20mm dia thread, Part No CPCR1, Qty 100 Location H6

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
223	E40 Porcelain Lamp Holders, White, Qty 100 Location R8	239	15Watt, LED, Opaline, Opal/Chrome, CCT Selectable. (425mm diameter) LDOP4/Chrome Qty 35 Location B23
224	PRESLITE - PLE24 15w LED with Microwave Sensor & 3hr Emergency, Pizza Round IP65 Bulkhead, White Base Pris Diffuser. Qty 7 Location H8	240	PRESLITE - MFIPC 600 x 600 4 x T5 14-24W Recesses or Surface mounted, IP65 For Clean Areas or Laboratories, White, (Height 60cm, Width 60cm, Depth 8cm) Qty 20 Location B21
225	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 24 Location C3	241	PRESLITE - Soft light modular, MFICC155 600 x 600 1X55W PL Recessed Modular Fitting, White, (Height 60cm, Width 60cm, Depth 10Ccm) Qty 3 Location B19
226	TRIDONIC - 05802956 Turntable White LED Area Board and Matching Dali Driver. Qty 20 Location H7	242	PRESLITE - Soft light modular, MFICC155EM 600 x 600 1 x 55W PL Recessed Modular C/W Emergency, White, (Height 60cm, Width 60cm, Depth 10cm) Qty 2 Location B19
227	PRESLITE - LED 22W IP65 Eyelid Polybody Black with Lamps (Height 30cm Depth 15cm) Qty 8 Location H7	243	PRESLITE - Soft light modular, MFICC 414 600 x 600 4 x 14W T5 Softlight Recessed Fitting Modular Fitting C/W CAT2 Louvre, White, (Height 60cm Width 60cm Depth 10cm) Qty 17 Location B19
228	EPL - 1X28W 2D High Frequency Electronic Ballast, White (Height 20cm Width 10cm Depth 6cm) Qty 12 Location H12	244	PRESLITE - Soft light modular, MFICC414EM 600 x 600 4 x 14W T5 Softlight Modular Fitting C/W CAT2 Louvre C/W Emergency (Height 60cm, Width 60cm Depth 10cm) Qty 6 Location B19
229	D&S - 1x18W High Frequency Electronic Ballast White (Height 10cm Width 5cm Depth 5cm) Qty 50 Location H12	245	PRESLITE - Soft light modular, MFICC414EM 600 x 600 4 x 14W T5 Softlight Modular Fitting C/W CAT2 Louvre C/W Emergency (Height 60cm Width 60cm Depth 10cm) Qty 18 Location B19
230	PHILIPS - HF-MATCHBOX 1x15-18W PL High Frequency Ballast, (Height 10cm Width 5cm Depth 5cm) Qty 60 Location H12	246	PIYLUS - SINDOS46084 Enclosure Only, Distribution Board IP30 6Way Plastic White (Height 17cm, Width 16cm, Depth 7cm) Qty 76 Location B18
231	D&S - 2x13W PL High Frequency Ballast, (Height 10cm Width 5cm Depth 5cm) Qty 80 Location H12	247	3watt LED L/V Downlight C/W Driver & 3watt LED Lamp (5cm Diameter) Qty 45 Location B15
232	D&S - 2x26W PL High Frequency Ballast , White, (Height 10cm Width 5cm Depth 5cm) Qty 80 Location H12	248	PRESLITE - MSA228 2 x 28watt T5 Surface Fitting, Metal Base, Wrap Around Poly/Carb Diffuser, White, (Height 150cm, Width 50cm, Depth 15cm) Qty 16 Location B14
233	RL60 250W HQI Street Light C/ W Lamp, (Height 74cm, Width 34cm, Depth 25cm) Qty 10 Location B31	249	2 x 10watt LED Recessed Display Fitting C/W Tridonic Control Gear (Height 45cm, Width 25cm, Depth 20cm) Qty 1 Location B14
234	RL60 Street Light, Body Only, Grey, (Height 74cm, Width 34cm, Depth 25cm). Suitable for LED population. Qty 36 Location B31	250	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 11 Location P5
235	HBRB-G25 Small Decorative Highbay Body + Diffuser, No Gear, White, (Height 45cm, DIA 30cm) Suitable for LED population. Qty 35 Location B27		
236	Assorted Amenity Bodies Only, No Gear, Various Sizes. Suitable for LED population. Qty 11 Location B26		
237	Globe Accessories- 3, Globes Opal- 7, Assorted Galleries. Suitable for LED population. Qty 3GLO 7ACC Location B27		
238	2 x 36 Twin, IP65 Non Corrosive Fluorescent fitting, Polycarbonate body & diffuser C/W Stainless steel clips & High Frequency Electronic control Gear. NCC236 Qty 56 Location B22		



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
251	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 2 Location P5	266	1500 x 300 2 x 49W HF T5 Surface Fitting, White C/W Diffuser, MSD249 (Height 150cm, Width 30cm, Depth 10cm) Qty 18 Location B3
252	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 6 Location P10	267	1500 x 300 2 x 49W HF T5 Surface Fitting, White C/W Diffuser, MSD249 (Height 150cm Width 30cm Depth 10cm) Qty 18 Location B3
253	24W Circular4 Downlight, Recessed C/W Control Gear, White (18cm Diameter) Qty 8 Location B15	268	500 x 300 2 x 49W HF T5 Surface Fitting C/W Diffuser, MSD249 (Height 150cm Width 30cm Depth 10cm) Qty 13 Location B3
254	2 x 26W PL Circular Fluorescent Recessed Downlight, White (30cm Diameter) Qty 23 Location B13	269	DFCM400 X 1 - DFCM250 x 3 - 1 x 400W HQI 3 x 250W HQI IP65 Floodlights Black C/W Gear. Qty 4 Location B6
255	MFIPC 4 x 14W T5 Fluorescent Luminaire, White IP65 CAT2, Clean Area. (Height 60cm Width 60cm Depth 8cm) Qty 20 Location B9	270	PRESLITE - LED Modular Panel, LDMFPC 600 x 600 LED Recessed CAT2 Louvre C/W 40W LED Philips Control Gear & Samsung chip set. White (Height 60cm Width 60cm Depth 8cm) Qty 56 Location B7
256	MFIPC 4 x 14W T5 Luminaire CAT2 IP65, Clean Room, White (Height 60cm, Width 60cm, Depth 8cm) Qty 24 Location B9	271	DFAM Body 400Watt, Large Empty Floodlight Body, Black. (Height 60cm Width 30cm Depth 15cm) Qty 4 Location B10
257	MFIPC 4 x 14W T5 Fluorescent Luminaire, White IP65 CAT2 Clean Area (Height 60cm, Width 60cm, Depth 8cm) Qty 24 Location B9	272	Large Empty Floodlight Body Up to 400w Black (Height 44cm Width 61cm Depth 16cm) Qty 5 Location B10
258	MFBAT128 1 x 28W T5 Baton Fitting, White (Height 150cm, Width 5cm, Depth 5cm) Qty 204 Location B5	273	250W HQI Flood C/W Lamp, Black (Height 46cm Width 18cm Depth10cm) Qty 1 Location B10
259	MAC226HF 2 x 26w PL HF Compact Fluorescent Downlight C/W Glass White (20cm Diameter) Qty 30 Location B5	274	PESSLITE - LED Modular Panel, 600 x 600 LED Recessed CAT2 Louvre C/W 40W LED Philips Control Gear & Samsung chip set. White (Height 60cm Width 60cm Depth 8cm) LDMFPC Qty 56 Location B11
260	MSCDA349 3 x 49w T5 Highlight Luminaire UP/DOWN White (Height 150cm, Width 25cm, Depth 8cm,) Qty 89 Location B1	275	PRESLITE - LED Modular Panel, 600 x 600 LED Recessed CAT2 Louvre C/W 40W LED Philips Control Gear & Samsung chip set. White (Height 60cm Width 60cm Depth 8cm) LDMFPC Qty 96 Location B11
261	60W LED Panel Fitting C/W Driver 5400 LUM White (Height 112cm, Width 60cm, Depth 5cm) Qty 3 Location B1	276	PRESLITE - 2 x 28W T5 Luminaire C/W CAT2 Louvre Suspended UP/DOWN Illumination Silver (Height 120cm Width 17cm Depth 5cm) MSCEN228 Qty 100 Location B20
262	Racking Shelves Grey (Hight 90cm, Width 30cm, Depth 4cm) Qty 80 Location A4	277	PRESLITE - DAR Car Park Fitting, Suitable for LED population. Allround Illumination, Empty Body Only, Black (Height 30cm Width 30cm Depth 25cm) Qty 92 Location B24
263	1500 x 300 2 x 49W T5 Surface Fitting C/W Diffuser White MSD249 (Height 150cm, Width 30cm, Depth 10cm) Qty 26 Location B3	278	PRESLITE - Highbay Body Only (Height 30cm Width 27cm Depth) B332IP65 Qty 14 Location B32
264	1500 x 300 2 x 49W T5 Surface Fitting C/W Diffuser White, MSD249 (Height 150cm, width 30cm, Depth 10cm) Qty 26 Location B3	279	Large Gear Box, No Gear, White (Height 30cm Width 21cm Depth 18cm) Qty 54 Location B32
265	1500 x 300 2 x 49W HF T5 Surface Fitting White C/W Diffuser, MSD249 (Height 150cm, Width 30cm, Depth 10cm) Qty 26 Location B3	280	Large Amenity Bodies, No Gear Suitable for LED population. (Height 35cm, Width 25cm, Depth 20cm) Qty 6 Location B32



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
281	1 x 55w PL Wallwasher (Height 60cm Width 30cm Depth 10cm) MFWW155 Qty 15 Location D13	297	5FT Twin Non Corrosive, 45w, LED Fitting, Complete with lamps, IP65, Grey, (Height 150cm, Width 8cm, Depth 6cm) LDNCC25EC Qty 3 Location D2
282	High Bay Empty Gear Boxes, White, Height 24cm, Width 18cm, Depth 20cm) Qty 6 Location D13	298	18W LED Circular Recessed Fitting, Complete with Philips Driver, 1100LM White, (22cm Diameter) 4C MLDDL18/4 Qty 12 Location D13
283	PRESLITE - Highbay Empty Gear Box, (Height 24cm, Width 18cm, Depth 20cm) Qty 4 Location D13	299	FIRE ALARM EQUIPMENT PANELS - 1,2,3,4,6, Zone Call Points Detectors, (Ionisation, Optical, Heat) Detector Bases, Detector Sounder Bases, Detector Sounder, (Various) Strobe Lights, Klaxon Sounders (Various) Door Holders. Qty 300+ Pieces Location L1, L2, L3, L4
284	Rempte Gear Box Empty, Grey, (Height 14cm, Width 29cm, Depth 19.5cm) Qty 65 Location D13	300	PHILIPS/OSRAM/GE - Florescent Tubes, T5 - T8 Mixed Pallet. Qty 1000+ Location A13
285	20w LED Recessed Circular Downlight, White, Complete with Lamps, 6500K (15cm Diameter) Qty 200 Location D9	301	2FT Twin 2 x 18Watt, High Frequency, T8 Non-Corrosive, IP65, Grey, (Height 60cm, Width 15cm, Depth 8cm) NCC22 Qty 8 Location D9
286	20W LED Recessed Circular Downlight, White, Complete with Lamps, 4000K (15cm Diameter) Qty 80 Location D9	302	425m 15Watt, LED, Opalome, Chrome, CCT Adjustable (42.5cm Diameter) LDUP4 Qty 15 Location D10
287	6 x 54W T5 White, Suspended/Surface Luminaire, LFN654PLX (Height 120cm, Width 30cm Depth 10cm) Qty 20 Location D9	303	PRESLITE - Mixed Champignon Bases + Glass, Polished Brass & Chrome, No Gear, Champignon Qty 30 Location
288	2 x 49W T5 Highlight Suspended Downlight, Silver, MSCEN249 (Height 50cm, Width 15cm, Depth 5cm) Qty 70 Location D5	304	Low Bay Body Only, IP65, Black, (Height 75cm, Width 38cm, Depth 20cm) Qty 7 Location D10
289	LED Recessed Circular Downlighter, LED Scoop, Complete with Philips LED and Driver, Colour 4000K, LDDFA (20 Diameter) Qty 31 Location D5	305	RL160 Street Light Body Only, Grey (Height 74cm, Width 34cm, Depth 25cm) Qty 33 Location D14
290	LED Recessed Circular Downlighter, LED Scoop, Complete with Philips LED and Driver, Colour 4000K LDDFA (20cm Diameter) Qty 44 Location D5	306	4ft 3 x 36watt, Non Corrosive Fitting, Grey, No Lamps, (Height 120cm, Width 12cm, Depth 8cm) NCC336 Qty 26 Location D14
291	LB400M 400W HQI Low Bay Complete with Glass & Lamp, White, (Height 60cm, Width 3cm Depth 30cm) Qty 5 Location D5	307	3 X 18watt, Non-Corrosive Fitting, Grey, No Lamps, (Heights 60cm, Width 25cm, Depth 8cm) B838 NC318 Qty 8 Location D14
292	250W HQI Low Bay, Complete with Lamp, Lamp & Glass, White, (Height 60cm, Width 30cm, Depth 30cm) LB250M Qty 3 Location D5	308	4 x 18watt, Non-Corrosive Fitting, Grey, No Lamps, (Height 60cm, Width 30cm, Depth 8cm) NCC418 Qty 4 Location D14
293	Single Sided Amenity Body Only, IP54 70 - 150watt White (Height 50cm, Width 35cm, Depth 15cm) Qty 32 Location D13	309	28watt, 2D, High Frequency, Opal Line Circular Surface Fitting, Chrome Base, Opal Diffuser, (Diameter 42cm, Depth 10cm) Complete with Lamps PLE442 Qty 6 Location D13
294	2 X 55W PL Wall Washer, without lamps, White, (Height 120cm, Width 30cm, Depth 10cm) MFWW255 Qty 6 Location D6	310	28watt, 2D High Frequency, Opal Line Circular Surface Fitting, White Base, Opal Diffuser, Tridonic Gear + Emergency, (42cm Diameter, Depth 10cm) Complete with Lamps. PLE442 Qty 4 Location D13
295	5FT Single Non Corrosive, 35w LED Fitting, Colour 4K 3500 Lumen, IP65, Grey, complete with lamps, Height 150cm, Width 6.5cm, Depth 6cm) Qty 297 Location D2	311	38watt, 2D, High Frequency, Opal Line Circular Surface Fitting, 2 x White Base, 2 x Brass Base, Opal Diffuser, (42cm Diameter, Depth 10cm) Complete with Lamps, PLE442 Qty 4 Location D13
296	5FT Single Non Corrosive, 35w, LED Fitting, Colour 4K, 3500 Lumens, IP65 Grey, complete with lamps & Emergency, (Height 150cm, Width 6.5cm, Depth 6cm) LDNCC5EC/EM Qty 3 Location D2		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
312	Eight Assorted Traffic Cones, Location in front of rack A	326	OPTONICA - 600x600, LED Recessed Panel, White, Complete with Lamps 6000k, (Height 60cm, Width 60cm, Depth 6cm) Qty 6 Location A21
313	PRESLITE - Opal Line - 38watt, 2D, High Frequency, Circular Surface Fitting, White Base, Opal Diffuser, + Microwave Sensor, Complete with Lamps, (43cm Diameter, Depth 10cm) PLE442 Qty 6 Location D13	327	OPTONICA - 600x600, LED Recessed Panel, White, complete with Lamps 6000k, (Height 60cm, Width 60cm, Depth 6cm) Qty 6 Location A21
314	LED Circular Bulkhead, IP65, Including Emergency & Microwave Sensor, White, Complete with Lamps, (30cm Diameter, Depth 10cm) Qty 10 Location D13	328	LED 600x600, 38watt, Recessed Panel, white, Complete with lamps, 4000k, (Height 60cm, Width 60cm, Depth 6cm) Qty 2 Location A21
315	28watt, 2D, Opal Line Circular Surface Fitting, Brass Base, Opal Diffuser, Complete with Lamps, (32cm Diameter, Depth 10cm) PLE442 Qty 6 Location D13	329	50watt, LED High Power Floodlight, Complete with Lamp, (Height 25cm, Width 20cm, Depth 15cm) Qty 18 Location A22
316	16watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, Brass Base, Opal Diffuser, + Emergency, Complete with Lamps, (32cm Diameter) Qty 1 Location D13	330	50watt, LED High Power Floodlight, Complete with Lamp, (Height 25cm, Width 20cm, Depth 15cm) Qty 14 Location A22
317	28watt, 2D, Opal Line, Circular Surface Fitting , White Base, Opal Diffuser, Complete with Lamps, (42cm Diameter, Depth 10cm) PLE442 Qty 3 Location D13	331	30watt, LED, High Power Floodlight, Complete with Lamp, Grey, (Height 25cm, Width 20cm, Depth 15cm) Qty 14 Location A22 + F1020
318	28watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, White Base, Opal Diffuser, Complete with Lamps, (52cm Diameter, 10cm Depth) Qty 2 Location D13	332	20watt, LED Floodlight, Grey complete with lamp, (Height 25cm, Width 20cm, Depth 15cm) Qty 86 Location A22
319	16watt, 2D, High Frequency, Opal Line Circular Surface Fitting, White Base, Opal Diffuser, Complete with Lamps, (32cm Diameter, 10cm Depth) Qty 2 Location D13	333	10watt, LED Floodlight, Grey, Complete with lamp, Grey, (Height 15cm, Width 10cm, Depth 7cm) CM Qty 100 Location A22
320	38watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, White Base, Opal Diffuser + Microwave Sensor, (42cm Diameter, Depth 10cm) Qty 2 Location D13	334	5ft, Twin Non-Corrosive, 45watt, LED Fitting, complete with Lamps, IP65, Grey, (Height 150cm, Width 20cm, Depth 10cm) LDNCC25EC Qty 72 Location A18
321	16watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, White Base, Opal Diffuser, Emergency, Complete with lamp, (42cm Diameter, Depth 10cm) Qty 1 Location D13	335	600x600, 40watt, LED Layin Nodular Luminaire, White, Complete with lamps, 5000K (Height 60cm, Width 60cm Depth 5cm) Qty 2 Location A18
322	28watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, White Base, Opal Diffuser, Complete with Lamps (42cm Diameter, Depth 10cm) Qty 1 Location D13	336	600X600, 40watt, Premier LED Layin Nodular Luminaire, White, complete with lamps, 6000K (Height 60cm, Width 60cm, Depth 5cm) Qty 27 Location A18
323	38watt, 2D, High Frequency, Opal Line, Circular Surface Fitting, White Base, Opal Diffuser, Emergency, Complete with Lamps (42cm Diameter, Depth 10cm) Qty 1 Location D13	337	2-35/49/80 T5 5ft Batten Fittings, 2x35/49/80 watt, No lamps, (Height 150cm, Width 6cm, Depth 5cm) MFBAT Qty 124 Location A14
324	600x600 LED, Recessed Luminaire, Back lit, 45watt, 1050ma, 4300k (Height 60cm, Width 60cm, Depth 6cm) Qty 21 Location A21	338	2-35/49/80 T5 5ft Batten Fittings, 2x35/49/80 watt, No lamps, (Height 150cm, Width 6cm, Depth 5cm) MFBAT Qty 84 Location A14
325	1195x 695, LED Recessed Panel, Complete with Driver, 4300k Lamps, (Height 120cm, Width 120cm, Depth 6cm) LDMFP Qty 16 Location A21	339	MFBAT 2-35/49/80 T5 5FT BATTEN FITTING WHITE 2 X 35/49/80 WATT NO LAMPS HEIGHT 150CM WIDTH 6CM DEPTH 5CM Qty 84 Location A14
		340	2-35/49/80 T5 5ft Batten Fittings, 2x35/49/80 watt, No lamps, (Height 150cm, Width 6cm, Depth 5cm) MFBAT Qty 84 Location A14

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
341	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 24 Location A14	354	4FT 1x 28watt, IP65, Non-Corrosive Fitting, Grey, No Lamps, (Height 120cm, Width 10cm, Depth 8cm) NCO128 Qty 58 Location A6
342	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 24 Location A10	355	LED, 5ft, 50watt, Academy Luminaire, 6000 Lumens, OSRAM LED'S + Drivers, Colour 4000K, White Steel Base. Curved Opal Diffuser, (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 7 Location A14
343	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 24 Location A10	356	MFBAT 35/49/80 5 T5 5ft, 1x35/49/80watt Fluorescent Batten Fitting, White, No Lamps (Height 150cm, Width 5cm, Depth 5cm) Qty 84 Location A15
344	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 24 Location A10	357	MFBAT 35/49/80 5 T5 5ft, 1x35/49/80watt Fluorescent Batten Fitting, White, No Lamps (Height 150cm, Width 5cm, Depth 5cm) Qty 84 Location A15
345	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 24 Location A10	358	MFBAT 35/49/80 5 T5 5ft, 1x35/49/80watt Fluorescent Batten Fitting, White, No Lamps (Height 150cm, Width 5cm, Depth 5cm) Qty 84 Location A15
346	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 20 Location A11	359	MFBAT 35/49/80 5 T5 5ft, 1x35/49/80watt Fluorescent Batten Fitting, White, No Lamps (Height 150cm, Width 5cm, Depth 5cm) Qty 84 Location A15
347	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 20 Location A11	360	MFBAT 2x28/54 T5 4ft 2x28/54watt, Fluorescent Batten Fitting, White, No Lamps (Height 120cm, Width 5cm, Depth 5cm) Qty 84 Location A19
348	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 20 Location A11	361	LDNCCB26, 6ft Twin LED Ready, Non Corrosive, Grey, IP65, (Height 190cm, Width 18cm, Depth 31cm) Qty 47 Location CONT 7
349	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 20 Location A11	362	600x600, Modular, 4x14watt, T5 Drop Basket Indirect, (Height 60cm, Width 60cm, Depth 10cm) MFDW414 Qty 30, Location CONT 8
350	LED 5ft, 50watt, Academy Luminaire 6000 Lumens, Osram LED'S + Drivers, Colour 4000K, White Steel Base, Curved Opal Diffuser (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 20 Location A11	363	Large Eyelid Fitting, Black Empty Body, Suitable for LED, WPL502L Qty 37, Location CONT 8
351	PRESLITE AQUAMAX - NC22 2ft, Twin High Frequency, Non-Corrosive Fitting, Grey, (Height 60cm, Width 15cm, Depth 10cm) Qty 1 Location A6	364	Small Eyelid Fitting, Black Empty Body, Suitable for LED, WPL502M Qty 89, Location CONT 8
352	T5 600 X 600 4 X 14W LAYIN CAT 2 MODULAR WHITE NO LAMPS HEIGHT 60CM WIDTH 60CM DEPTH 6CM Qty 7 Location A6	365	70watt, HQI Asymmetrical Flood, Glass Front, White Front, Complete with Lamp, (Height 48cm, Width 42cm, Depth 31cm) DFAM70G Qty 35, Location CONT 8
353	4FT 1x28watt, CAT 2 Surface Luminaire, No Lamps (Height 120cm, Width 20cm, Depth 8cm) Qty 1 Location A6	366	70watt, HQI Asymmetrical Flood, Glass Front, White Front, Complete with Lamp, (Height 48cm, Width 42cm, Depth 31cm) DFAM70G Qty 30, Location CONT 8
		367	150watt, HQI Asymmetrical Flood, Glass Front, White, Complete with Lamp, (Height 48cm, Width 42cm, Depth 31cm) DFAM150G Qty 30, Location CONT 8
		368	150watt, HQI Asymmetrical Flood, Glass Front, White, Complete with Lamp, (Height 48cm, Width 42cm, Depth 31cm) DFAM150G



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
369	150watt, HQI Asymmetrical Flood, Glass Front, White, Complete with Lamp, (Height 48cm, Width 42cm, Depth 31cm) DFAM150G Qty 32, Location CONT 8	384	PRESLITE AQUAMAX - 6ft, Twin LED Non-Corrosive, IP65, Grey, (Height 186cm Width 18cm Depth 44cm) Qty 18, Location CONT 10
370	2x49watt, T5, High Frequency, Surface Fitting, Complete with CAT2 (Height 160cm, Width 50cm, Depth 10cm) MSC249 Qty 28, Location CONT 8	385	PRESLITE AQUAMAX - 6ft, Single, LED, Non-Corrosive, IP65, Grey, (HEIGHT 186cm, Width 23cm, Depth 34cm) Qty 71, Location CONT 10
371	1200x600, T5, Surface Complete with Prismatic Diffuser, (Height 120cm, Width 60cm, Depth 10cm) SDC428 Qty 39, Location CONT 9	386	PRESLITE AQUAMAX - 5ft, Single, 46watt, LED, High Output, Non-Corrosive, IP65, Grey, (Height 159cm, Width 23cm, Depth 34cm) LDNCC5HO Qty 65, Location CONT 10
372	2x55watt, PL Wall Washer, White, Without Lamps, (Height 120cm, Width 30cm, Depth 10cm) MFWW255 Qty 10, Location CONT 9	387	PRESLITE AQUAMAX - 5ft, Single, 46watt, LED, High Output, Non-Corrosive, IP65, Grey, (Height 159cm, Width 23cm, Depth 34cm) LDNCC5HO Qty 60, Location CONT 10
373	1x55watt, PLL, White, (Height 60cm, Width 30cm, Depth 10cm)MFWW155 Qty 79, Location CONT 9	388	Pizza Square, Black/Opal, IP65, Empty Body, Suitable for LED, (Diameter 30cm) PLE28SQ Qty 301, Location CONT 11
374	4x14watt, T5 600x600, Surface or Recessed Complete with CAT2 (Height 60cm, Width 60cm, Depth 10cm) MSCC414 Qty 24, Location CONT 9	389	Pizza Circular, Black/Opal, IP65, Empty Body, Suitable for LED, (Diameter 30cm) PLE28CR Qty 200, Location CONT 11
375	4x13watt, T5, 600x600, Surface or Recessed, Complete with CAT2 (Height 60cm, Width 60cm, Depth 10cm) MSCC314 Qty 20, Location CONT 9	390	Pizza Circular, Black/Opal, IP65, Empty Body, Suitable for LED, (Diameter 30cm) PLE28CR Qty 301, Location CONT 11
376	600x600, 2x55watt, Recessed Indirect Fittings, Height 60cm, Width 60cm) MFDD255 Qty 36, Location CONT 9	391	4x14watt, 600x600, Surface, IP54, White, Complete with CAT2, (Height 60cm, Width 61cm, Depth 8cm) MSIPC 414 Qty 19, Location CONT 11
377	PRESLITE AQUAMAX - 4ft Twin Non-Corrosive, IP65, Grey, (Height 120cm, Width 60cm, Depth 10cm) NCC24 Qty 72, Location CONT 9	392	4x14watt, 600x600, Surface T5, IP54, White, Complete with Prismatic Diffuser, (Height 62cm, Width 61cm, Depth 8cm) MSIPD414 Qty 44, Location CONT 11
378	DAC E27 Wallpack, Black, IP65, Suitable for LED, (Height 30cm, Width 20cm, Depth 15cm) Qty 68, Location CONT 9	393	Fitting Circular Black/Prismatic Empty Body, (Diameter 30cm) PLE28E Qty 100, Location CONT 11
379	DAC E27 Wallpack, Black, IP65 (Height 30cm, Width 20cm, Depth 15cm) Qty 96, Location CONT 9	394	GALAXY - Wallpack, E27, Black Empty Body, Qty 88, Location CONT 11
380	BO2 Gear Box Small White, (Height 24cm, Width 15cm, Depth 10cm) Qty 98, Location CONT 9	395	GALAXY - Wallpack, E27, Black Empty Body, Qty 96, Location CONT 11
381	Track Induction Fitting, Black, Complete with Lamps. 1x120watt, 7x40watt, Qty 8, Location CONT 9	396	GALAXY - Wallpack, E27, Black Empty Body, Qty 104, Location CONT 11
382	PRESLITE AQUAMAX - 2ft Twin Economy Non-Corrosive, Grey, (Height 125cm, Width 23cm, Depth 33cm) LDNCCEC Qty 96, Location CONT 10	397	GALAXY - Wallpack, E27, Black Empty Body, Qty 104, Location CONT 11
383	LED, 5ft, 50watt, Academy Luminaire 6000 Lumens, OSRAM LED'S + Drivers, Colour 4000k, White, Steel Base, Curved Opal Diffuser, (Height 156cm, Width 20cm, Depth 7cm) LDMSA 5 Qty 30, Location CONT 10	398	Drum Fitting, White/Black Empty Body (Diameter 30cm) PLE24E Qty 15, Location CONT 11
		399	Surface or Recessed, 4x14watt, 600x600, T5 High Frequency, White, CAT2 (Height 60cm, Width 60cm, Depth 10cm) MFCC414 Qty 9, Location CONT 11
		400	70watt, HQI, Recessed Rectangular Adjustable Fitting, Complete with Control Gear & Lamp, White, (Height 22cm, Width 13cm, Depth 12cm) DFR70 Qty 4, Location L6



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
401	150watt, HQI, Recessed Rectangular Adjustable Fitting, Complete with Control Gear & Lamp, White, (Height 22.5cm, Width 13.5cm, Depth 12cm) DFR150 Qty 20, Location L6	418	ZES18/24 24V 5watt LED Slave Bulkhead for Central Battery System, Complete with Lamp. (Height 38cm, Width 12cm, Depth 8cm) Qty 1, Location M4
402	Prismatic/Opal/Polycarbonate Plastic Diffuser Sheets, TPA / TPB Multiple Quantity Various Sizes, Qty 1 Lot 300+, Location L8/9/10	419	ZES18/50 50V 4watt Slave Bulkhead for Central Battery System, White, (Width 38cm, Width 12cm, Depth 8cm) Qty 1, Location M4
403	STREET LIGHTS - External Lighting Bracketry Galvanised Various, Qty 1 Lot 300+, Location CONT 11	420	8watt Brass Recessed Emergency Blade Exit Sign, Complete with Lamp, (Height 40cm, Width 20cm, Depth 8cm) ZEB918 Qty 2, Location M4
404	Circular LED Gear Tray, 18watt, 4200k, 1700 Lumens, Complete with LED Driver & Lamp, White, (Diameter 29cm, Depth 3cm) Qty 80, Location CONT L5	421	8watt, Fluorescent Exit Box Maintained, Chrome, Complete with Lamp, (Height 38cm, Width 20cm, Depth 10cm) ZE318M Qty 1, Location M4
405	400watt, SON / HQI Low Bay, Grey, Complete with Lamp, (Height 60cm, Width 40cm, Depth 15cm) LBW400S Qty 1, Location L5	422	Hand Parcel / Packaging Wrap, with hand held rollers, 32 rolls location packing bench
406	Square Black Base, Prismatic Diffuser, IP65, Empty Body, Suitable for LED, (Height 20cm, Width 20cm, Depth 8cm) PLE12 Qty 119 , Location L12	423	8watt, Fluorescent Emergency Bulk Head, Non-Maintained, IP65, White Complete with Lamp, (Height 38cm, Width 14cm, Depth 10cm) ZE108NM Qty 2, Location M3
407	Square White Base, Prismatic Diffuser, IP65, Empty Body, (Height 20cm, Width 20cm, Depth 8cm) PLE12 Qty 60, Location L12	424	8watt, Fluorescent Emergency Bulkhead, Maintained, White, Complete with Lamp, (Height 38cm, Width 14cm, Depth 10cm) ZE118M Qty 1, Location M3
408	PLANTMAX - 600watt, Full Spectrum Dual ARC, SON/HQI Horticultural Lamp. Qty 144, Location M8	425	3watt, LED, Polycarb Bulkhead, Maintained/Non Maintained, IP65, White, (Height 38cm, Width 12cm, Depth 8cm)ZES16 Qty 10, Location M3
409	PLANTMAX - Dual ARC, SON/HQI 400watt, E40, Full Spectrum Horticultural Lamp. Qty 102, Location M8	426	3watt, LED, Polycarb Bulkhead, Maintained/Non Maintained, White, (Height 38cm, Width 12cm, Depth 8cm) ZES17 Qty 10, Location M3
410	PLANTMAX- HPS600 600watt SON E40, Horticultural Lamp. Qty 113, Location M8	427	90watt, Low Voltage Emergency Conversion Kit, Complete with Batteries, Black, Height 35cm, Width 10cm, Depth 15cm) ETLV912 Qty 15, Location M3
411	PLANTMAX- HPS600 600watt SON E40, Horticultural Lamp. Qty 301, Location M8	428	50watt, Low Voltage Emergency Conversion Kit, Complete with Batteries, White, (Height 35cm, Width 10cm, Depth 15cm) ZE91 Qty 10, Location M3
412	PLANTMAX- HPS600 600watt SON E40, Horticultural Lamp. Qty 325, Location M8	429	3watt, LED, Emergency Exit Box, Complete with Legend Maintained and Lamp, (Height 40cm, Width 21cm, Depth 7cm) ZES38 Qty 4, Location M3
413	PLANTMAX - DLM600 600watt HQI E40 T76, Horticultural Lamp. Qty 237, Location M8	430	1x8watt, Fluorescent Exit Box, complete with Legend Maintained and Lamp, (Height 40cm, Width 21cm, Depth 7CM) EX318M Qty 4, Location M3
414	5ft, LED, T8, 20watt, PHILIPS Tube, 1500 Lumens, Colour 840, (Height 150cm, Diameter3cm) For Use With HF Gear Only. Qty 39, Location M12	431	2x8watt, LED, Twinspot White Complete with Lamps, (Height 25cm, Width 25cm, Depth 7cm) ETS16NM Qty 10, Location M3
415	Assorted Steel Gear Trays & Gear Boxes, Various Sizes. Qty 1 Lot 100+, Location M11	432	Emergency Legends Stick on and Rigid Legend Plates, Various Sizes S Qty 100+ 1 Lot, Location M3
416	8watt, Fluorescent, Chrome, Non-Maintained, Recessed Emergency, Complete with Lamp, (Height 40cm, Width 15cm, Depth 10cm) ZE808NM Qty 1, Location M4		
417	8watt, Fluorescent Recessed Maintained Emergency White, (Height 42cm, Width 15cm, Depth 10cm) ZES88M Qty 1, Location M8		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
433	LED, Dual Voltage Bulkhead 110volt, AC AND 240volt, IP65, Complete with Lamps (Height 38cm, Width 14cm, Depth 10cm) Qty 7, Location M2	448	LED, Slim Exit Sign Emergency White Complete with Lamp, 4watt Height 35cm, Width 19cm, Depth 6cm) EXS39M Qty 73, Location M5
434	4watt, LED Emergency Bulkhead, White, IP65, Maintained, (Height 38cm, Width 12cm, Depth 8cm) EXS100 Qty 12, Location M2	449	LED, Exit Box White, 4watt complete with Legend Maintained (Height 30cm, Width 15cm, Depth 6cm) EXS38M Qty 5, Location M5
435	EXS80 4W LED RECESSED EMERGENCY NON/ MAINTAINED / MAINTAINED WHITE HEIGHT30CM WIDTH 10CM DEPTH 6CM Qty 10, Location M2	450	LED, 3watt, Mini Bulkhead Poly/Carb Emergency, Non-Maintained, White, (Height 210cm, Width 5cm, Depth 3cm) EXS1NM Qty 42, Location M5
436	4watt, LED, Hanging Exit Sign, Self Test Emergency, White, Complete with Lamp, (Height 35cm, Width 30cm, Depth 6cm) EXS31ST Qty 2, Location M2	451	LED, 3watt, Small Bulkhead Emergency Maintained, White, (Height 210cm, Width 5cm, Depth 3cm) EXS1M Qty 50, Location M5
437	2x8watt, Bulkhead Sustained Emergency Polycarb White, (Height 40cm, Width 20cm, Depth 10cm) ZE328S Qty 1, Location M2	452	LED, 3watt, Bulkhead, Emergency Maintained, White, Complete with Lamp, (Height 17cm, Width 10cm, Depth 6cm) EXS11M Qty 20, Location M5
438	3hr Emergency Conversion Pack, Complete with Batteries, Suitable for LED Luminaires with Drive Voltage Lower than 60volt (Height 250cm, Width 50cm, Depth 50cm) ESLDP2 Qty 13, Location M2	453	Trispot 3x14watt, Trispot 3 head Poly/Carb Emergency, IP65, White, Complete with Lamps, ( Height 40cm, Width 31cm, Depth 15cm) Qty 3, Location M5
439	Miscellaneous Emergency Luminaires all with Lamps, Various Sizes. Qty 20+ 1 Lot, Location M1	454	Blade Exit Recessed Non-Maintained Emergency, White, 8watt, Complete with Lamp, (Height 20cm, Width 15cm, Depth 10cm) ZE908NM Qty 2, Location M5
440	LED, 6watt, Exit Blade Fitting, White Complete with Lamp, (Height 21cm, Width 38cm, Depth 3cm) ZES31 Qty 21, Location M5	455	LED, 5watt, Hanging Blade, Non-Maintained/Maintained Emergency, Complete with Lamp, White, (Height 30cm, Width 29cm, Depth 5cm) EXS31M Qty 16, Location M5
441	LED, 4watt, Hanging Blade Complete with Legend Chrome. (Height 21cm, Width 38cm, Depth 3cm) ZES31M Qty 13, Location M5	456	Decorative Highbay, 55watt, Philips Glass Reflector, Complete with Induction Lamp (Height 60cm, Diameter 30cm) Qty 4, Location M7
442	LED, 3watt, Downlight, Complete with Emergency Gear, White and Lamp, (Height 30cm, Width 10cm, Depth 8cm) DP3W/M Qty 6, Location M5	457	LED, 25watt, Wallwasher Luminaire White, Complete with Lamp, (Height 60cm, Width 30cm, Depth 10cm) MFWW155 Qty 2, Location N2
443	LED, Twinspot Self Test 2x3watt Complete with lamps, White, (Height 30cm, Width 40cm, Depth 10cm) ETS248 Qty 12, Location M5	458	HQI, All Round Amenity Luminaire Poly/Carb 70watt, IP65, Complete with Lamp, (Height 70cm, Width 70cm, Depth 70cm) DAR70M Qty 4, Location N5
444	LED Twinspot, 2X10watt, Complete with Lamps, White (Height 30cm, Width 23cm, Depth 10cm) Qty 3, Location M5	459	HQI 250watt, Aluminium Superior Floodlight, IP65, Black Complete with lamp, (Height 30cm, Width 30cm, Depth 15cm) DFPM250 Qty 1, Location N5
445	8watt, Bulkhead Emergency, Self Test, IP65, White Complete with Lamp, (Height 30cm, Width 12cm, Depth 8cm) ZE118MST Qty 3, Location M5	460	HQI 400watt, Aluminium Superior Floodlight, IP65, Black, Complete with Lamps, (Height 30cm, Width 30cm, Depth 15cm) DFPM400 Qty 1, Location N5
446	Emergency Kit Complete with Batteries, Maintained, Black, (Height 15cm, Width 10cm, Depth 5cm) ESLDP1 Qty 9, Location M5	461	HQI 400watt, Aluminium Floodlight, IP65, Black Complete with Lamp, (Height 30cm, Width 30cm, Depth 15cm) DFCM400 Qty 1, Location N5
447	LED, Hanging Blade Emergency, Complete with Suspension Kits and Lamps, 4watt, HEIGHT 215CM WIDTH15CM DEPTH 5CM ZE705 Qty 12, Location M5	462	HQI Single Sided Amenity Luminaire, White, 150wtt, (Height 30cm, Width 20cm, Depth 10cm) Qty 2, Location N5

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
463	HQI Highbay Complete with Reflector, White, 400watt, (Height 60cm, Diameter 30cm) HB400M Qty 4, Location N5	480	GLS, Bulkhead, 100watt, Grey, Poly/Carb (Height 18cm, Width 6cm, Depth 5cm) Qty 16, Location N11
464	HQI Highbay, 250watt, Complete with Refractor, White (Height 60cm, Diameter 30cm) HB250M Qty 7, Location N5	481	Aluminium, Empty Gear Boxes, 150watt (Height 20cm, Width 20cm, Depth 6cm) Qty 17, Location N11
465	Hydraulic Door Closers Qty 60, Location N1	482	Empty Gear Box, Black Steel, Qty 7, Location N11
466	Door Bell Transformers, 220-240volt, 4/8/12 volt Output, TX11 Qty 490, Location N1	483	Galvanised Steel Wire Cages for Light Fittings, Various Sizes, Qty 20+_ 1 Lot, Location N10
467	HQI Slimline Floodlight, 150watt, complete with Photocell, IP65, White, (Height 30cm, Width 16cm, Depth 10cm) DFAM150 Qty 9, Location N1	484	Circular Fitting, White, Opal, Complete with Lamps, 16watt, 2D, IP65, Poly/Carb (Diameter 16cm, Depth 6cm) PLE16HF Qty 60, Location N7
468	HQI Slimline Floodlight, 150watt, Complete with Photocell, IP65, Silver (Height 30cm, Width 16cm, Depth 10cm) DFAM150 Qty 4, Location N1	485	Circular Fitting, White, Opal, Complete with Lamps, 16watt, 2D, IP65, Poly/Carb (Diameter 16cm, Depth 6cm) PLE16HF Qty 80, Location N7
469	HQI Superior Floodlight, 400watt, IP65, Black, Complete with Lamps, (Height 50cm, Width 50cm, Depth 12cm) DFPM400 Qty 5, Location N1	486	Control Gear, 70watt, IP65, Enclosure, Black for SON/HQI Lamps, (Height 14cm, Width 6cm, Depth 6cm) No Lamps Qty 45, Location M10
470	HQI Slimline Floodlight, 70watt, IP65, White, Complete with Lamp, (Height 30cm, Width 16cm, Depth 10cm) DFAM70 Qty 11, Location N4	487	Control Gear, IP65 Enclosure, Black, 150watt, for SON/HQI Lamps (Height 10cm, Width 7cm, Depth 6cm) Qty 18, Location M10
471	HQI Slimline Glass Front Floodlight, IP65, Silver, Complete with Lamp, (Height 30cm, Width 16cm, Depth 10cm) DFAM70G Qty 1, Location N4	488	Shipping Container Air Vents (Height 15cm, Width 5cm, Depth 3cm) Qty 150, Location M10
472	HQI Slimline Glass Front Floodlight, IP65, 70watt, Black, Complete with Photocell and Lamp, (Height 30cm, Width 16cm, Depth 10cm) DFAM70G/PC Qty 1, Location N4	489	Voltage Range 90v to 240v Tripod Mounted LED Site Light, Mixed - some with 13a plug & some with yellow 110v plug Complete with 2x30watt, LED, Floodlight, (Height 180cm, Width 60cm, Depth 60cm) Qty 12, Location
473	Poly/Carb Floodlight, IP65, Black, Complete with Lamp (Height 30cm, Width 20cm, Depth 15cm) DFPL42 Qty 1, Location N4	490	Selectable Colour Output, LED Tray and Driver, Complete with Lamp, 24watt, (Diameter 25cm) Qty 20, Location P1
474	HQI Double Sided up/down Amenity Light, 150watt, IP65, White, (Height 40cm, Width 30cm, Depth 10cm) DAD150M Qty 10, Location N4	491	Round Gear Tray, LED, 14watt, 3K/4K CCT Selectable, 3K, 1300 LM, 4K, 1650K, (Diameter 24.5cm) Qty 69, Location P1
475	Floodlight, 2 x26watt, PL, Black, Poly/Carb, IP65, (Height 22cm, Width 15cm, Depth 5cm) DF226 Qty 44, Location N8	492	Academy Luminaire, 5ft, 6000 Lumens, OSRAM LED'S and Drivers, 50watt, Colour 4000K, White Steel Base, Curved Opal Diffuser, (Height 156cm, Width 20cm, Depth 7cm) LDSMA5 Qty 4, Location P2
476	LED, Large Industrial Floodlight, White, 150watt, IP65, Heavy Duty Aluminium, Complete with Lamps, (Height 60cm, Width 30cm, Depth 15cm) Qty 2, Location N8	493	Non-Corrosive, LED, Fitting, Grey, IP65, 4ft, 24watt, Complete with Lamp, (Height 120cm, Width 4cm, Depth 5cm) NCC4 Qty 2, Location P2
477	Assorted 16-28watt, 2D, Luminaires, White, IP65, Poly/Carb Complete with Lamps, (Height 15cm, Width 15cm, Depth 6cm) Qty 8_ 1 Lot, Location N8	494	Assorted LED Recessed Downlights, Complete with Lamp, Various Sizes, Qty 5_ 1 Lot, Location P2
478	Assorted, 16-28watt, 2D, Luminaires, IP65, Poly/Carb Round and Square complete with Lamps, Qty 25_ 1 Lot, Location N11		
479	Plamenity Luminaires, Black, Poly/Carb, Complete with Lamps, 2x26watt, (Height 20cm, Width 10cm, Depth 5cm) Qty 6, Location N11		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
495	LED Street/Wall Light, Black, Complete with Lamps, 1x90watt, LED Street/Wall Light, Black, Complete with Lamps, 1x150watt Both (Height 40cm, Width 20cm, Depth 10cm) Qty 2_ 1 Lot, Location P2	507	Non-Corrosive, IP65, Grey, 10watt, 2ft, Complete with LED Tube, (Height 60cm, Width 6cm, Depth 6cm) NCC2/LED Qty 80, Location P13
496	LED Academy Luminaire, 5ft, 6000 Lumens, OSRAM LED'S and Drivers, 50watt, Colour 4000K, White Steel Base, Curved Opal Diffuser, (Height 156cm, Width 20cm, Depth 7cm) LDMSA Qty 3, Location P2	508	HQI Slimline, IP65 Floodlight, Aluminium White, 150watt, Complete with Lamp, (Height 25cm, Width 15cm, Depth 10cm) DFAM150 Qty 3, Location P16
497	LED Academy Luminaire, 5ft, 6000 Lumens, OSRAM LED'S and Drivers, 50watt, Colour 4000K, White Steel Base, Curved Opal Diffuser, (Height 156cm, Width 20cm, Depth 7cm) LDMSA Qty 2, Location P2	509	HQI Slimline, IP65 Floodlight, Aluminium White, 70watt Complete with Lamp, (Height 25cm, Width 15cm, Depth 10cm) DFAM70 Qty 1, Location P16
498	Twin Non-Corrosive, Complete with Emergency, 6ft, 80watt, 1400 Lumens & Lamps 4000k, Grey, (Height 180cm, Width 15cm, Depth 6cm) LDNCC26EM Qty 4, Location P2	510	HQI Slimline, IP65 Floodlight, Aluminium White, 70watt Complete with Lamp, (Height 25cm, Width 15cm, Depth 10cm) DFAM70 Qty 1, Location P16
499	Twin Non-Corrosive, LED 4ft, 45watt, 4000 Lumens, Grey, Complete with Emergency, & Lamp, (Height 120cm, Width 15cm, Depth 6cm) NCC24 Qty 2, Location P2	511	HQI Slimline, IP65 Floodlight, Aluminium Black, Complete with SON+HQI Lamps, (Height 25cm, Width 15cm, Depth 10cm) DFAS70 Qty 1, Location P19
500	Non-Corrosive, Grey, High Frequency, 4ft, 36watt, No Lamps, (Height 120cm, Width 6cm, Depth 6cm) NCC4 HF Qty 4, Location P3	512	70watt, SON Slimline, IP65 Floodlight, Aluminium White, Complete with Lamp, (Height 25cm, Width 15cm, Depth 10cm) DFAS70 Qty 10, Location P19
501	Non-Corrosive, High Frequency Gear, Poly/Carb, /HF/EM 4ft, 36watt, IP65, Grey, (Height 120cm, Width 6cm, Depth 6cm) NCC24 Qty 60, Location P3	513	70watt, SON Slimline IP65 Floodlight, Aluminium Black, Complete with Lamp, (Height 25cm, Width 15cm, Depth 10cm) DFAS70 Qty 7, Location P19
502	Square Poly/arb, IP65, Empty Housing, White Base, Opal Diffuser, (Height 15cm, Width 15cm, Depth 6cm) Qty 95, Location P6	514	92watt, 5ft, LED High Output, Non-Corrosive, IP65, Poly/Carb Fitting Grey, 10,000 Lumens, (Height 150cm, Width 10cm, Depth 10cm) LDNCC25HO Qty 4, Location P23
503	HQI High Bay, Complete with Gear and Lamp, 70watt, Glass Reflector, (Height 60cm, Diameter 35cm) HBG70M Qty 2, Location P4	515	FAEBER - 2x26watt, PL Circular Heavy Duty IP65 Fitting, Complete with Lamp, Cast Aluminium Base Poly/Carb Diffuser Diameter 40cm, Depth 20cm) Qty 11, Location P26
504	LED Decorative High Bay, 20watt, Complete with Gear & Lamp, Clear Glass Refactor, (Height 40cm, Diameter 30cm) LDHBG Qty 2, Location P4	516	28watt, 2D, Circular Surface, IP65 Bulkhead, White Base, Poly/Carb Diffuser, Complete with Lamp, (30cm Diameter, Depth 6cm) Qty 4, Location P26
505	PRESLITE AQUAMAX - 30watt, LED Stainless Steel Body, Clear Poly/Carb Diffuser, Non-Corrosive, IP65, Complete with 4000k LED'S & Gear, (Height 150cm, Width 20cm, (Depth 10cm) NCCSS25 Qty 5, Location P7	517	In Ground, Drive Over Aluminium Fitting, Black (24cm Diameter, Depth 29cm) 3703-A Qty 3, Location P26
506	High Output LED, 5ft, 46watt, Non-Corrosive, IP65, Luminaire, Grey, 5500 Lumens, Complete with 4000k Lamps & Emergency, (Height 150cm, Width 7cm, Depth 7cm) LDNCC5HO/EM Qty 14, Location P7	518	LED Wall Pack, Amenity Fitting, Black, 6watt, Complete with Lamp, (Height 22cm, Width 22cm, Depth 20cm) LDADAC Qty 2, Location P26
		519	POWERLITE - 10watt, LED Circular IP65 Luminaire, White Base, Prismatic Diffuser, (20cm Diameter, Depth 6cm) Qty 1, Location P25
		520	Heavy Duty Cast Aluminium IP65 Projector Floodlight 70watt, Complete with Lamp, (Height 22cm, Width 22cm, Depth 20cm) Qty 1, Location P25



<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
521	2 x 28watt, T5 Surface Fitting, White Base, Prismatic Diffuser, (Height 120cm, Width 15cm, Depth 5cm) MSA228 Qty 3, Location P25	536	2 x 35watt, 5ft, T5 Suspended Indirect Light Fitting, White Basket Downlight / Uplight, (Height 150cm, Width 30cm, Depth 10cm) MSCAA235 Qty 44, Location E13
522	1 x 28watt, T5 Batten, White, (Height 120cm, Width 5cm, Depth 5cm)MFBAT128 Qty 6, Location P25	537	High Bay Prismatic Refractors, Bases and Fittings, (Height 40cm, Diameter 40cm) Qty 24, Location E9
523	5ft, 35watt, Twin Surface Fitting, White Complete with Lamp, (Height 150cm, Width 20cm, Depth 6cm) MSALED Qty 2, Location P25	538	LED Low Bay Bodies Only, White Steel + Gear Covers + Lenses, (Height 60cm, Width 60cm, Depth 5cm) Qty 109, Location E5
524	Aluminium Bodies with Base and Diffuser Top, Complete with Lampholders, BD1100 Qty 18, Location P22	539	4 x14watt, T5 Fluorescent Luminaire IP65 White Metal, USE'S INCLUDE - Clean area's or Laboratories ETC, (Height 60cm, Width 60cm, Depth 8cm) MFIPC Qty 19, Location E1
525	4watt, 600x600 Recessed LED Luminaires, White, Prismatic Diffuser, Complete with Lamp, 4000 Lumens, Colour 6000k (DAYLIGHT) (Height 59.5cm, Depth 59.5cm) Qty 29, Location P15	540	2 x 28watt, T5 Suspended Indirect Light Fitting, White Base, White Basket, Downlight/Uplight (Height 120cm, Width 30cm, Depth 10cm) MSCAA228 Qty 27, Location E14
526	35watt, 1200x300 LED Recessed Luminaire, White, Prismatic Diffuser Complete with Lamp, Colour 2700k, (WARM WHITE) (Height 115.9cm, Width 29.5cm, Depth 3cm) Qty 2, Location P15	541	4ft, 2 x 28watt, T5 Suspended Indirect Light Fitting, White Base, White Basket, Down/Uplight (Height 120cm, Width 30cm Depth 10cm) MSCAA228 Qty 28, Location E14
527	4 x 55watt, PLL Low Bay White, Complete with Lamp, (Height 60cm, Width 30cm, Depth 15cm) LF455 Qty 5, Location P12	542	4ft, 2 x 28watt, T5 Suspended Indirect Light Fitting, White Base, White Basket, Down/Uplight (Height 120cm, Width 30cm, Depth 10cm) MSCAA228 Qty 42, Location E14
528	KOLORADO - 4 x 18watt, LED Floodlight, IP65, 8000 Lumens, Complete with 4000k PHILIPS LED'S & Driver, (Height 35cm, Width 20cm, Depth 10cm) Qty 1, Location P12	543	Plastic Gear Boxes, Black, (Height 180cm, Width 100cm, Depth 5cm) Qty 40, Location E10
529	80watt, 6ft, Twin LED Non-Corrosive Poly/Carb IP65 Luminaire, 8400 Lumens, Complete with 4000k Lamps, (Height 180cm, Width 10cm, Depth 6cm) LDNCC26 Qty 2, Location P12	544	Metal Gear Trays (Height 20cm, Width 5cm, Depth 1cm) Qty 250, Location E10
530	2x58watt, 5ft, Twin Non-Corrosive, IP65, Grey, Poly/Carb Body Complete with High Frequency Gear & Emergency Pack, (Height 150cm, Width 10cm, Depth 8cm) NCC25HF Qty 4, Location P10	545	Decorative High Bay Body, Grey, Complete with White Glass Refractor, (Height 60cm, Diameter 30cm) HBGBODY Qty 6, Location E10
531	45watt, 4ft, Twin LED Non-Corrosive, IP65, Grey, 5000 Lumens, (Height 120cm, Width 10cm, Depth 8cm) NCC24LED Qty 2, Location P10	546	Decorative High Bay Body, White Complete with Prismatic Diffuser (Height 29cm Diameter 20cm) HBRB Qty 5, Location E10
532	200watt, PLL Fluorescent Low Bay, White, Complete with Lamps, (Height 60cm, Width 30cm, Depth 15cm) Qty 1, Location P9	547	Decorative High Bay, White, Complete with Prismatic Diffuser, PL Gear +Lamp (Height 29cm, Diameter 20cm) HBRBPL Qty 1, Location E10
533	100watt, PLL Fluorescent Low Bay, White, Complete with Lamps, (Height 60cm, Width 30cm, Depth 15cm) Qty 1, Location P9	548	LED Decorative High Bay, White, Complete with Prismatic Diffuser LED Gear Fitted, 40watt, 5000 Lumens, Complete with Lamp 3000k (Warm White) (Height 29cm, Diameter 20cm) LDHBRB Qty 2, Location E10
534	Assorted High Bay Reflectors, Aluminium Refractors, Poly/Carb Reflectors, Glass Diffusers, Poly/Carb Various Sizes, Qty 30+ PCS_ 1 Lot, Location P10	549	Decorative Small High Bay, Complete with White Opal Glass Diffuser, No Gear, (Height 30cm, Diameter 22cm) Qty 8, Location E6
535	2 x 28watt, High Frequency, 4ft Suspended White Fitting Indirect Basket Front & Uplight, (Height 120cm, Width 30cm, Depth 10cm) MSCAA228 Qty 16, Location E13		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
550	Decorative Small High Bay, Complete with White Opal Glass Diffuser, No Gear, (Height 30cm, Diameter 22cm) Qty 4, Location E6	568	Assorted 110v, IP56, Non-Corrosive, Grey, Various Sizes, Qty 20, Location C5
551	GALAXY - Amenity Surface Outdoor, IP65, Body Only, Suitable for all Light Sources inc LED, (Height 25cm, Width 15cm, Depth 10cm) Qty 34, Location E6	569	70watt, 110v, HQI, IP65, Floodlight, Black, (Height 40cm, Width 30cm, Depth 10cm) DFP70/110 Qty 11, Location C5
552	Aluminium Bollards, Black, Body Only (110cm, Diameter 15cm) D1100 Qty 11, Location E2	570	PRESLITE - Aluminium Up/Down Luminaire Housing Only, IP65, Dark Grey, (Height 35cm, Width 15cm, Depth 15cm) Rx7's Qty 26, Location C1
553	Metal Coat Rack complete with 8 lockers	571	OSRAM - 80watt, E27, Lamps, MBFU E27 Qty 120, Location C1
554	5ft, Twin Non-Corrosive Bodies only, Grey, No Gear, T5/T8 Tray, (Height 150cm, Width 8cm, DEPTH 5CM Qty 15, Location E2	572	OSRAM - 250watt, SON, E40, Lamps, Qty 140, Location C1
555	5ft, Twin, 40watt, LED Non-Corrosive, Grey, (Height 150cm, Width 8cm, Depth 5cm) NCC25 Qty 2, Location E2	573	12watt, LED, Recessed Slim Downlighter, White, Complete with Driver, (20cm Diameter, Depth 3cm) Qty 291, Location C10
556	4ft, Twin, 40watt, LED Non-Corrosive, Grey, Complete with Emergency, (Height 120cm, Width 8cm, Depth 5cm) NCC24 Qty 1, Location E2	574	180 X 400watt, SON, 225 x 250watt, Hight Pressure Sodium (SON) Qty 405, Location A7
557	Various 1200x 600 Prismatic, Opal, Clear, Perspex Diffusers, Various Thicknesses from 3mm to 12mm, Various Sizes, Qty 27, Location E2	575	18watt, LED, Recessed Slim Downlight, White, Complete with Philips Driver & Lamps, ( Diameter 20cm) Qty 193, Location C10
558	PHILIPS - 49watt, LED, Display Downlight, White, (Height 22cm, Width 13cm, Depth 10cm) Qty 67, Location C13	576	23watt LED Recessed, Slim Downlight, White, Complete with Philips Driver & Lamps, (Diameter 20cm, Depth 3cm) Qty 58, Location C10
559	5ft, 25watt, NEXUS LED, Replacement Tubes, (Height 150cm, Diameter 3cm) Qty 100+, Location C13	577	Porcelain Lampholder, E40, White Qty 1280, Location C2
560	2ft, 10watt, NEXUS LED, Replacement Tubes, (Height 60cm, Diameter 3cm) Qty 75, Location C13	578	GALAXY - LED, 14watt, Amenity, LUMINAIRES IP65 POLY/CARB HEIGHT 32CM WIDTH 32CM DEPTH 16CM Qty 15, Location A15
561	1000watt, Floodlight body only, (Height 40cm, Width 25cm, Depth 15cm) Qty 1, Location C13	579	Cast Aluminium Downlight, IP65, Housing Only, (Height 30cm, Width 20cm, Depth 15cm) Qty 28, Location C14
562	6ft, 30watt, LED Replacement Tubes (Height 180cm, Diameter 3cm) Qty 100, Location C13	580	OSRAM - E40 Lamps, 386 x 150watt SONT, 265 x 250watt SONT, 4 400W SONE Qty 655_ 1 Lot, Location B1
563	6ft, 30watt, LED Replacement Tubes (Height 180cm, Diameter 3cm) Qty 200, Location C9	581	DARBODY - Allround Car Park Fitting, E27, Suitable for LED, (Height 20cm, Width 20cm, Depth 15cm) Qty 43, Location A8
564	1 x 58watt, 2x58watt, High Frequency Batten Fittings, White, (Height 150cm, Width 4cm, Depth 4cm) Qty 430, Location C9	582	DARBODY - Allround Car Park Fitting, E27, Suitable for LED, (Height 20cm, Width 20cm, Depth 15cm) Qty 64, Location A8
565	Warehouse Four Drawer Filing Cabinet	583	DARBODY - Allround Car Park Fitting, E27, Suitable for LED, (Height 20cm, Width 20cm, Depth 15cm) Qty 57, Location A12
566	5ft, 2 x 49watt, T5 Surface Luminaire, White Steel Base, Curved Opal Prismatic Diffuser, (Height 150cm, Width 20cm, Depth 6cm) MSA249 Qty 35, Location C5	584	Decorative Highbay, G12 Lamp Holder, HRB G12 Qty 36, Location A12
567	5ft, 2 x 49watt, LED, T5 Surface Luminaire, White, Steel Base, Curved Opal Prismatic Diffuser, (Height 150cm, Width 20cm, Depth 6cm) MSA249 Qty 3, Location C5	585	Decorative High Bay, G12 Lamp Holder, (25cm Diameter, Height 400cm) HBRBG12 Qty 39, Location A16
		586	Body 150watt, HQI DE, Circular Fixed Downlighter, No Lamp or Gear, White, (Height 15cm, Diameter, Depth 4cm) DFC150 Qty 140, Location C6

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
587	Body all Round Car Park Fitting, E27, Suitable for LED, (Height 20cm, Width 20cm, Depth 15cm) DAR Qty 51, Location C2	605	16Watt, 2D Circular, IP65, Surface Fitting, White, (15cm Diameter, Depth 5cm) Qty 6, Location A6
588	Body Single Sided Amenity, R7S Lamp Holder, No Gear or Lamp, (Height 25cm, Width 15cm, Depth 4cm) DAS Qty 24, Location C6	606	12W LED Circular Bulkhead, White, Complete with Lamps, (22cm DIA, Depth 6cm) PLE14LED Qty 10, Location A6
589	1 X 13watt High Frequency, Vertical Downlighter, Complete with Gear, No Lamp, (6cm DIA) Qty 87, Location C6	607	21 X High Bay Aluminium Bodies, 42 X Aluminium Reflectors (Height 70cm, 30cm DIA) Qty 63 Pieces_ 1 Lot, Location A20
590	1200 Flat Back, 1 X 28Watt, T5 Academy Fitting Complete with White Opal (Height 120cm, Width 18cm, Depth 6cm) MSA128 Qty 50, Location E3	608	1 x 28Watt Surface Batten Fitting, T5, Metal Base, Curved Diffuser (Height 120cm, Width 10cm, Depth 5cm,) MSA128 Qty 8, Location E1
591	1200 Flat Back, 1 X 28Watt, T5 Academy Fitting Complete with White Opal (Height 120cm, Width 18cm, Depth 6cm) MSA128 Qty 50, Location E3	609	PLESQ Bulkhead Square, IP65, Housing & Gear Tray Qty 33, Location E1
592	PRESLITE - Mixed small Prismatic Refractor for Decorative Hi Bay, Qty 65, Location	610	PLE Circular Bulkhead Housing + Gear Tray, (18cm DIA, Depth 5cm) Qty 7, Location E1
593	Pallet Wrap, 11 clear & three black and six part rolls	611	Assorted Halogen Lamps, 220w-118mm, 300w-118mm, 500w-118mm, 300w-240v, 750w-110v, 750v-240v +other assorted Qty 461, Location
594	PRESLITE - 5ft Academy, 2x49Watt, T5, Complete with Gear, Less Lamps, MSA249, Qty 20, Location A23	612	ARES - SAM IP65 TC-SEL 2x9w 2G7 EB Outdoor Bulkhead Qty 6, Location
595	PRESLITE - 5ft Academy, 2x49Watt, T5, Complete with Gear, No Lamps, MSA249 Qty 20, Location A23	613	Three Breakfast Bar Stools location in front of packing bench
596	PRESLITE - 5ft Academy, 2x49Watt, T5, Complete with Gear, No Lamps, MSA249 Qty 20, Location A23	614	ORBIK, Inverters - 50v x 15, 24v x 36, 110v x 21 Change Over Drive Relays, 110v x26, 24v x 1, 50v x 2 240v x 3 AC Multi phase. Tridonic - EM-34B Basic x 12 Qty 116, Location
597	PRESLITE - 5ft Academy, 2x49Watt, T5, Complete with Gear, No Lamps, MSA249 Qty 20, Location A23	615	CAMPINI COREL - Thermoregulator - TS5310 W Water temperature regulator (10) Termostato thermostat TY90C1 (73) Cylinder Thermostat TS5310 (18) Qty 101, Location
598	PRESLITE - 5ft Academy, 2x49Watt, T5, Complete with Gear, No Lamps, MSA249 Qty 20, Location A23	616	Assorted Dimmers 1 x 1-10v Potentiometer, 1 x Dim MCV-P, 5 x Electronic Dimmer for Transformer AB 300, 1 x Automatic Working Telecontrol RUL-R Qty 8, Location
599	SEALITE - LED, Even Eyelid Bulkhead, Colour 840, 22Watt, Black, SEVE/330/EL/ST/BK/840 Qty 34, Location	617	SEALITE - Lunar, Power Type, Circular Bulkhead, 14Watt LED 3K/4K Selectable 14Watt, White, SLUN/330/ST/WH/CCT Qty 25, Location
600	Assorted IP65, Grey, Non-Corrosive, Various Sizes, Qty 8_ 1 Lot, Location C5	618	TANSUN - Infra Red Heater, Mixed, Portable or Fixed Qty 10, Location D6
601	3 X 28watt Suspended T5 Up/Down Light Fitting, CAT2 Louvre Down Prismatic Up, White, (Height 120Ccm, Width 26cm, Depth 6cm) MSCDA328 Qty 90, Location B17	619	PRESLITE - 1kw Empty Gear Box, IP65, No gear, Black Qty 15, Location B2
602	VENTURE HQI Lamps - 60 X 150W 244 X 250W 48 X 400W, E40 BASE Qty 351_ 1 Lot, Location B14	620	Mixed Compact Florescent Lamps, Including:- 500-40Watt PLL 4pin 840, 600x26Watt PLC 2pin, 1000x7-1SN PLS PLC 2+4pin Qty 2100+, Location A24
603	Decorative Small High Bay Body, Complete with Red diffuser, (Height 60cm, 30cm DIA) Qty 15, Location B17	621	Mixed Compact Fluorescent Lamps, Including:- 400 x 400Watt, PLC 4pin 840, 1400 x 26Watt PLC 2pin, 1000 x Mixed, 13-42Watt PLC - PLT Qty 2800+, Location A24
604	2 x 26Watt, PL Downlight Compact Fluorescent Recessed, (Height 32cm, Width 150cm Depth10cm) MAC226HF Qty 58, Location		

<b>Lot Number</b>	<b>Lot Description</b>	<b>Lot Number</b>	<b>Lot Description</b>
622	Mixed Empty Gearbox, 150w to 2kw Qty 30, Location D1	637	MIX OF ANSELL AND MORGAN HOPE - 12 x 5FT Twin, 40 x 5FT Single, 26 x FT Single, Empty Non-Corrosive, IP65, Grey, (Height 160cm) NCCB25/5 Qty 78_ 1 Lot, Location CONT 12
623	Fork Lift Truck Personnel Safety Cage location outside	638	PLUSRITE - 250W HQI LAMP E40 MH250/BT/D/E40 Metal Haylight Discharge Lamp Qty 485, Location CONT 12
624	GE 2ft, 18Watt, Colour 835, Tri Phosphor, T8, Tube, 93318 F18W/835 Qty 100, Location B2	639	1mtr High Bollards, Black, E27, BD1100 Qty 17, Location CONT E3
625	GE 2ft 18Watt, Colour 835, Tri Phosphor, T8, Tube, 93318 F18W/835 Qty 100, Location B2	640	High Bay Gear Box Horticultural. Qty 41, Location
626	GE 2ft 18Watt, Colour 835, Tri Phosphor, T8, Tube, 93318 F18W/835 Qty 100, Location B2	641	Mixed Aluminium Spinnings, 325mm + 425mm, Plated Chrome + Brass, Anodiseo Silver + Gold Qty 120+, Location B7
627	GE 2ft 18Watt, Colour 835, Tri Phosphor, T8, Tube, 93318 F18W/835 Qty 100, Location B2	642	DAKAL - IP65, HiBay, Gearbox only, No Gear or reflector, Qty 47, Location A20
628	GE 2ft 18Watt, Colour 835, Tri Phosphor, T8, Tube, 93318 F18W/835 Qty 75, Location B2	643	PLUSRITE - Branded E40, 400watt HQI-T Lamp, MH400/BT/D/E40 Qty 125, Location CONT 12
629	PHILIPS - 4ft, 36Watt, 3500K, Halo Phosphate, T8 Tube Qty 18, Location B2	644	PLANTMAX - Branded E40, 400watt, HQI-T, Digi Pulse, Horticultural Lamp, Qty 37, Location CONT 12
630	28Watt, 2D Circular, 10 x BLACK, 5 x White, Complete with Lamp & Gear (30cm Diameter) PLE24 Qty 15 1 Lot, Location CONT 11	645	Decrative High Bay Body, Yellow Glass, E27, No Gear, HBG/YELLOW Qty 22, Location E15
631	KOLORADO - 2 X 24Watt, PL, Grey, Flood, (Height 90cm, Width 45cm, Depth 42cm) KOL-242E Qty 24, Location CONT 11	646	4ft, Linear Low Bay Bodys, Zhaga Pattern, Complete with Carton & Reflectors, No Gear, LDLINBAY1200/BODY Qty 44, Location E7
632	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25, Qty 56, Location CONT 12	647	Dudley S2 Floor Safe, with one key, 56cm high x 40cm x 40cm (external)
633	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 52, Location CONT 12	648	Blank Lot
634	PRESLITE AQUAMAX - IP65, Stainless Steel Twin, Non-Corrosive, Empty Body, Polycarbonate Diffuser, Stainless Steel Clips, Food Grade Specification, To Suit T8 2x58Watt or LED Population. (Length 1660, Width 235cm, Height 130cm) NCCBSS25 Qty 28, Location CONT 12	649	Blank Lot
635	4FT Twin Non-Corrosive, Empty Body, Gauntlet, IP65, Grey, (Height 120cm, Width 20cm, Depth 6cm) NCCB24E Qty 73, Location CONT 12	650	1x58Watt, 110Volt, Polycarbonate, IP65, Non-Corrosive Fitting, Grey, (Height 150cm, Width 6cm, Depth 6cm) Qty 42, Location P8
636	4 FT Single Non Corrosive, Empty Body, IP65, Grey, Gauntlet (Height 120cm, Width 10cm, Depth 6cm)NCCB4E Qty 108, Location CONT 12	651	SYLVANIA - 1x36Watt, IP65, 240V, Non-Corrosive Fitting, (Height 120cm, Width 6cm, Depth 6cm) Qty 16, Location P5
		652	LED, Non-Corrosive Fitting, IP65, 45 Watt, Grey, (Height 120cm, width 8cm, Depth 6cm) Location P11 quantity 8
		653	PRESLITE - Surface Modular, White Steel with Cat21 Louvre (Height 120cm, Width 20cm, Depth 10cm) MSC228 Qty 5, Location P17
		654	PRESLITE - Surface Suspended LED, 180Watt, 24000 Lumens, Colour 4000K, White Base, Opal Diffuser, Philips Gear and Lamps, (Height 120cm, Width20cm, Depth 12cm) Qty 4, Location P17
		655	600watt SON/HQI Discharge Ballasts, (Height 20cm, Width 10cm, Depth 10cm) Qty 140, Location A17



Lot Number	Lot Description	Lot Number	Lot Description
656	E40, Porcelain Lampholders, (Height 10cm, 5cm Diameter) Qty 160, Location A17	1012	<b>Olivetti d COPIA 23EMF+ Photocopier Printer</b> , machine no. L45250098, year of manufacture 2012, with PF-470 cassette feeding unit, vendors comments: new fuser unit fitted recently
657	Assorted Sizes, Plastic stand off spacers, Qty 1,000, Location H4	1013	<b>Samsung CLP-775ND Colour Laser Printer</b>
658	Nylon N66 push in rivets, For LED Boards 4.2 mm hole 1.2mm panel Qty 75,000, Location H4	1014	<b>Samsung ProXpress MF3370FD Monotone Laser Printer</b>
659	Stainless Steel, T5 Lamp Clips/Florescent, 11/4" Qty 1,000+, Location H4	1015	<b>Bonsaii Electric Paper Shredder</b>
660	Assorted E27 + E40 Lampholders, Porcelain and Plastic. Qty 300+, Location P25	1016	<b>Zebra LP2844 Label Printer</b> , serial no. 42A050901147, year of manufacture 2005
661	Assorted Photocells Qty 104, Location P25	<b><u>CANTEEN AREA</u></b>	
662	Assorted Storage Trays - 5cmx10cmx9cm - Small 8cmx10cmx16cm - Medium 13cmx14cmx14cm - Large Qty 60+, Location P25	1017	900mm dia. Table, with five cantilever framed chairs
663	Floodlight Fitting, IP65, 400watt, SON (Height 60cm, Width 40cm, Depth 16cm) Qty 3, Location E13	1018	<b>Beko DS530W Electric Oven/ Cooker</b>
664	LED, 2ft Twin, Non Corrosive Fitting, IP65, Polycarbonate, (Height 60cm, Width 15cm, Depth 10cm) Qty 4, Location E13 Floor	1019	<b>Candy Brava Dishwasher</b>
665	Floodlight, 150watt SON (Height 50cm, Width 40cm, Depth10cm) Qty 2, Location E13	1020	Single Door Refrigerator
666	Pallet of Assorted Various LED + Fluorescent Lighting Luminaries Qty 20, Location E9	1021	<b>Sharp Microwave Oven</b>
667/999	Blank Lots	1022	<b>Samsung M1711N Microwave Oven</b>
	<b><u>OFFICES</u></b>	1023	Five Single Bay Five Tier Steel Racks, each approx. 1.22m x 460mm x 1.83m high (excluding contents) (reserve removal until contents cleared)
	<b><u>GROUND FLOOR</u></b>	1024	<b>Electrolux The Boss 1400W Stairmaster Upright Vacuum Cleaner</b>
	<b><u>RECEPTION AREA</u></b>	1025	Steel Framed Bench, approx. 1.8m wide
1000	Five Modular Wood Framed Reception Chairs	1026	Steel Framed Bench, approx. 1.8m wide
1001	Two Wood Framed Reception Chairs	1027	Steel Framed Bench, approx. 1.8m wide
	<b><u>MEETING ROOM</u></b>	1028	<b>Vax MachAir Revive Upright Vacuum Cleaner</b>
1002	1.2m dia. Meeting Table, with four steel framed armchairs	1029	<b>Norstrand Folding Multipurpose Telescopic Ladder</b> , max. 150kg
1003	Matching Cupboard & Two Sideboard Units	<b><u>FIRST FLOOR</u></b>	
	<b><u>GENERAL OFFICE</u></b>	1030	Blank lot
1004	Two Curved Front Matching Desks, each with multi-drawer pedestal	<b><u>PRIVATE OFFICE</u></b>	
1005	Sideboard	1031	Two Curved Front Desks, with semi-circular end meeting table, with matching sideboard
1006	Single Pedestal Steel Cantilever Framed Desk	1032	Two Leather Effect Swivel Armchairs
1007	Double Pedestal Steel Framed Desk	1033	Three Leather Effect Swivel Armchairs
1008	Single Pedestal Steel Framed Desk	1034	Four Tier Bookcase (excluding contents)
1009	Wood Bookcase	1035	<b>Escoline Four Drawer Vertical Steel Filing Cabinet</b> (excluding contents)
1010	Four Fabric Upholstered Typists Chairs	1036	Blank lot
1011	Swivel Armchair (known to require attention)	1037	<b><u>GENERAL OFFICE</u></b>
		1038	Two Steel Single Bay Five Tier Racks, approx. 1.24m x 460mm x 1.83m high
		1039	Office Requisites, as set out
		1040	Mobile Steel Filing Trolley
			Two Single Pedestal Desks

Lot Number	Lot Description	Lot Number	Lot Description
1041	Light Box, approx. 570mm x 290mm	1069	<b>Hanovia</b> Turboscreen 30 Overdoor Fan Heater, 3kW (location US2)
1042	Timber Pigeonholes	1070	Three <b>Toshiba</b> Telephone Handsets, in box (location US2)
1043	Steel Framed Table	1071	Three Electrical Extension Reels (location US2)
1044	Six Plastic Moulded Stacking Chairs	1072	<b>HP</b> DeskJet 9800 Printer (location US2)
1045	Steel Four Drawer Filing Cabinet	1073	<b>Premier</b> Rapidfold P7200 Folding Machine (location US2)
1046	Steel Four Drawer Filing Cabinet	1074	Three 'Caution – Wet Floor' Signs (location US2)
1047	<b>Dyson</b> DC01 Upright Vacuum Cleaner	1075	One Pair of <b>Stanley</b> Folding Trestles (location US2)
1048	<b>De'Longhi</b> Dragon 2 Oil Filled Electric Radiator	1076	Three 500kg 5m Ratchet Straps (location US2)
1049	Two Oil Filled Electric Radiators & Electric Fan Heater	1077	Two 3000kg 6m Heavy Duty Ratchet Straps (location US2)
1050	Four Assorted Steel Framed Desks	1078	150A 3m Heavy Duty Jump Leads, with ratchet strap (location US2)
1051	Two Radius Island Shelf Units	1079	<b>Ford</b> 2000 Traffic Video Cassette Player (understood to be suitable for Transit Van) (location US2)
1052	Four Timber Desk Slopes	1080	F-Super2 Interface F Mark II Scanner Fault Code Reader (understood to be suitable for <b>Ford</b> ) (location US2)
1053	Assorted Signs, as set out	1081	4m 3 tonne Tow Rope, complete with heavy duty M14D shackle (location US2)
1054	Two Multi-Tier Timber Racks (excluding contents) (reserve removal until contents cleared)	1082	<b>Haynes</b> Ford Transit Diesel Owners Workshop Manual, October 2000 to October 2006 (location US2)
1055	Assorted Office Requisites & Reusable Stationery (on lot 1054)	1083	Electrical Panels, in plastic box (location US2)
1056	Two Trolleys (excluding contents)	1084	<b>Pitney Bowes</b> G790 Electronic Weigh Scales, serial no. 0003303 (location US2)
1057	<b>HP</b> OfficeJet 3831 Flat Bed Printer/Scanner	1085	<b>Cannon</b> EOS350D Digital Camera, in box (location US2)
1058	Two Bent Wood Framed Chairs	1086	<b>Ctek</b> MXS 5.0 Battery Charger, with comfort indicator (location US2)
	<b>OFFICE</b>	1087	Five Safety Helmets (location US2)
1059	Drum Kit, as set out	1088	Perforated Angle Steel Racking, as set out with eight uprights and six shelves, mainly 750mm x 900mm
1060	Three Bay Five Tier Perforated Angle Steel Rack, overall size approx. 2.74m x 380mm x 0.9m high	1089	<b>Armstrong</b> Suspended Ceiling Tiles, mainly 600mm x 600mm
1061	Three Bay Five Tier Racks, each approx. 1.2m x 470mm x 1.3m high		
1062	Display Panelling, as set out against wall, each panel approx. 2.1m high		
1063	Steel Framed Table, with timber top		
1064	Photobox		
1065	Steel Framed Bench		
1066	Two x Three Bay Five Tier Racks, each approx. 1.2m x 470mm x 1.3m high		
1067	<b>Prism</b> Cabinet, with residual contents		
1068	Two Double Drawer Steel Filing Cabinets, with worktop		